




about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants

Index

Mini Fragment	:	1.1 - 1.15
Small Fragment	:	2.1 - 2.28
Large Fragment	:	3.1 - 3.32
Angle Blade Plates	:	4.1 - 4.9
Staples, Pins & Wires	:	5.1 - 5.9

1.5mm Cortical Screw(Hex Head)

Drill Bit: 1.1mm



Length (mm)	Stainless Steel	Titanium
6	101.006	TI-101.006
7	101.007	TI-101.007
8	101.008	TI-101.008
9	101.009	TI-101.009
10	101.010	TI-101.010
11	101.011	TI-101.011
12	101.012	TI-101.012
14	101.014	TI-101.014
16	101.016	TI-101.016
18	101.018	TI-101.018
20	101.020	TI-101.020

STERILE

Length (mm)	Stainless Steel	Titanium
6	101.006-S	TI-101.006-S
7	101.007-S	TI-101.007-S
8	101.008-S	TI-101.008-S
9	101.009-S	TI-101.009-S
10	101.010-S	TI-101.010-S
11	101.011-S	TI-101.011-S
12	101.012-S	TI-101.012-S
14	101.014-S	TI-101.014-S
16	101.016-S	TI-101.016-S
18	101.018-S	TI-101.018-S
20	101.020-S	TI-101.020-S

1.5mm Cortical Screw, Self -Tapping(Hex Head)

Drill Bit: 1.1mm



Length (mm)	Stainless Steel	Titanium
6	101.206	TI-101.206
7	101.207	TI-101.207
8	101.208	TI-101.208
9	101.209	TI-101.209
10	101.210	TI-101.210
11	101.211	TI-101.211
12	101.212	TI-101.212
14	101.214	TI-101.214
16	101.216	TI-101.216
18	101.218	TI-101.218
20	101.220	TI-101.220

STERILE

Length (mm)	Stainless Steel	Titanium
6	101.206-S	TI-101.206-S
7	101.207-S	TI-101.207-S
8	101.208-S	TI-101.208-S
9	101.209-S	TI-101.209-S
10	101.210-S	TI-101.210-S
11	101.211-S	TI-101.211-S
12	101.212-S	TI-101.212-S
14	101.214-S	TI-101.214-S
16	101.216-S	TI-101.216-S
18	101.218-S	TI-101.218-S
20	101.220-S	TI-101.220-S

2.0mm Cortical Screw(Hex Head)

Drill Bit: 1.5mm



Length (mm)	Stainless Steel	Titanium
6	102.006	TI-102.006
7	102.007	TI-102.007
8	102.008	TI-102.008
9	102.009	TI-102.009
10	102.010	TI-102.010
12	102.012	TI-102.012
14	102.014	TI-102.014
16	102.016	TI-102.016
18	102.018	TI-102.018
20	102.020	TI-102.020

STERILE

Length (mm)	Stainless Steel	Titanium
6	102.006-S	TI-102.006-S
7	102.007-S	TI-102.007-S
8	102.008-S	TI-102.008-S
9	102.009-S	TI-102.009-S
10	102.010-S	TI-102.010-S
12	102.012-S	TI-102.012-S
14	102.014-S	TI-102.014-S
16	102.016-S	TI-102.016-S
18	102.018-S	TI-102.018-S
20	102.020-S	TI-102.020-S

2.0mm Cortical Screw, Self-Tapping(Hex Head)

Drill Bit: 1.5mm



Length (mm)	Stainless Steel	Titanium
6	102.306	TI-102.306
7	102.307	TI-102.307
8	102.308	TI-102.308
9	102.309	TI-102.309
10	102.310	TI-102.310
12	102.312	TI-102.312
14	102.314	TI-102.314
16	102.316	TI-102.316
18	102.318	TI-102.318
20	102.320	TI-102.320

STERILE

Length (mm)	Stainless Steel	Titanium
6	102.306	TI-102.306
7	102.307	TI-102.307
8	102.308	TI-102.308
9	102.309	TI-102.309
10	102.310	TI-102.310
12	102.312	TI-102.312
14	102.314	TI-102.314
16	102.316	TI-102.316
18	102.318	TI-102.318
20	102.320	TI-102.320

2.7mm Cortical Screw(Hex Head)

Drill Bit: 2.0mm



Length (mm)	Stainless Steel	Titanium
6	103.006	TI-103.006
8	103.008	TI-103.008
10	103.010	TI-103.010
12	103.012	TI-103.012
14	103.014	TI-103.014
16	103.016	TI-103.016
18	103.018	TI-103.018
20	103.020	TI-103.020
22	103.022	TI-103.022
24	103.024	TI-103.024
26	103.026	TI-103.026
28	103.028	TI-103.028
30	103.030	TI-103.030

STERILE

Length (mm)	Stainless Steel	Titanium
6	103.006-S	TI-103.006-S
8	103.008-S	TI-103.008-S
10	103.010-S	TI-103.010-S
12	103.012-S	TI-103.012-S
14	103.014-S	TI-103.014-S
16	103.016-S	TI-103.016-S
18	103.018-S	TI-103.018-S
20	103.020-S	TI-103.020-S
22	103.022-S	TI-103.022-S
24	103.024-S	TI-103.024-S
26	103.026-S	TI-103.026-S
28	103.028-S	TI-103.028-S
30	103.030-S	TI-103.030-S

2.7mm Cortical Screw, Self-Tapping(Hex Head)

Drill Bit: 2.0mm



Length (mm)	Stainless Steel	Titanium
6	103.206	TI-103.206
8	103.208	TI-103.208
10	103.210	TI-103.210
12	103.212	TI-103.212
14	103.214	TI-103.214
16	103.216	TI-103.216
18	103.218	TI-103.218
20	103.220	TI-103.220
22	103.222	TI-103.222
24	103.224	TI-103.224
26	103.226	TI-103.226
28	103.228	TI-103.228
30	103.230	TI-103.230

STERILE

Length (mm)	Stainless Steel	Titanium
6	103.206-S	TI-103.206-S
8	103.208-S	TI-103.208-S
10	103.210-S	TI-103.210-S
12	103.212-S	TI-103.212-S
14	103.214-S	TI-103.214-S
16	103.216-S	TI-103.216-S
18	103.218-S	TI-103.218-S
20	103.220-S	TI-103.220-S
22	103.222-S	TI-103.222-S
24	103.224-S	TI-103.224-S
26	103.226-S	TI-103.226-S
28	103.228-S	TI-103.228-S
30	103.230-S	TI-103.230-S

2.0mm Mini "L" Plate



Holes	Length (mm)	Left Direction		Right Direction	
		Stainless Steel	Titanium	Stainless Steel	Titanium
2	18.60	906.100L	TI-906.100L	906.100R	TI-906.100R
4	30.20	906.100-04L	TI-906.100-04L	906.100-04R	TI-906.100-04R
6	41.80	906.100-06L	TI-906.100-06L	906.100-06R	TI-906.100-06R
8	53.40	906.100-08L	TI-906.100-08L	906.100-08R	TI-906.100-08R

STERILE

Holes	Length (mm)	Left Direction		Right Direction	
		Stainless Steel	Titanium	Stainless Steel	Titanium
2	18.60	906.100L-S	TI-906.100L-S	906.100R-S	TI-906.100R-S
4	30.20	906.100-04L-S	TI-906.100-04L-S	906.100-04R-S	TI-906.100-04R-S
6	41.80	906.100-06L-S	TI-906.100-06L-S	906.100-06R-S	TI-906.100-06R-S
8	53.40	906.100-08L-S	TI-906.100-08L-S	906.100-08R-S	TI-906.100-08R-S

2.0mm Mini Straight Plate



Holes	Length (mm)	Stainless Steel	Titanium
2	12.40	909.102	TI-909.102
3	18.40	909.103	TI-909.103
4	24.40	909.104	TI-909.104
5	30.40	909.105	TI-909.105
6	36.40	909.106	TI-909.106
7	42.40	909.107	TI-909.107
8	48.40	909.108	TI-909.108

STERILE

Holes	Length (mm)	Stainless Steel	Titanium
2	12.40	909.102-S	TI-909.102-S
3	18.40	909.103-S	TI-909.103-S
4	24.40	909.104-S	TI-909.104-S
5	30.40	909.105-S	TI-909.105-S
6	36.40	909.106-S	TI-909.106-S
7	42.40	909.107-S	TI-909.107-S
8	48.40	909.108-S	TI-909.108-S

2.0mm DCP Plate



Holes	Length (mm)	Stainless Steel	Titanium
4	22.00	908.104	TI-908.104
5	27.00	908.105	TI-908.105
6	32.00	908.106	TI-908.106
7	37.00	908.107	TI-908.107
8	42.00	908.108	TI-908.108

STERILE

Holes	Length (mm)	Stainless Steel	Titanium
4	22.00	908.104-S	TI-908.104-S
5	27.00	908.105-S	TI-908.105-S
6	32.00	908.106-S	TI-908.106-S
7	37.00	908.107-S	TI-908.107-S
8	42.00	908.108-S	TI-908.108-S

2.0mm Mini "L" Plate

Shaft with two holes & Head with two holes.



	Length (mm)	Stainless Steel	Titanium
Holes	18.60	905.100	TI-905.100

STERILE

	Length (mm)	Stainless Steel	Titanium
Holes	18.60	905.100-S	TI-905.100-S

2.7mm Mini "L" plate



Type	Length (mm)	Stainless Steel	Titanium
Left	32.80	705.100L	TI-705.100L
Right	32.80	705.100R	TI-705.100R

STERILE

Type	Length (mm)	Stainless Steel	Titanium
Left	32.80	705.100L-S	TI-705.100L-S
Right	32.80	705.100R-S	TI-705.100R-S

2.7mm Reconstruction Plate, Straight



Holes	Length(mm)	Stainless Steel	Titanium
2	16.20	726.102	TI-726.102
3	24.20	726.103	TI-726.103
4	32.20	726.104	TI-726.104
5	40.20	726.105	TI-726.105
6	48.20	726.106	TI-726.106
7	56.20	726.107	TI-726.107
8	64.20	726.108	TI-726.108
9	72.20	726.109	TI-726.109
10	80.20	726.110	TI-726.110
11	88.20	726.111	TI-726.111
12	96.20	726.112	TI-726.112
14	112.2	726.114	TI-726.114
16	128.2	726.116	TI-726.116
18	144.2	726.118	TI-726.118
20	160.2	726.120	TI-726.120
22	176.2	726.122	TI-726.122
24	192.2	726.124	TI-726.124

STERILE

Holes	Length(mm)	Stainless Steel	Titanium
2	16.20	726.102-S	TI-726.102-S
3	24.20	726.103-S	TI-726.103-S
4	32.20	726.104-S	TI-726.104-S
5	40.20	726.105-S	TI-726.105-S
6	48.20	726.106-S	TI-726.106-S
7	56.20	726.107-S	TI-726.107-S
8	64.20	726.108-S	TI-726.108-S
9	72.20	726.109-S	TI-726.109-S
10	80.20	726.110-S	TI-726.110-S
11	88.20	726.111-S	TI-726.111-S
12	96.20	726.112-S	TI-726.112-S
14	112.2	726.114-S	TI-726.114-S
16	128.2	726.116-S	TI-726.116-S
18	144.2	726.118-S	TI-726.118-S
20	160.2	726.120-S	TI-726.120-S
22	176.2	726.122-S	TI-726.122-S
24	192.2	726.124-S	TI-726.124-S

2.7mm "T" Plate



	Length (mm)	Stainless Steel	Titanium
Code	34.50	707.100	TI-707.100

STERILE

	Length (mm)	Stainless Steel	Titanium
Holes	34.50	705.100-S	TI-705.100-S

2.7mm Dynamic Compression Plate



Holes	Length (mm)	Stainless Steel	Titanium
2	20.00	719.102	TI-719.102
3	28.00	719.103	TI-719.103
4	36.00	719.104	TI-719.104
5	44.00	719.105	TI-719.105
6	52.00	719.106	TI-719.106
7	60.00	719.107	TI-719.107
8	68.00	719.108	TI-719.108
9	76.00	719.109	TI-719.109
10	84.00	719.110	TI-719.110
12	100.0	719.112	TI-719.112

STERILE

Holes	Length (mm)	Stainless Steel	Titanium
2	20.00	719.102-S	TI-719.102-S
3	28.00	719.103-S	TI-719.103-S
4	36.00	719.104-S	TI-719.104-S
5	44.00	719.105-S	TI-719.105-S
6	52.00	719.106-S	TI-719.106-S
7	60.00	719.107-S	TI-719.107-S
8	68.00	719.108-S	TI-719.108-S
9	76.00	719.109-S	TI-719.109-S
10	84.00	719.110-S	TI-719.110-S
12	100.0	719.112-S	TI-719.112-S

2.7mm Quarter Tubular Plate



Holes	Length (mm)	Stainless Steel	Titanium
2	18.00	701.102	TI-701.102
3	26.00	701.103	TI-701.103
4	34.00	701.104	TI-701.104
5	42.00	701.105	TI-701.105
6	50.00	701.106	TI-701.106
7	58.00	701.107	TI-701.107
8	66.00	701.108	TI-701.108
9	74.00	701.109	TI-701.109
10	82.00	701.110	TI-701.110

STERILE

Holes	Length (mm)	Stainless Steel	Titanium
2	18.00	701.102-S	TI-701.102-S
3	26.00	701.103-S	TI-701.103-S
4	34.00	701.104-S	TI-701.104-S
5	42.00	701.105-S	TI-701.105-S
6	50.00	701.106-S	TI-701.106-S
7	58.00	701.107-S	TI-701.107-S
8	66.00	701.108-S	TI-701.108-S
9	74.00	701.109-S	TI-701.109-S
10	82.00	701.110-S	TI-701.110-S

7-044-32

Implant Box for 1.5mm
Mini Fragment System


7-044-34

Implant Box for 2.0mm
Mini Fragment System


7-044-35

Implant Box for 2.7mm
Mini Fragment System



Instruments for 1.5mm System

7-044-01 Drill Bit, Ø1.1mm x Length 60mm



7-044-02 Double Drill Guide, Ø1.5/1.1mm



7-044-03 Tap Ø1.5mm, Quick Coupling


Mini Fragment- Implant Box
Instruments for 2.0mm System

7-044-05 Drill Bit, Ø1.5mm x Length 80mm



7-044-06 Double Drill Guide, Ø2.0/1.5mm




7-044-07 Tap Ø2.0mm, Quick Coupling



Instruments for 2.7mm System

7-044-08 Drill Bit, Ø2.0mm x Length 80mm



7-044-09 Double Drill Guide, Ø2.7/2.0mm for Mini Fragment



7-044-10 Tap Ø2.7mm, Quick Coupling




7-044-12 Countersink, for Screws 2.7mm



General Instruments

7-044-13 T-Handle with Quick Coupling for Mini Fragment



7-044-14 Mini Plate and Bone Holding Forcep



7-044-15

Mini Screw Holding Forcep


7-044-16

Mini Plate Bender (Pair)


7-044-17

Mini Periosteal Elevator, Curved, 3mm


7-044-18

Mini Periosteal Elevator, Curved, 5mm


7-044-19

Mini Reduction Forcep - Pointed


7-044-20

Mini Reduction Forcep - Serrated



7-044-21

Mini Hohmann Retractor, 6.0mm

**7-044-22**

Mini Hohmann Retractor, 8.5mm

**7-044-23**

Mini Hohmann Retractor, 15mm

**7-044-24**

Sharp Hook

**7-044-25**

Quick Coupling Handle, Straight

**7-044-26**

Depth Gauge measuring upto 50mm for Mini Fragment



7-044-27

Skin Hook, Single Pronged


7-044-28

Skin Hook, Double Pronged


7-044-29

Plate Cutter & Bending Forcep


7-044-30

Plate Holding Forcep


7-044-31

Plate Cutter


7-044-04

Screwdriver Shaft with Holding Sleeve, Hex 1.5mm, for 1.5mm Screw



- 7-044-11** Screwdriver Shaft with Holding Sleeve, Hex 1.5mm, for 2.0mm Screw



- 7-044-36** Screwdriver Shaft with Holding Sleeve, Hex 2.0mm, for 2.7mm Screw



- 7-044-32** Implant Box for 1.5mm Mini Fragment System




- 7-044-34** Implant Box for 2.0mm Mini Fragment System



- 7-044-35** Implant Box for 2.7mm Mini Fragment System



- 7-044-33** Container for Mini Fragment Instrument Set



7-044 : Mini Fragment Instrument Set



7-044 : Mini Fragment Instrument Set

Codes	Set of Consisting of	Units
	Instruments for 1.5mm System	
7-044-01	Drill Bit, Ø1.1mm x Length 60mm	3
7-044-02	Double Drill Guide, Ø1.5/1.1mm	1
7-044-03	Tap Ø1.5mm, Quick Coupling	1
	Instruments for 2.0mm System	
7-044-05	Drill Bit, Ø1.5mm x Length 80mm	3
7-044-06	Double Drill Guide, Ø2.0/1.5mm	1
7-044-07	Tap Ø2.0mm, Quick Coupling	1
	Instruments for 2.7mm System	
7-044-08	Drill Bit, Ø2.0mm x Length 80mm	3
7-044-09	Double Drill Guide, Ø2.7/2.0mm for Mini Fragment	1
7-044-10	Tap Ø2.7mm, Quick Coupling	1
7-044-12	Countersink, for Screws 2.7mm	1
	General Instrument	
7-044-13	T-Handle with Quick Coupling for Mini Fragment	1
7-044-14	Mini Plate and Bone Holding Forcep	1
7-044-15	Mini Screw Holding Forcep	1
7-044-16	Mini Plate Bender (Pair)	1
7-044-17	Mini Periosteal Elevator, Curved, 3mm	1
7-044-18	Mini Periosteal Elevator, Curved, 5mm	1
7-044-19	Mini Reduction Forcep - Pointed	1
7-044-20	Mini Reduction Forcep - Serrated	1
7-044-21	Mini Hohmann Retractor, 6.0mm	1
7-044-22	Mini Hohmann Retractor, 8.5mm	1
7-044-23	Mini Hohmann Retractor, 15mm	1
7-044-24	Sharp Hook	1
7-044-25	Quick Coupling Handle, Straight	1
7-044-26	Depth Gauge measuring upto 50mm for Mini Fragment	1
7-044-27	Skin Hook, Single Pronged	1
7-044-28	Skin Hook, Double Pronged	1
7-044-29	Plate Cutter & Bending Forcep	1
7-044-30	Plate Holding Forcep	1
7-044-31	Plate Cutter	1
7-044-04	Screwdriver Shaft with Holding Sleeve, Hex 1.5mm, for 1.5mm Screw	1
7-044-11	Screwdriver Shaft with Holding Sleeve, Hex 1.5mm, for 2.0mm Screw	1
7-044-36	Screwdriver Shaft with Holding Sleeve, Hex 2.0mm, for 2.7mm Screw	1
7-044-32	Implant Box for 1.5mm Mini Fragment System	1
7-044-34	Implant Box for 2.0mm Mini Fragment System	1
7-044-35	Implant Box for 2.7mm Mini Fragment System	1
7-044-33	Container for Mini Fragment Instrument Set	1

Small Fragment

3.5mm Cortical Screw (Hex Head)

Drill Bit : 2.5mm



Length (mm)	Stainless Steel	Titanium
10	104.010	TI-104.010
12	104.012	TI-104.012
14	104.014	TI-104.014
16	104.016	TI-104.016
18	104.018	TI-104.018
20	104.020	TI-104.020
22	104.022	TI-104.022
24	104.024	TI-104.024
26	104.026	TI-104.026
28	104.028	TI-104.028
30	104.030	TI-104.030
32	104.032	TI-104.032
34	104.034	TI-104.034
36	104.036	TI-104.036
38	104.038	TI-104.038
40	104.040	TI-104.040
42	104.042	TI-104.042
44	104.044	TI-104.044
46	104.046	TI-104.046
48	104.048	TI-104.048
50	104.050	TI-104.050
55	104.055	TI-104.055
60	104.060	TI-104.060
65	104.065	TI-104.065
70	104.070	TI-104.070
75	104.075	TI-104.075
80	104.080	TI-104.080
85	104.085	TI-104.085
90	104.090	TI-104.090

STERILE

Length (mm)	Stainless Steel	Titanium
10	104.010-S	TI-104.010-S
12	104.012-S	TI-104.012-S
14	104.014-S	TI-104.014-S
16	104.016-S	TI-104.016-S
18	104.018-S	TI-104.018-S
20	104.020-S	TI-104.020-S
22	104.022-S	TI-104.022-S
24	104.024-S	TI-104.024-S
26	104.026-S	TI-104.026-S
28	104.028-S	TI-104.028-S
30	104.030-S	TI-104.030-S
32	104.032-S	TI-104.032-S
34	104.034-S	TI-104.034-S
36	104.036-S	TI-104.036-S
38	104.038-S	TI-104.038-S
40	104.040-S	TI-104.040-S
42	104.042-S	TI-104.042-S
44	104.044-S	TI-104.044-S
46	104.046-S	TI-104.046-S
48	104.048-S	TI-104.048-S
50	104.050-S	TI-104.050-S
55	104.055-S	TI-104.055-S
60	104.060-S	TI-104.060-S
65	104.065-S	TI-104.065-S
70	104.070-S	TI-104.070-S
75	104.075-S	TI-104.075-S
80	104.080-S	TI-104.080-S
85	104.085-S	TI-104.085-S
90	104.090-S	TI-104.090-S

3.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 2.5mm



Length (mm)	Stainless Steel	Titanium
10	104.210	TI-104.210
12	104.212	TI-104.212
14	104.214	TI-104.214
16	104.216	TI-104.216
18	104.218	TI-104.218
20	104.220	TI-104.220
22	104.222	TI-104.222
24	104.224	TI-104.224
26	104.226	TI-104.226
28	104.228	TI-104.228
30	104.230	TI-104.230
32	104.232	TI-104.232
34	104.234	TI-104.234
36	104.236	TI-104.236
38	104.238	TI-104.238
40	104.240	TI-104.240
42	104.242	TI-104.242
44	104.244	TI-104.244
46	104.246	TI-104.246
48	104.248	TI-104.248
50	104.250	TI-104.250
55	104.255	TI-104.255
60	104.260	TI-104.260
65	104.265	TI-104.265
70	104.270	TI-104.270
75	104.275	TI-104.275
80	104.280	TI-104.280
85	104.285	TI-104.285
90	104.290	TI-104.290

STERILE

Length (mm)	Stainless Steel	Titanium
10	104.210-S	TI-104.210-S
12	104.212-S	TI-104.212-S
14	104.214-S	TI-104.214-S
16	104.216-S	TI-104.216-S
18	104.218-S	TI-104.218-S
20	104.220-S	TI-104.220-S
22	104.222-S	TI-104.222-S
24	104.224-S	TI-104.224-S
26	104.226-S	TI-104.226-S
28	104.228-S	TI-104.228-S
30	104.230-S	TI-104.230-S
32	104.232-S	TI-104.232-S
34	104.234-S	TI-104.234-S
36	104.236-S	TI-104.236-S
38	104.238-S	TI-104.238-S
40	104.240-S	TI-104.240-S
42	104.242-S	TI-104.242-S
44	104.244-S	TI-104.244-S
46	104.246-S	TI-104.246-S
48	104.248-S	TI-104.248-S
50	104.250-S	TI-104.250-S
55	104.255-S	TI-104.255-S
60	104.260-S	TI-104.260-S
65	104.265-S	TI-104.265-S
70	104.270-S	TI-104.270-S
75	104.275-S	TI-104.275-S
80	104.280-S	TI-104.280-S
85	104.285-S	TI-104.285-S
90	104.290-S	TI-104.290-S

3.5mm Cancellous Screw, Short Thread

Drill Bit : 2.5mm




Length (mm)	Stainless Steel	Titanium
10	108.010S	TI-108.010S
12	108.012S	TI-108.012S
14	108.014S	TI-108.014S
16	108.016S	TI-108.016S
18	108.018S	TI-108.018S
20	108.020S	TI-108.020S
22	108.022S	TI-108.022S
24	108.024S	TI-108.024S
26	108.026S	TI-108.026S
28	108.028S	TI-108.028S
30	108.030S	TI-108.030S
32	108.032S	TI-108.032S
34	108.034S	TI-108.034S
36	108.036S	TI-108.036S
38	108.038S	TI-108.038S
40	108.040S	TI-108.040S
42	108.042S	TI-108.042S
44	108.044S	TI-108.044S
46	108.046S	TI-108.046S
48	108.048S	TI-108.048S
50	108.050S	TI-108.050S
52	108.052S	TI-108.052S
54	108.054S	TI-108.054S
56	108.056S	TI-108.056S
58	108.058S	TI-108.058S
60	108.060S	TI-108.060S

STERILE

Length (mm)	Stainless Steel	Titanium
10	108.010S-S	TI-108.010S-S
12	108.012S-S	TI-108.012S-S
14	108.014S-S	TI-108.014S-S
16	108.016S-S	TI-108.016S-S
18	108.018S-S	TI-108.018S-S
20	108.020S-S	TI-108.020S-S
22	108.022S-S	TI-108.022S-S
24	108.024S-S	TI-108.024S-S
26	108.026S-S	TI-108.026S-S
28	108.028S-S	TI-108.028S-S
30	108.030S-S	TI-108.030S-S
32	108.032S-S	TI-108.032S-S
34	108.034S-S	TI-108.034S-S
36	108.036S-S	TI-108.036S-S
38	108.038S-S	TI-108.038S-S
40	108.040S-S	TI-108.040S-S
42	108.042S-S	TI-108.042S-S
44	108.044S-S	TI-108.044S-S
46	108.046S-S	TI-108.046S-S
48	108.048S-S	TI-108.048S-S
50	108.050S-S	TI-108.050S-S
52	108.052S-S	TI-108.052S-S
54	108.054S-S	TI-108.054S-S
56	108.056S-S	TI-108.056S-S
58	108.058S-S	TI-108.058S-S
60	108.060S-S	TI-108.060S-S

3.5mm Cancellous Screw, Full Thread

Drill Bit : 2.5mm



Length (mm)	Stainless Steel	Titanium
10	108.010	TI-108.010
12	108.012	TI-108.012
14	108.014	TI-108.014
16	108.016	TI-108.016
18	108.018	TI-108.018
20	108.020	TI-108.020
22	108.022	TI-108.022
24	108.024	TI-108.024
26	108.026	TI-108.026
28	108.028	TI-108.028
30	108.030	TI-108.030
32	108.032	TI-108.032
34	108.034	TI-108.034
36	108.036	TI-108.036
38	108.038	TI-108.038
40	108.040	TI-108.040
42	108.042	TI-108.042
44	108.044	TI-108.044
46	108.046	TI-108.046
48	108.048	TI-108.048
50	108.050	TI-108.050
52	108.052	TI-108.052
54	108.054	TI-108.054
56	108.056	TI-108.056
58	108.058	TI-108.058
60	108.060	TI-108.060

STERILE

Length (mm)	Stainless Steel	Titanium
10	108.010-S	TI-108.010-S
12	108.012-S	TI-108.012-S
14	108.014-S	TI-108.014-S
16	108.016-S	TI-108.016-S
18	108.018-S	TI-108.018-S
20	108.020-S	TI-108.020-S
22	108.022-S	TI-108.022-S
24	108.024-S	TI-108.024-S
26	108.026-S	TI-108.026-S
28	108.028-S	TI-108.028-S
30	108.030-S	TI-108.030-S
32	108.032-S	TI-108.032-S
34	108.034-S	TI-108.034-S
36	108.036-S	TI-108.036-S
38	108.038-S	TI-108.038-S
40	108.040-S	TI-108.040-S
42	108.042-S	TI-108.042-S
44	108.044-S	TI-108.044-S
46	108.046-S	TI-108.046-S
48	108.048-S	TI-108.048-S
50	108.050-S	TI-108.050-S
52	108.052-S	TI-108.052-S
54	108.054-S	TI-108.054-S
56	108.056-S	TI-108.056-S
58	108.058-S	TI-108.058-S
60	108.060-S	TI-108.060-S

4.0mm Cancellous Screw, Short Thread

Drill Bit : 2.5mm




Length (mm)	Stainless Steel	Titanium
12	109.012	TI-109.012
14	109.014	TI-109.014
16	109.016	TI-109.016
18	109.018	TI-109.018
20	109.020	TI-109.020
22	109.022	TI-109.022
24	109.024	TI-109.024
26	109.026	TI-109.026
28	109.028	TI-109.028
30	109.030	TI-109.030
32	109.032	TI-109.032
34	109.034	TI-109.034
36	109.036	TI-109.036
38	109.038	TI-109.038
40	109.040	TI-109.040
45	109.045	TI-109.045
50	109.050	TI-109.050
55	109.055	TI-109.055
60	109.060	TI-109.060

STERILE

Length (mm)	Stainless Steel	Titanium
12	109.012	TI-109.012
14	109.014	TI-109.014
16	109.016	TI-109.016
18	109.018	TI-109.018
20	109.020	TI-109.020
22	109.022	TI-109.022
24	109.024	TI-109.024
26	109.026	TI-109.026
28	109.028	TI-109.028
30	109.030	TI-109.030
32	109.032	TI-109.032
34	109.034	TI-109.034
36	109.036	TI-109.036
38	109.038	TI-109.038
40	109.040	TI-109.040
45	109.045	TI-109.045
50	109.050	TI-109.050
55	109.055	TI-109.055
60	109.060	TI-109.060

4.0mm Cancellous Screw, Full Thread

Drill Bit : 2.5mm



Length (mm)	Stainless Steel	Titanium
12	110.012	TI-110.012
14	110.014	TI-110.014
16	110.016	TI-110.016
18	110.018	TI-110.018
20	110.020	TI-110.020
22	110.022	TI-110.022
24	110.024	TI-110.024
26	110.026	TI-110.026
28	110.028	TI-110.028
30	110.030	TI-110.030
32	110.032	TI-110.032
34	110.034	TI-110.034
36	110.036	TI-110.036
38	110.038	TI-110.038
40	110.040	TI-110.040
45	110.045	TI-110.045
50	110.050	TI-110.050
55	110.055	TI-110.055
60	110.060	TI-110.060

STERILE

Length (mm)	Stainless Steel	Titanium
12	110.012-S	TI-110.012-S
14	110.014-S	TI-110.014-S
16	110.016-S	TI-110.016-S
18	110.018-S	TI-110.018-S
20	110.020-S	TI-110.020-S
22	110.022-S	TI-110.022-S
24	110.024-S	TI-110.024-S
26	110.026-S	TI-110.026-S
28	110.028-S	TI-110.028-S
30	110.030-S	TI-110.030-S
32	110.032-S	TI-110.032-S
34	110.034-S	TI-110.034-S
36	110.036-S	TI-110.036-S
38	110.038-S	TI-110.038-S
40	110.040-S	TI-110.040-S
45	110.045-S	TI-110.045-S
50	110.050-S	TI-110.050-S
55	110.055-S	TI-110.055-S
60	110.060-S	TI-110.060-S

3.5mm Malleolar Screw

Drill Bit : 2.5mm



Length (mm)	Stainless Steel	Titanium
25	106.225	TI-106.225
30	106.230	TI-106.230
35	106.235	TI-106.235
40	106.240	TI-106.240
45	106.245	TI-106.245
50	106.250	TI-106.250
55	106.255	TI-106.255
60	106.260	TI-106.260
65	106.265	TI-106.265
70	106.270	TI-106.270

STERILE

Length (mm)	Stainless Steel	Titanium
25	106.225-S	TI-106.225-S
30	106.230-S	TI-106.230-S
35	106.235-S	TI-106.235-S
40	106.240-S	TI-106.240-S
45	106.245-S	TI-106.245-S
50	106.250-S	TI-106.250-S
55	106.255-S	TI-106.255-S
60	106.260-S	TI-106.260-S
65	106.265-S	TI-106.265-S
70	106.270-S	TI-106.270-S

Washer for Small Fragment Screws



	Stainless Steel	Titanium
Code	100.110	TI-100.110

STERILE

	Stainless Steel	Titanium
Code	100.110-S	TI-100.110-S

3.5mm One Third Tubular Plate

Used as buttress plate for Tubular, Metatarsals and Metacarpals.
Fixation with 3.5 & 4.0mm Screws.Compression.



Holes	Stainless Steel	Titanium
2	702.102	TI-702.102
3	702.103	TI-702.103
4	702.104	TI-702.104
5	702.105	TI-702.105
6	702.106	TI-702.106
7	702.107	TI-702.107
8	702.108	TI-702.108
9	702.109	TI-702.109
10	702.110	TI-702.110
11	702.111	TI-702.111
12	702.112	TI-702.112

STERILE

Holes	Stainless Steel	Titanium
2	702.102-S	TI-702.102-S
3	702.103-S	TI-702.103-S
4	702.104-S	TI-702.104-S
5	702.105-S	TI-702.105-S
6	702.106-S	TI-702.106-S
7	702.107-S	TI-702.107-S
8	702.108-S	TI-702.108-S
9	702.109-S	TI-702.109-S
10	702.110-S	TI-702.110-S
11	702.111-S	TI-702.111-S
12	702.112-S	TI-702.112-S

3.5mm Small Dynamic Compression Plate

For Ulna and Radius, fixation with 3.5mm & 4.0mm Screws



Holes	Stainless Steel	Titanium
2	720.102	TI-720.102
3	720.103	TI-720.103
4	720.104	TI-720.104
5	720.105	TI-720.105
6	720.106	TI-720.106
7	720.107	TI-720.107
8	720.108	TI-720.108
9	720.109	TI-720.109
10	720.110	TI-720.110
11	720.111	TI-720.111
12	720.112	TI-720.112
13	720.113	TI-720.113
14	720.114	TI-720.114

STERILE

Holes	Stainless Steel	Titanium
2	720.102-S	TI-720.102-S
3	720.103-S	TI-720.103-S
4	720.104-S	TI-720.104-S
5	720.105-S	TI-720.105-S
6	720.106-S	TI-720.106-S
7	720.107-S	TI-720.107-S
8	720.108-S	TI-720.108-S
9	720.109-S	TI-720.109-S
10	720.110-S	TI-720.110-S
11	720.111-S	TI-720.111-S
12	720.112-S	TI-720.112-S
13	720.113-S	TI-720.113-S
14	720.114-S	TI-720.114-S

3.5mm One-Third Tubular Plate with Collar

Used as buttress plate for Tubular, Metatarsals and Metacarpals.
Fixation with 3.5 & 4.0mm Screws.Compression.



Holes	Stainless Steel	Titanium
2	703.102	TI-703.102
3	703.103	TI-703.103
4	703.104	TI-703.104
5	703.105	TI-703.105
6	703.106	TI-703.106
7	703.107	TI-703.107
8	703.108	TI-703.108
9	703.109	TI-703.109
10	703.110	TI-703.110
11	703.111	TI-703.111
12	703.112	TI-703.112

STERILE

Holes	Stainless Steel	Titanium
2	703.102-S	TI-703.102-S
3	703.103-S	TI-703.103-S
4	703.104-S	TI-703.104-S
5	703.105-S	TI-703.105-S
6	703.106-S	TI-703.106-S
7	703.107-S	TI-703.107-S
8	703.108-S	TI-703.108-S
9	703.109-S	TI-703.109-S
10	703.110-S	TI-703.110-S
11	703.111-S	TI-703.111-S
12	703.112-S	TI-703.112-S

3.5mm Small Limited Contact Dynamic Compression Plate

For Ulna and Radius, fixation with 3.5mm & 4.0mm Screws



Holes	Stainless Steel	Titanium
3	721.103	TI-721.103
4	721.104	TI-721.104
5	721.105	TI-721.105
6	721.106	TI-721.106
7	721.107	TI-721.107
8	721.108	TI-721.108
9	721.109	TI-721.109
10	721.110	TI-721.110
11	721.111	TI-721.111
12	721.112	TI-721.112
13	721.113	TI-721.113
14	721.114	TI-721.114

STERILE

Holes	Stainless Steel	Titanium
3	721.103-S	TI-721.103-S
4	721.104-S	TI-721.104-S
5	721.105-S	TI-721.105-S
6	721.106-S	TI-721.106-S
7	721.107-S	TI-721.107-S
8	721.108-S	TI-721.108-S
9	721.109-S	TI-721.109-S
10	721.110-S	TI-721.110-S
11	721.111-S	TI-721.111-S
12	721.112-S	TI-721.112-S
13	721.113-S	TI-721.113-S
14	721.114-S	TI-721.114-S

3.5mm Small "T" Plate, Right Angled, (3 Head Holes)

For Distal Radius, Can be used for Left & Right Radius.
Fixtation with 3.5mm & 4.0mm Screws



STERILE

Holes	Stainless Steel	Titanium
3	708.103	TI-708.103
4	708.104	TI-708.104
5	708.105	TI-708.105
6	708.106	TI-708.106
7	708.107	TI-708.107
8	708.108	TI-708.108

Holes	Stainless Steel	Titanium
3	708.103-S	TI-708.103-S
4	708.104-S	TI-708.104-S
5	708.105-S	TI-708.105-S
6	708.106-S	TI-708.106-S
7	708.107-S	TI-708.107-S
8	708.108-S	TI-708.108-S

3.5mm Small "T" Plate, Right Angled, (4 Head Holes)

For the Left & Right Radius.
Fixtation with 3.5mm & 4.0mm Screws


STERILE

Holes	Stainless Steel	Titanium
3	710.103	TI-710.103
4	710.104	TI-710.104
5	710.105	TI-710.105
6	710.106	TI-710.106
7	710.107	TI-710.107
8	710.108	TI-710.108

Holes	Stainless Steel	Titanium
3	710.103-S	TI-710.103-S
4	710.104-S	TI-710.104-S
5	710.105-S	TI-710.105-S
6	710.106-S	TI-710.106-S
7	710.107-S	TI-710.107-S
8	710.108-S	TI-710.108-S

3.5mm Hook Plate


STERILE

Holes	Stainless Steel	Titanium
4	729.104	TI-729.104
5	729.105	TI-729.105
6	729.106	TI-729.106
7	729.107	TI-729.107
8	729.108	TI-729.108
10	729.110	TI-729.110

Holes	Stainless Steel	Titanium
4	729.104-S	TI-729.104-S
5	729.105-S	TI-729.105-S
6	729.106-S	TI-729.106-S
7	729.107-S	TI-729.107-S
8	729.108-S	TI-729.108-S
10	729.110-S	TI-729.110-S

3.5mm Small "T" Plate, Oblique Angled

For Distal Radius, Can be used for Left & Right Radius.
Fixtation with 3.5mm & 4.0mm Screws



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	711.103L	TI-711.103L	711.103R	TI-711.103R
4	711.104L	TI-711.104L	711.104R	TI-711.104R
5	711.105L	TI-711.105L	711.105R	TI-711.105R
6	711.106L	TI-711.106L	711.106R	TI-711.106R
7	711.107L	TI-711.107L	711.107R	TI-711.107R
8	711.108L	TI-711.108L	711.108R	TI-711.108R

STERILE

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	711.103L-S	TI-711.103L-S	711.103R-S	TI-711.103R-S
4	711.104L-S	TI-711.104L-S	711.104R-S	TI-711.104R-S
5	711.105L-S	TI-711.105L-S	711.105R-S	TI-711.105R-S
6	711.106L-S	TI-711.106L-S	711.106R-S	TI-711.106R-S
7	711.107L-S	TI-711.107L-S	711.107R-S	TI-711.107R-S
8	711.108L-S	TI-711.108L-S	711.108R-S	TI-711.108R-S

3.5mm Pelvic Reconstruction Plate, Straight



Holes	Stainless Steel	Titanium
5	727.105S	TI-727.105S
6	727.106S	TI-727.106S
7	727.107S	TI-727.107S
8	727.108S	TI-727.108S
9	727.109S	TI-727.109S
10	727.110S	TI-727.110S
11	727.111S	TI-727.111S
12	727.112S	TI-727.112S
13	727.113S	TI-727.113S
14	727.114S	TI-727.114S
15	727.115S	TI-727.115S
16	727.116S	TI-727.116S
17	727.117S	TI-727.117S
18	727.118S	TI-727.118S
19	727.119S	TI-727.119S
20	727.120S	TI-727.120S
21	727.121S	TI-727.121S
22	727.122S	TI-727.122S

STERILE

Holes	Stainless Steel	Titanium
5	727.105S-S	TI-727.105S-S
6	727.106S-S	TI-727.106S-S
7	727.107S-S	TI-727.107S-S
8	727.108S-S	TI-727.108S-S
9	727.109S-S	TI-727.109S-S
10	727.110S-S	TI-727.110S-S
11	727.111S-S	TI-727.111S-S
12	727.112S-S	TI-727.112S-S
13	727.113S-S	TI-727.113S-S
14	727.114S-S	TI-727.114S-S
15	727.115S-S	TI-727.115S-S
16	727.116S-S	TI-727.116S-S
17	727.117S-S	TI-727.117S-S
18	727.118S-S	TI-727.118S-S
19	727.119S-S	TI-727.119S-S
20	727.120S-S	TI-727.120S-S
21	727.121S-S	TI-727.121S-S
22	727.122S-S	TI-727.122S-S

3.5mm Pelvic Reconstruction Plate, Curved



Holes	Stainless Steel	Titanium
5	727.105C	TI-727.105C
6	727.106C	TI-727.106C
7	727.107C	TI-727.107C
8	727.108C	TI-727.108C
9	727.109C	TI-727.109C
10	727.110C	TI-727.110C
11	727.111C	TI-727.111C
12	727.112C	TI-727.112C
13	727.113C	TI-727.113C
14	727.114C	TI-727.114C
16	727.116C	TI-727.116C
18	727.118C	TI-727.118C

STERILE

Holes	Stainless Steel	Titanium
5	727.105C-S	TI-727.105C-S
6	727.106C-S	TI-727.106C-S
7	727.107C-S	TI-727.107C-S
8	727.108C-S	TI-727.108C-S
9	727.109C-S	TI-727.109C-S
10	727.110C-S	TI-727.110C-S
11	727.111C-S	TI-727.111C-S
12	727.112C-S	TI-727.112C-S
13	727.113C-S	TI-727.113C-S
14	727.114C-S	TI-727.114C-S
16	727.116C-S	TI-727.116C-S
18	727.118C-S	TI-727.118C-S

3.5mm Semi Tubular Plate




Holes	Stainless Steel	Titanium
2	704.102	TI-704.102
3	704.103	TI-704.103
4	704.104	TI-704.104
5	704.105	TI-704.105
6	704.106	TI-704.106
7	704.107	TI-704.107
8	704.108	TI-704.108
9	704.109	TI-704.109
10	704.110	TI-704.110
12	704.112	TI-704.112

STERILE

Holes	Stainless Steel	Titanium
2	704.102-S	TI-704.102-S
3	704.103-S	TI-704.103-S
4	704.104-S	TI-704.104-S
5	704.105-S	TI-704.105-S
6	704.106-S	TI-704.106-S
7	704.107-S	TI-704.107-S
8	704.108-S	TI-704.108-S
9	704.109-S	TI-704.109-S
10	704.110-S	TI-704.110-S
12	704.112-S	TI-704.112-S

3.5mm Calcaneal Plate



Size (mm)	Stainless Steel	Titanium
60	717.16	TI-717.16
70	717.17	TI-717.17

STERILE

Size (mm)	Stainless Steel	Titanium
60	717.16-S	TI-717.16-S
70	717.17-S	TI-717.17-S

Cervical Spine H-Plate




Holes	Holes Spacing (mm)	Stainless Steel	Titanium
5	16	912-01	TI-912-01
5	18	912-02	TI-912-02
5	21	912-03	TI-912-03
8	16+18	912-04	TI-912-04
8	18+21	912-05	TI-912-05
11	16+18+18	912-06	TI-912-06

STERILE

Holes	Holes Spacing (mm)	Stainless Steel	Titanium
5	16	912-01-S	TI-912-01-S
5	18	912-02-S	TI-912-02-S
5	21	912-03-S	TI-912-03-S
8	16+18	912-04-S	TI-912-04-S
8	18+21	912-05-S	TI-912-05-S
11	16+18+18	912-06-S	TI-912-06-S

3.5mm Cloverleaf Plate




Holes	Stainless Steel	Titanium
3	715.103	TI-715.103
4	715.104	TI-715.104
5	715.105	TI-715.105
6	715.106	TI-715.106
7	715.107	TI-715.107
8	715.108	TI-715.108
9	715.109	TI-715.109
10	715.110	TI-715.110
11	715.111	TI-715.111
12	715.112	TI-715.112
13	715.113	TI-715.113
14	715.114	TI-715.114

STERILE

Holes	Stainless Steel	Titanium
3	715.103-S	TI-715.103-S
4	715.104-S	TI-715.104-S
5	715.105-S	TI-715.105-S
6	715.106-S	TI-715.106-S
7	715.107-S	TI-715.107-S
8	715.108-S	TI-715.108-S
9	715.109-S	TI-715.109-S
10	715.110-S	TI-715.110-S
11	715.111-S	TI-715.111-S
12	715.112-S	TI-715.112-S
13	715.113-S	TI-715.113-S
14	715.114-S	TI-715.114-S

3.5mm Clavicle Hook Plate




Holes	Hook Depth (mm)	Left Direction		Right Direction	
		Stainless Steel	Titanium	Stainless Steel	Titanium
4	12mm	751.4.12L	TI-751.4.12L	751.4.12R	TI-751.4.12R
4	15mm	751.4.15L	TI-751.4.15L	751.4.15R	TI-751.4.15R
4	18mm	751.4.18L	TI-751.4.18L	751.4.18R	TI-751.4.18R
5	12mm	751.5.12L	TI-751.5.12L	751.5.12R	TI-751.5.12R
5	15mm	751.5.15L	TI-751.5.15L	751.5.15R	TI-751.5.15R
5	18mm	751.5.18L	TI-751.5.18L	751.5.18R	TI-751.5.18R
6	12mm	751.6.12L	TI-751.6.12L	751.6.12R	TI-751.6.12R
6	15mm	751.6.15L	TI-751.6.15L	751.6.15R	TI-751.6.15R
6	18mm	751.6.18L	TI-751.6.18L	751.6.18R	TI-751.6.18R
7	12mm	751.7.12L	TI-751.7.12L	751.7.12R	TI-751.7.12R
7	15mm	751.7.15L	TI-751.7.15L	751.7.15R	TI-751.7.15R
7	18mm	751.7.18L	TI-751.7.18L	751.7.18R	TI-751.7.18R

STERILE

Holes	Hook Depth (mm)	Left Direction		Right Direction	
		Stainless Steel	Titanium	Stainless Steel	Titanium
4	12mm	751.4.12L-S	TI-751.4.12L-S	751.4.12R-S	TI-751.4.12R-S
4	15mm	751.4.15L-S	TI-751.4.15L-S	751.4.15R-S	TI-751.4.15R-S
4	18mm	751.4.18L-S	TI-751.4.18L-S	751.4.18R-S	TI-751.4.18R-S
5	12mm	751.5.12L-S	TI-751.5.12L-S	751.5.12R-S	TI-751.5.12R-S
5	15mm	751.5.15L-S	TI-751.5.15L-S	751.5.15R-S	TI-751.5.15R-S
5	18mm	751.5.18L-S	TI-751.5.18L-S	751.5.18R-S	TI-751.5.18R-S
6	12mm	751.6.12L-S	TI-751.6.12L-S	751.6.12R-S	TI-751.6.12R-S
6	15mm	751.6.15L-S	TI-751.6.15L-S	751.6.15R-S	TI-751.6.15R-S
6	18mm	751.6.18L-S	TI-751.6.18L-S	751.6.18R-S	TI-751.6.18R-S
7	12mm	751.7.12L-S	TI-751.7.12L-S	751.7.12R-S	TI-751.7.12R-S
7	15mm	751.7.15L-S	TI-751.7.15L-S	751.7.15R-S	TI-751.7.15R-S
7	18mm	751.7.18L-S	TI-751.7.18L-S	751.7.18R-S	TI-751.7.18R-S

3.5mm Y-Reconstruction Plate



Holes	Size	Stainless Steel	Titanium
6	Small	716.106S	TI-716.106S
9	Medium	716.109M	TI-716.109M
12	Large	716.112L	TI-716.112L

STERILE

Holes	Size	Stainless Steel	Titanium
6	Small	716.106S-S	TI-716.106S-S
9	Medium	716.109M-S	TI-716.109M-S
12	Large	716.112L-S	TI-716.112L-S

Lecestre Plate - Modified, 2 Head Holes



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	800.005L	TI-800.005L	800.005R	TI-800.005R
7	800.007L	TI-800.007L	800.007R	TI-800.007R
9	800.009L	TI-800.009L	800.009R	TI-800.009R
10	800.010L	TI-800.010L	800.010R	TI-800.010R
11	800.011L	TI-800.011L	800.011R	TI-800.011R
13	800.013L	TI-800.013L	800.013R	TI-800.013R

STERILE

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	800.005L-S	TI-800.005L-S	800.005R-S	TI-800.005R-S
7	800.007L-S	TI-800.007L-S	800.007R-S	TI-800.007R-S
9	800.009L-S	TI-800.009L-S	800.009R-S	TI-800.009R-S
10	800.010L-S	TI-800.010L-S	800.010R-S	TI-800.010R-S
11	800.011L-S	TI-800.011L-S	800.011R-S	TI-800.011R-S
13	800.013L-S	TI-800.013L-S	800.013R-S	TI-800.013R-S

Proximal Ulna Plate



Holes	Type	Stainless Steel	Titanium
3	Left	CP05.03L	TI-CP05.03L
3	Right	CP05.03R	TI-CP05.03R
4	Left	CP05.04L	TI-CP05.04L
4	Right	CP05.04R	TI-CP05.04R
5	Left	CP05.05L	TI-CP05.05L
5	Right	CP05.05R	TI-CP05.05R
6	Left	CP05.06L	TI-CP05.06L
6	Right	CP05.06R	TI-CP05.06R

STERILE

Holes	Type	Stainless Steel	Titanium
3	Left	CP05.03L-S	TI-CP05.03L-S
3	Right	CP05.03R-S	TI-CP05.03R-S
4	Left	CP05.04L-S	TI-CP05.04L-S
4	Right	CP05.04R-S	TI-CP05.04R-S
5	Left	CP05.05L-S	TI-CP05.05L-S
5	Right	CP05.05R-S	TI-CP05.05R-S
6	Left	CP05.06L-S	TI-CP05.06L-S
6	Right	CP05.06R-S	TI-CP05.06R-S


Proximal Humeral Plate


STERILE

Holes	Stainless Steel	Titanium
4	CP03.04	TI-CP03.04
5	CP03.05	TI-CP03.05
6	CP03.06	TI-CP03.06
7	CP03.07	TI-CP03.07
8	CP03.08	TI-CP03.08
9	CP03.09	TI-CP03.09
10	CP03.10	TI-CP03.10

Holes	Stainless Steel	Titanium
4	CP03.04-S	TI-CP03.04-S
5	CP03.05-S	TI-CP03.05-S
6	CP03.06-S	TI-CP03.06-S
7	CP03.07-S	TI-CP03.07-S
8	CP03.08-S	TI-CP03.08-S
9	CP03.09-S	TI-CP03.09-S
10	CP03.10-S	TI-CP03.10-S

Distal Radius Plate


STERILE

Holes	Stainless Steel	Titanium
2	CP06.02	TI-CP06.02
3	CP06.03	TI-CP06.03
4	CP06.04	TI-CP06.04
5	CP06.05	TI-CP06.05
6	CP06.06	TI-CP06.06

Holes	Stainless Steel	Titanium
2	CP06.02-S	TI-CP06.02-S
3	CP06.03-S	TI-CP06.03-S
4	CP06.04-S	TI-CP06.04-S
5	CP06.05-S	TI-CP06.05-S
6	CP06.06-S	TI-CP06.06-S

Y-Fork Plate


STERILE

Holes	Size	Stainless Steel	Titanium
4L	Left	CP04.04L	TI-CP04.04L
4R	Right	CP04.04R	TI-CP04.04R
5L	Left	CP04.05L	TI-CP04.05L
5R	Right	CP04.05R	TI-CP04.05R
6L	Left	CP04.06L	TI-CP04.06L
6R	Right	CP04.06R	TI-CP04.06R

Holes	Size	Stainless Steel	Titanium
4L	Left	CP04.04L-S	TI-CP04.04L-S
4R	Right	CP04.04R-S	TI-CP04.04R-S
5L	Left	CP04.05L-S	TI-CP04.05L-S
5R	Right	CP04.05R-S	TI-CP04.05R-S
6L	Left	CP04.06L-S	TI-CP04.06L-S
6R	Right	CP04.06R-S	TI-CP04.06R-S

Distal Fibular Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	DF01.03L	TI-DF01.03L	DF01.03R	TI-DF01.03R
4	DF01.04L	TI-DF01.04L	DF01.04R	TI-DF01.04R
5	DF01.05L	TI-DF01.05L	DF01.05R	TI-DF01.05R
6	DF01.06L	TI-DF01.06L	DF01.06R	TI-DF01.06R
7	DF01.07L	TI-DF01.07L	DF01.07R	TI-DF01.07R
8	DF01.08L	TI-DF01.08L	DF01.08R	TI-DF01.08R
9	DF01.09L	TI-DF01.09L	DF01.09R	TI-DF01.09R

STERILE

	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
5	DF01.03L	TI-DF01.03L	DF01.03R	TI-DF01.03R
7	DF01.04L	TI-DF01.04L	DF01.04R	TI-DF01.04R
9	DF01.05L	TI-DF01.05L	DF01.05R	TI-DF01.05R
10	DF01.06L	TI-DF01.06L	DF01.06R	TI-DF01.06R
11	DF01.07L	TI-DF01.07L	DF01.07R	TI-DF01.07R
13	DF01.08L	TI-DF01.08L	DF01.08R	TI-DF01.08R
	DF01.09L	TI-DF01.09L	DF01.09R	TI-DF01.09R

Distal Lateral Humeral Plate




	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	CP02.03R	TI-CP02.03R	CP02.03L	TI-CP02.03L
4	CP02.04R	TI-CP02.04R	CP02.04L	TI-CP02.04L
5	CP02.05R	TI-CP02.05R	CP02.05L	TI-CP02.05L
6	CP02.06R	TI-CP02.06R	CP02.06L	TI-CP02.06L

STERILE

	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	CP02.03R-S	TI-CP02.03R-S	CP02.03L-S	TI-CP02.03L-S
4	CP02.04R-S	TI-CP02.04R-S	CP02.04L-S	TI-CP02.04L-S
5	CP02.05R-S	TI-CP02.05R-S	CP02.05L-S	TI-CP02.05L-S
6	CP02.06R-S	TI-CP02.06R-S	CP02.06L-S	TI-CP02.06L-S

ST-001NW : Screw Caddy For Small fragment Instrument Set



Screw Caddy Composition

3.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 2.5mm

Stainless Steel	Titanium	Length	Unit
104.210	TI-104.210	10mm	6
104.212	TI-104.212	12mm	6
104.214	TI-104.214	14mm	6
104.216	TI-104.216	16mm	6
104.218	TI-104.218	18mm	6
104.220	TI-104.220	20mm	6
104.222	TI-104.222	22mm	6
104.224	TI-104.224	24mm	6
104.226	TI-104.226	26mm	6
104.228	TI-104.228	28mm	6
104.230	TI-104.230	30mm	6
104.232	TI-104.232	32mm	6
104.234	TI-104.234	34mm	6
104.236	TI-104.236	36mm	6
104.238	TI-104.238	38mm	6
104.240	TI-104.240	40mm	6
104.242	TI-104.242	42mm	6
104.244	TI-104.244	44mm	6
104.246	TI-104.246	46mm	6
104.248	TI-104.248	48mm	6
104.250	TI-104.250	50mm	6

OR

Optional Screw

3.5mm Cortical Screw (Hex Head)

Drill Bit : 2.5mm

Stainless Steel	Titanium	Length	Unit
104.010	TI-104.010	10mm	6
104.012	TI-104.012	12mm	6
104.014	TI-104.014	14mm	6
104.016	TI-104.016	16mm	6
104.018	TI-104.018	18mm	6
104.020	TI-104.020	20mm	6
104.022	TI-104.022	22mm	6
104.024	TI-104.024	24mm	6
104.026	TI-104.026	26mm	6
104.028	TI-104.028	28mm	6
104.030	TI-104.030	30mm	6
104.032	TI-104.032	32mm	6
104.034	TI-104.034	34mm	6
104.036	TI-104.036	36mm	6
104.038	TI-104.038	38mm	6
104.040	TI-104.040	40mm	6
104.042	TI-104.042	42mm	6
104.044	TI-104.044	44mm	6
104.046	TI-104.046	46mm	6
104.048	TI-104.048	48mm	6
104.050	TI-104.050	50mm	6

4.0mm Cancellous Screw, Short Thread

Drill Bit : 2.5mm

Stainless Steel	Titanium	Length	Unit
109.014	TI-109.014	14mm	2
109.016	TI-109.016	16mm	2
109.018	TI-109.018	18mm	2
109.020	TI-109.020	20mm	2
109.022	TI-109.022	22mm	2
109.024	TI-109.024	24mm	2
109.026	TI-109.026	26mm	2
109.028	TI-109.028	28mm	2
109.030	TI-109.030	30mm	2
109.035	TI-109.035	35mm	2
109.040	TI-109.040	40mm	2
109.045	TI-109.045	45mm	2
109.050	TI-109.050	50mm	2
109.055	TI-109.055	55mm	2
109.060	TI-109.060	60mm	2

4.0mm Cancellous Screw, Full Thread

Drill Bit : 2.5mm

Stainless Steel	Titanium	Length	Unit
110.014	TI-110.014	14mm	2
110.016	TI-110.016	16mm	2
110.018	TI-110.018	18mm	2
110.020	TI-110.020	20mm	2
110.022	TI-110.022	22mm	2
110.024	TI-110.024	24mm	2
110.026	TI-110.026	26mm	2
110.028	TI-110.028	28mm	2
110.030	TI-110.030	30mm	2
110.035	TI-110.035	35mm	2
110.040	TI-110.040	40mm	2
110.045	TI-110.045	45mm	2
110.050	TI-110.050	50mm	2
110.055	TI-110.055	55mm	2
110.060	TI-110.060	60mm	2

2100-2.5-112 Drill Bit with Quick Coupling End, Ø2.5mm x Length 112mm, for Small Fragment



2100-3.5-112 Drill Bit with Quick Coupling End, Ø3.5mm x Length 112mm, for Small Fragment



2104-02 Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm, for Small Fragment



2104-04 Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm, for Small Fragment




3420-01 Drill Sleeve Insert Ø3.5/2.5mm, for Small Fragment



3400-01 Countersink for Ø3.5/4.0mm Screws, Quick Coupling, for Small Fragment



3402-000 T-Handle with Quick Coupling, for Small Fragment



1472-054 Quick Coupling Shaft



3767-3.5 Double Drill Guide, Ø2.5/3.5mm



1472-046 Self-Centering Double Drill Guide, Ø2.5/3.5mm, for Small Fragment



1472-038 Drill Guide for Neutral and Loaded Position, DCP Ø2.5mm, for Small Fragment



1472-042 Drill Guide for Neutral and Loaded Position, LC-DCP Ø2.5mm, for Small Fragment



3408-01 Hexagonal Screwdriver Shaft - 2.5mm Tip, Quick Coupling, for Small Fragment



3443-37 Depth Gauge measuring upto 80mm, for Small Fragment



3443-38-3.5 Extraction Screw Ø 3.5mm



PWG-2.0 2.0mm Wire Sleeve for Small Fragment



451-1.2-150E Kirschner Wire with One Side Trocar Tip, Ø1.2mm x Length 150mm



451-1.5-150E Kirschner Wire with One Side Trocar Tip, Ø1.5mm x Length 150mm



451-2.0-150E Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm



3426-01 Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm



3426-05 Guide Wire with Threaded Trocar Tip, Ø1.5mm x Thread Length 5mm x Length 150mm



GW-2.0-150 Guide Wire with Threaded Trocar Tip, Ø2.0mm x Thread Length 8mm x Length 150mm



3406-03 Hexagonal Screwdriver - 2.5mm Tip, for Small Fragment



3406-03S Screw Holding Sleeve for 2.5mm Tip Screwdriver, for Small Fragment



3409-01L Bending Iron, Left




3409-01R Bending Iron, Right



7-046-01 Reduction Forcep, Pointed, Ratchet Lock, for Small Fragment



7-046-02 Reduction Forcep, Serrated Jaws, Speed Lock, for Small Fragment



2106-190 Self-Centering Bone Holding Forcep, Speed Lock, 190mm, for Small Fragment



2150-1006 Periosteal Elevator with Silicon Handle, Curved, 6mm, for Small Fragment



1472-066 Hohmann Retractor, 6.5mm, for Small Fragment



1472-068 Hohmann Retractor, 8.5mm, for Small Fragment



2146-018 Hohmann Retractor, 15.5mm, for Small Fragment



BT-3.5-87 3.5mm Bending Template, Small




BT-3.5-114 3.5mm Bending Template, Large



7-046-03 Screw Holding Forcep, for Small Fragment



1472-032 Articulated Tension Device



1472-034 Articulated Tension Device Key



7-046-04 Instrument trays for Small Fragment Instrument Set





ST-001NW Screw Caddy for Small fragment Instrument System



IC-2310 Container for Small Fragment Instrument Set



2310-000 : 3.5mm Small Fragment Instrument Set



2310-000 : 3.5mm Small Fragment Instrument Set

Item Code	Item Name	Unit
2100-2.5-112	Drill Bit with Quick Coupling End, Ø2.5mm x Length 112mm, for Small Fragment	3
2100-3.5-112	Drill Bit with Quick Coupling End, Ø3.5mm x Length 112mm, for Small Fragment	2
2104-02	Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm, for Small Fragment	2
2104-04	Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm, for Small Fragment	1
3420-01	Drill Sleeve Insert Ø3.5/2.5mm, for Small Fragment	1
3400-01	Countersink for Ø3.5/4.0mm Screws, Quick Coupling, for Small Fragment	1
3402-000	T-Handle with Quick Coupling, for Small Fragment	1
1472-054	Quick Coupling Shaft	1
3767-3.5	Double Drill Guide, Ø2.5/3.5mm	1
1472-046	Self-Centering Double Drill Guide, Ø2.5/3.5mm, for Small Fragment	1
1472-038	Drill Guide for Neutral and Loaded Position, DCP Ø2.5mm, for Small Fragment	1
1472-042	Drill Guide for Neutral and Loaded Position, LC-DCP Ø2.5mm, for Small Fragment	1
3408-01	Hexagonal Screwdriver Shaft - 2.5mm Tip, Quick Coupling, for Small Fragment	1
3443-37	Depth Gauge measuring upto 80mm, for Small Fragment	1
3443-38-3.5	Extraction Screw Ø 3.5mm	1
PWG-2.0	2.0mm Wire Sleeve, for Small Fragment	1
451-1.2-150E	Kirschner Wire with One Side Trocar Tip, Ø1.2mm x Length 150mm	3
451-1.5-150E	Kirschner Wire with One Side Trocar Tip, Ø1.5mm x Length 150mm	3
451-2.0-150E	Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm	3
3426-01	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm	3
3426-05	Guide Wire with Threaded Trocar Tip, Ø1.5mm x Thread Length 5mm x Length 150mm	3
GW-2.0-150	Guide Wire with Threaded Trocar Tip, Ø2.0mm x Thread Length 8mm x Length 150mm	3
3406-03	Hexagonal Screwdriver - 2.5mm Tip, for Small Fragment	1
3406-03S	Screw Holding Sleeve for 2.5mm Tip Screwdriver, for Small Fragment	1
3409-01L	Bending Iron, Left	1
3409-01R	Bending Iron, Right	1
7-046-01	Reduction Forcep, Pointed, Ratchet Lock, for Small Fragment	1
7-046-02	Reduction Forcep, Serrated Jaws, Speed Lock, for Small Fragment	1
2106-190	Self-Centering Bone Holding Forcep, Speed Lock, 190mm, for Small Fragment	2
2150-1006	Periosteal Elevator with Silicon Handle, Curved, 6mm, for Small Fragment	1
1472-066	Hohmann Retractor, 6.5mm, for Small Fragment	1
1472-068	Hohmann Retractor, 8.5mm, for Small Fragment	1
2146-018	Hohmann Retractor, 15.5mm, for Small Fragment	2
BT-3.5-87	3.5mm Bending Template, Small	1
BT-3.5-114	3.5mm Bending Template, Large	1
7-046-03	Screw Holding Forcep, for Small Fragment	1
1472-032	Articulated Tension Device	1
1472-034	Articulated Tension Device Key	1
7-046-04	Instrument trays for Small Fragment Instrument Set	2
ST-001NW	Screw Caddy for Small fragment Instrument System	1
IC-2310	Container for Small Fragment Instrument Set	1

Large Fragment

4.5mm Cortical Screw, (Hex Head)

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
12	105.012	TI-105.012
14	105.014	TI-105.014
16	105.016	TI-105.016
18	105.018	TI-105.018
20	105.020	TI-105.020
22	105.022	TI-105.022
24	105.024	TI-105.024
26	105.026	TI-105.026
28	105.028	TI-105.028
30	105.030	TI-105.030
32	105.032	TI-105.032
34	105.034	TI-105.034
36	105.036	TI-105.036
38	105.038	TI-105.038
40	105.040	TI-105.040
42	105.042	TI-105.042
44	105.044	TI-105.044
46	105.046	TI-105.046
48	105.048	TI-105.048
50	105.050	TI-105.050
52	105.052	TI-105.052
54	105.054	TI-105.054
56	105.056	TI-105.056
58	105.058	TI-105.058
60	105.060	TI-105.060
62	105.062	TI-105.062
64	105.064	TI-105.064
66	105.066	TI-105.066
68	105.068	TI-105.068
70	105.070	TI-105.070
72	105.072	TI-105.072
74	105.074	TI-105.074
76	105.076	TI-105.076
78	105.078	TI-105.078
80	105.080	TI-105.080

STERILE

Length (mm)	Stainless Steel	Titanium
12	105.012-S	TI-105.012-S
14	105.014-S	TI-105.014-S
16	105.016-S	TI-105.016-S
18	105.018-S	TI-105.018-S
20	105.020-S	TI-105.020-S
22	105.022-S	TI-105.022-S
24	105.024-S	TI-105.024-S
26	105.026-S	TI-105.026-S
28	105.028-S	TI-105.028-S
30	105.030-S	TI-105.030-S
32	105.032-S	TI-105.032-S
34	105.034-S	TI-105.034-S
36	105.036-S	TI-105.036-S
38	105.038-S	TI-105.038-S
40	105.040-S	TI-105.040-S
42	105.042-S	TI-105.042-S
44	105.044-S	TI-105.044-S
46	105.046-S	TI-105.046-S
48	105.048-S	TI-105.048-S
50	105.050-S	TI-105.050-S
52	105.052-S	TI-105.052-S
54	105.054-S	TI-105.054-S
56	105.056-S	TI-105.056-S
58	105.058-S	TI-105.058-S
60	105.060-S	TI-105.060-S
62	105.062-S	TI-105.062-S
64	105.064-S	TI-105.064-S
66	105.066-S	TI-105.066-S
68	105.068-S	TI-105.068-S
70	105.070-S	TI-105.070-S
72	105.072-S	TI-105.072-S
74	105.074-S	TI-105.074-S
76	105.076-S	TI-105.076-S
78	105.078-S	TI-105.078-S
80	105.080-S	TI-105.080-S

4.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
12	105.212	TI-105.212
14	105.214	TI-105.214
16	105.216	TI-105.216
18	105.218	TI-105.218
20	105.220	TI-105.220
22	105.222	TI-105.222
24	105.224	TI-105.224
26	105.226	TI-105.226
28	105.228	TI-105.228
30	105.230	TI-105.230
32	105.232	TI-105.232
34	105.234	TI-105.234
36	105.236	TI-105.236
38	105.238	TI-105.238
40	105.240	TI-105.240
42	105.242	TI-105.242
44	105.244	TI-105.244
46	105.246	TI-105.246
48	105.248	TI-105.248
50	105.250	TI-105.250
52	105.252	TI-105.252
54	105.254	TI-105.254
56	105.256	TI-105.256
58	105.258	TI-105.258
60	105.260	TI-105.260
62	105.262	TI-105.262
64	105.264	TI-105.264
66	105.266	TI-105.266
68	105.268	TI-105.268
70	105.270	TI-105.270
72	105.272	TI-105.272
74	105.274	TI-105.274
76	105.276	TI-105.276
78	105.278	TI-105.278
80	105.280	TI-105.280
85	105.285	TI-105.285
90	105.290	TI-105.290

STERILE

Length (mm)	Stainless Steel	Titanium
12	105.212-S	TI-105.212-S
14	105.214-S	TI-105.214-S
16	105.216-S	TI-105.216-S
18	105.218-S	TI-105.218-S
20	105.220-S	TI-105.220-S
22	105.222-S	TI-105.222-S
24	105.224-S	TI-105.224-S
26	105.226-S	TI-105.226-S
28	105.228-S	TI-105.228-S
30	105.230-S	TI-105.230-S
32	105.232-S	TI-105.232-S
34	105.234-S	TI-105.234-S
36	105.236-S	TI-105.236-S
38	105.238-S	TI-105.238-S
40	105.240-S	TI-105.240-S
42	105.242-S	TI-105.242-S
44	105.244-S	TI-105.244-S
46	105.246-S	TI-105.246-S
48	105.248-S	TI-105.248-S
50	105.250-S	TI-105.250-S
52	105.252-S	TI-105.252-S
54	105.254-S	TI-105.254-S
56	105.256-S	TI-105.256-S
58	105.258-S	TI-105.258-S
60	105.260-S	TI-105.260-S
62	105.262-S	TI-105.262-S
64	105.264-S	TI-105.264-S
66	105.266-S	TI-105.266-S
68	105.268-S	TI-105.268-S
70	105.270-S	TI-105.270-S
72	105.272-S	TI-105.272-S
74	105.274-S	TI-105.274-S
76	105.276-S	TI-105.276-S
78	105.278-S	TI-105.278-S
80	105.280-S	TI-105.280-S
85	105.285-S	TI-105.285-S
90	105.290-S	TI-105.290-S

4.5mm Malleolar Screw

Drill Bit : 3.2mm




Length (mm)	Stainless Steel	Titanium
25	106.025	TI-106.025
30	106.030	TI-106.030
35	106.035	TI-106.035
40	106.040	TI-106.040
45	106.045	TI-106.045
50	106.050	TI-106.050
55	106.055	TI-106.055
60	106.060	TI-106.060
65	105.065	TI-105.065
70	106.070	TI-106.070
75	106.075	TI-106.075
80	106.080	TI-106.080
85	106.085	TI-106.085
90	106.090	TI-106.090
95	106.095	TI-106.095
100	106.100	TI-106.100

STERILE

Length (mm)	Stainless Steel	Titanium
25	106.025-S	TI-106.025-S
30	106.030-S	TI-106.030-S
35	106.035-S	TI-106.035-S
40	106.040-S	TI-106.040-S
45	106.045-S	TI-106.045-S
50	106.050-S	TI-106.050-S
55	106.055-S	TI-106.055-S
60	106.060-S	TI-106.060-S
65	105.065-S	TI-105.065-S
70	106.070-S	TI-106.070-S
75	106.075-S	TI-106.075-S
80	106.080-S	TI-106.080-S
85	106.085-S	TI-106.085-S
90	106.090-S	TI-106.090-S
95	106.095-S	TI-106.095-S
100	106.100-S	TI-106.100-S

Washer for 4.5mm to 7mm Screws



	Stainless Steel	Titanium
Code	100.120	TI-100.120

STERILE

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S

6.5mm Cancellous Screw, 16mm Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	111.025	TI-111.025
30	111.030	TI-111.030
35	111.035	TI-111.035
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100
105	111.105	TI-111.105
110	111.110	TI-111.110
115	111.115	TI-111.115
120	111.120	TI-111.120

STERILE

Length (mm)	Stainless Steel	Titanium
25	111.025-S	TI-111.025-S
30	111.030-S	TI-111.030-S
35	111.035-S	TI-111.035-S
40	111.040-S	TI-111.040-S
45	111.045-S	TI-111.045-S
50	111.050-S	TI-111.050-S
55	111.055-S	TI-111.055-S
60	111.060-S	TI-111.060-S
65	111.065-S	TI-111.065-S
70	111.070-S	TI-111.070-S
75	111.075-S	TI-111.075-S
80	111.080-S	TI-111.080-S
85	111.085-S	TI-111.085-S
90	111.090-S	TI-111.090-S
95	111.095-S	TI-111.095-S
100	111.100-S	TI-111.100-S
105	111.105-S	TI-111.105-S
110	111.110-S	TI-111.110-S
115	111.115-S	TI-111.115-S
120	111.120-S	TI-111.120-S

6.5mm Cancellous Screw, 32mm Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
35	112.035	TI-112.035
40	112.040	TI-112.040
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100
105	112.105	TI-112.105
110	112.110	TI-112.110
115	112.115	TI-112.115
120	112.120	TI-112.120

STERILE

Length (mm)	Stainless Steel	Titanium
35	112.035-S	TI-112.035-S
40	112.040-S	TI-112.040-S
45	112.045-S	TI-112.045-S
50	112.050-S	TI-112.050-S
55	112.055-S	TI-112.055-S
60	112.060-S	TI-112.060-S
65	112.065-S	TI-112.065-S
70	112.070-S	TI-112.070-S
75	112.075-S	TI-112.075-S
80	112.080-S	TI-112.080-S
85	112.085-S	TI-112.085-S
90	112.090-S	TI-112.090-S
95	112.095-S	TI-112.095-S
100	112.100-S	TI-112.100-S
105	112.105-S	TI-112.105-S
110	112.110-S	TI-112.110-S
115	112.115-S	TI-112.115-S
120	112.120-S	TI-112.120-S

6.5mm Cancellous Screw, Full Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	113.025	TI-113.025
30	113.030	TI-113.030
35	113.035	TI-113.035
40	113.040	TI-113.040
45	113.045	TI-113.045
50	113.050	TI-113.050
55	113.055	TI-113.055
60	113.060	TI-113.060
65	113.065	TI-113.065
70	113.070	TI-113.070
75	113.075	TI-113.075
80	113.080	TI-113.080
85	113.085	TI-113.085
90	113.090	TI-113.090
95	113.095	TI-113.095
100	113.100	TI-113.100
105	113.105	TI-113.105
110	113.110	TI-113.110
115	113.115	TI-113.115
120	113.120	TI-113.120

STERILE

Length (mm)	Stainless Steel	Titanium
25	113.025-S	TI-113.025-S
30	113.030-S	TI-113.030-S
35	113.035-S	TI-113.035-S
40	113.040-S	TI-113.040-S
45	113.045-S	TI-113.045-S
50	113.050-S	TI-113.050-S
55	113.055-S	TI-113.055-S
60	113.060-S	TI-113.060-S
65	113.065-S	TI-113.065-S
70	113.070-S	TI-113.070-S
75	113.075-S	TI-113.075-S
80	113.080-S	TI-113.080-S
85	113.085-S	TI-113.085-S
90	113.090-S	TI-113.090-S
95	113.095-S	TI-113.095-S
100	113.100-S	TI-113.100-S
105	113.105-S	TI-113.105-S
110	113.110-S	TI-113.110-S
115	113.115-S	TI-113.115-S
120	113.120-S	TI-113.120-S

4.5mm Narrow Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	722.104	TI-722.104
5	722.105	TI-722.105
6	722.106	TI-722.106
7	722.107	TI-722.107
8	722.108	TI-722.108
9	722.109	TI-722.109
10	722.110	TI-722.110
11	722.111	TI-722.111
12	722.112	TI-722.112
13	722.113	TI-722.113
14	722.114	TI-722.114
15	722.115	TI-722.115
16	722.116	TI-722.116
17	722.117	TI-722.117
18	722.118	TI-722.118

STERILE

Holes	Stainless Steel	Titanium
4	722.104-S	TI-722.104-S
5	722.105-S	TI-722.105-S
6	722.106-S	TI-722.106-S
7	722.107-S	TI-722.107-S
8	722.108-S	TI-722.108-S
9	722.109-S	TI-722.109-S
10	722.110-S	TI-722.110-S
11	722.111-S	TI-722.111-S
12	722.112-S	TI-722.112-S
13	722.113-S	TI-722.113-S
14	722.114-S	TI-722.114-S
15	722.115-S	TI-722.115-S
16	722.116-S	TI-722.116-S
17	722.117-S	TI-722.117-S
18	722.118-S	TI-722.118-S

4.5mm Narrow Limited Contact Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	723.104	TI-723.104
5	723.105	TI-723.105
6	723.106	TI-723.106
7	723.107	TI-723.107
8	723.108	TI-723.108
9	723.109	TI-723.109
10	723.110	TI-723.110
11	723.111	TI-723.111
12	723.112	TI-723.112
13	723.113	TI-723.113
14	723.114	TI-723.114
15	723.115	TI-723.115
16	723.116	TI-723.116
17	723.117	TI-723.117
18	723.118	TI-723.118

STERILE

Holes	Stainless Steel	Titanium
4	723.104-S	TI-723.104-S
5	723.105-S	TI-723.105-S
6	723.106-S	TI-723.106-S
7	723.107-S	TI-723.107-S
8	723.108-S	TI-723.108-S
9	723.109-S	TI-723.109-S
10	723.110-S	TI-723.110-S
11	723.111-S	TI-723.111-S
12	723.112-S	TI-723.112-S
13	723.113-S	TI-723.113-S
14	723.114-S	TI-723.114-S
15	723.115-S	TI-723.115-S
16	723.116-S	TI-723.116-S
17	723.117-S	TI-723.117-S
18	723.118-S	TI-723.118-S

4.5mm Broad Dynamic Compression Plate




Holes	Stainless Steel	Titanium
4	724.104	TI-724.104
5	724.105	TI-724.105
6	724.106	TI-724.106
7	724.107	TI-724.107
8	724.108	TI-724.108
9	724.109	TI-724.109
10	724.110	TI-724.110
11	724.111	TI-724.111
12	724.112	TI-724.112
13	724.113	TI-724.113
14	724.114	TI-724.114
15	724.115	TI-724.115
16	724.116	TI-724.116
17	724.117	TI-724.117
18	724.118	TI-724.118
19	724.119	TI-724.119
20	724.120	TI-724.120

STERILE

Holes	Stainless Steel	Titanium
4	724.104-S	TI-724.104-S
5	724.105-S	TI-724.105-S
6	724.106-S	TI-724.106-S
7	724.107-S	TI-724.107-S
8	724.108-S	TI-724.108-S
9	724.109-S	TI-724.109-S
10	724.110-S	TI-724.110-S
11	724.111-S	TI-724.111-S
12	724.112-S	TI-724.112-S
13	724.113-S	TI-724.113-S
14	724.114-S	TI-724.114-S
15	724.115-S	TI-724.115-S
16	724.116-S	TI-724.116-S
17	724.117-S	TI-724.117-S
18	724.118-S	TI-724.118-S
19	724.119-S	TI-724.119-S
20	724.120-S	TI-724.120-S

4.5mm Broad Limited Contact Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	725.104	TI-725.104
5	725.105	TI-725.105
6	725.106	TI-725.106
7	725.107	TI-725.107
8	725.108	TI-725.108
9	725.109	TI-725.109
10	725.110	TI-725.110
11	725.111	TI-725.111
12	725.112	TI-725.112
13	725.113	TI-725.113
14	725.114	TI-725.114
15	725.115	TI-725.115
16	725.116	TI-725.116
17	725.117	TI-725.117
18	725.118	TI-725.118
19	725.119	TI-725.119
20	725.120	TI-725.120

STERILE

Holes	Stainless Steel	Titanium
4	725.104-S	TI-725.104-S
5	725.105-S	TI-725.105-S
6	725.106-S	TI-725.106-S
7	725.107-S	TI-725.107-S
8	725.108-S	TI-725.108-S
9	725.109-S	TI-725.109-S
10	725.110-S	TI-725.110-S
11	725.111-S	TI-725.111-S
12	725.112-S	TI-725.112-S
13	725.113-S	TI-725.113-S
14	725.114-S	TI-725.114-S
15	725.115-S	TI-725.115-S
16	725.116-S	TI-725.116-S
17	725.117-S	TI-725.117-S
18	725.118-S	TI-725.118-S
19	725.119-S	TI-725.119-S
20	725.120-S	TI-725.120-S

4.5mm Narrow Lengthening Plate, 8 Holes



Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
30	135	755.030	TI-755.030
40	145	755.040	TI-755.040
50	155	755.050	TI-755.050
60	165	755.060	TI-755.060
70	175	755.070	TI-755.070
80	185	755.080	TI-755.080

STERILE

Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
30	135	755.030-S	TI-755.030-S
40	145	755.040-S	TI-755.040-S
50	155	755.050-S	TI-755.050-S
60	165	755.060-S	TI-755.060-S
70	175	755.070-S	TI-755.070-S
80	185	755.080-S	TI-755.080-S

4.5mm Broad Lengthening Plate, 8 Holes



Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
30	135	754.030	TI-754.030
40	145	754.040	TI-754.040
50	155	754.050	TI-754.050
60	165	754.060	TI-754.060

STERILE

Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
30	135	754.030-S	TI-754.030-S
40	145	754.040-S	TI-754.040-S
50	155	754.050-S	TI-754.050-S
60	165	754.060-S	TI-754.060-S

4.5mm Broad Lengthening Plate, 10 Holes



Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
50	179	753.050	TI-753.050
60	189	753.060	TI-753.060
70	199	753.070	TI-753.070
80	209	753.080	TI-753.080
90	219	753.090	TI-753.090
100	229	753.100	TI-753.100
110	239	753.110	TI-753.110
120	249	753.120	TI-753.120

STERILE

Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
50	179	753.050-S	TI-753.050-S
60	189	753.060-S	TI-753.060-S
70	199	753.070-S	TI-753.070-S
80	209	753.080-S	TI-753.080-S
90	219	753.090-S	TI-753.090-S
100	229	753.100-S	TI-753.100-S
110	239	753.110-S	TI-753.110-S
120	249	753.120-S	TI-753.120-S

4.5mm Semi Tubular Plate



Holes	Stainless Steel	Titanium
4	704.204	TI-704.204
5	704.205	TI-704.205
6	704.206	TI-704.206
7	704.207	TI-704.207
8	704.208	TI-704.208
9	704.209	TI-704.209
10	704.210	TI-704.210
11	704.211	TI-704.211
12	704.212	TI-704.212

STERILE

Holes	Stainless Steel	Titanium
4	704.204-S	TI-704.204-S
5	704.205-S	TI-704.205-S
6	704.206-S	TI-704.206-S
7	704.207-S	TI-704.207-S
8	704.208-S	TI-704.208-S
9	704.209-S	TI-704.209-S
10	704.210-S	TI-704.210-S
11	704.211-S	TI-704.211-S
12	704.212-S	TI-704.212-S

4.5mm Lateral Tibial Head Buttress Plate, Right

Fixation with 4.5 & 6.5mm Screws



Holes	Stainless Steel	Titanium
5	733.105R	TI-733.105R
7	733.107R	TI-733.107R
9	733.109R	TI-733.109R
11	733.111R	TI-733.111R
13	733.113R	TI-733.113R

STERILE

Holes	Stainless Steel	Titanium
5	733.105R-S	TI-733.105R-S
7	733.107R-S	TI-733.107R-S
9	733.109R-S	TI-733.109R-S
11	733.111R-S	TI-733.111R-S
13	733.113R-S	TI-733.113R-S

4.5mm Lateral Tibial Head Buttress Plate, Left

Fixation with 4.5 & 6.5mm Screws




Holes	Stainless Steel	Titanium
5	733.105L	TI-733.105L
7	733.107L	TI-733.107L
9	733.109L	TI-733.109L
11	733.111L	TI-733.111L
13	733.113L	TI-733.113L

STERILE

Holes	Stainless Steel	Titanium
5	733.105L-S	TI-733.105L-S
7	733.107L-S	TI-733.107L-S
9	733.109L-S	TI-733.109L-S
11	733.111L-S	TI-733.111L-S
13	733.113L-S	TI-733.113L-S

4.5mm Condylar Buttress Plate, Left




Holes	Stainless Steel	Titanium
7	731.107L	TI-731.107L
9	731.109L	TI-731.109L
11	731.111L	TI-731.111L
12	731.112L	TI-731.112L
13	731.113L	TI-731.113L
15	731.115L	TI-731.115L

STERILE

Holes	Stainless Steel	Titanium
7	731.107L-S	TI-731.107L-S
9	731.109L-S	TI-731.109L-S
11	731.111L-S	TI-731.111L-S
12	731.112L-S	TI-731.112L-S
13	731.113L-S	TI-731.113L-S
15	731.115L-S	TI-731.115L-S

4.5mm Condylar Buttress Plate, Right



Holes	Stainless Steel	Titanium
7	731.107R	TI-731.107R
9	731.109R	TI-731.109R
11	731.111R	TI-731.111R
12	731.112R	TI-731.112R
13	731.113R	TI-731.113R
15	731.115R	TI-731.115R

STERILE

Holes	Stainless Steel	Titanium
7	731.107R-S	TI-731.107R-S
9	731.109R-S	TI-731.109R-S
11	731.111R-S	TI-731.111R-S
12	731.112R-S	TI-731.112R-S
13	731.113R-S	TI-731.113R-S
15	731.115R-S	TI-731.115R-S

4.5mm "T" Plate



Holes	Stainless Steel	Titanium
3	713.103	TI-713.103
4	713.104	TI-713.104
5	713.105	TI-713.105
6	713.106	TI-713.106
7	713.107	TI-713.107
8	713.108	TI-713.108
9	713.109	TI-713.109
10	713.110	TI-713.110
11	713.111	TI-713.111
12	713.112	TI-713.112
13	713.113	TI-713.113
14	713.114	TI-713.114

STERILE

Holes	Stainless Steel	Titanium
3	713.103-S	TI-713.103-S
4	713.104-S	TI-713.104-S
5	713.105-S	TI-713.105-S
6	713.106-S	TI-713.106-S
7	713.107-S	TI-713.107-S
8	713.108-S	TI-713.108-S
9	713.109-S	TI-713.109-S
10	713.110-S	TI-713.110-S
11	713.111-S	TI-713.111-S
12	713.112-S	TI-713.112-S
13	713.113-S	TI-713.113-S
14	713.114-S	TI-713.114-S

4.5mm "T" Buttress Plate


STERILE

Holes	Stainless Steel	Titanium
4	714.104	TI-714.104
5	714.105	TI-714.105
6	714.106	TI-714.106
7	714.107	TI-714.107
8	714.108	TI-714.108
9	714.109	TI-714.109
10	714.110	TI-714.110
11	714.111	TI-714.111
12	714.112	TI-714.112
13	714.113	TI-714.113
14	714.114	TI-714.114

Holes	Stainless Steel	Titanium
4	714.104-S	TI-714.104-S
5	714.105-S	TI-714.105-S
6	714.106-S	TI-714.106-S
7	714.107-S	TI-714.107-S
8	714.108-S	TI-714.108-S
9	714.109-S	TI-714.109-S
10	714.110-S	TI-714.110-S
11	714.111-S	TI-714.111-S
12	714.112-S	TI-714.112-S
13	714.113-S	TI-714.113-S
14	714.114-S	TI-714.114-S

4.5mm "L" Buttress Plate, Right


STERILE

Holes	Stainless Steel	Titanium
3	706.103R	TI-706.103R
4	706.104R	TI-706.104R
5	706.105R	TI-706.105R
6	706.106R	TI-706.106R
7	706.107R	TI-706.107R
8	706.108R	TI-706.108R
9	706.109R	TI-706.109R
10	706.110R	TI-706.110R
11	706.111R	TI-706.111R
12	706.112R	TI-706.112R
13	706.113R	TI-706.113R
14	706.114R	TI-706.114R

Holes	Stainless Steel	Titanium
3	706.103R-S	TI-706.103R-S
4	706.104R-S	TI-706.104R-S
5	706.105R-S	TI-706.105R-S
6	706.106R-S	TI-706.106R-S
7	706.107R-S	TI-706.107R-S
8	706.108R-S	TI-706.108R-S
9	706.109R-S	TI-706.109R-S
10	706.110R-S	TI-706.110R-S
11	706.111R-S	TI-706.111R-S
12	706.112R-S	TI-706.112R-S
13	706.113R-S	TI-706.113R-S
14	706.114R-S	TI-706.114R-S

4.5mm "L" Buttress Plate, Left


STERILE

Holes	Stainless Steel	Titanium
3	706.103L	TI-706.103L
4	706.104L	TI-706.104L
5	706.105L	TI-706.105L
6	706.106L	TI-706.106L
7	706.107L	TI-706.107L
8	706.108L	TI-706.108L
9	706.109L	TI-706.109L
10	706.110L	TI-706.110L
11	706.111L	TI-706.111L
12	706.112L	TI-706.112L
13	706.113L	TI-706.113L
14	706.114L	TI-706.114L

Holes	Stainless Steel	Titanium
3	706.103L-S	TI-706.103L-S
4	706.104L-S	TI-706.104L-S
5	706.105L-S	TI-706.105L-S
6	706.106L-S	TI-706.106L-S
7	706.107L-S	TI-706.107L-S
8	706.108L-S	TI-706.108L-S
9	706.109L-S	TI-706.109L-S
10	706.110L-S	TI-706.110L-S
11	706.111L-S	TI-706.111L-S
12	706.112L-S	TI-706.112L-S
13	706.113L-S	TI-706.113L-S
14	706.114L-S	TI-706.114L-S

4.5mm Spoon Plate


STERILE

Holes	Stainless Steel	Titanium
5	718.105	TI-718.105
6	718.106	TI-718.106

Holes	Stainless Steel	Titanium
5	718.105-S	TI-718.105-S
6	718.106-S	TI-718.106-S

4.5mm Hook Plate, 6 Holes

Fixation with 4.5 & 6.5mm Screws Shaft with DCP dynamic compression holes and slot for tension device.
Used after a blade of an angled hip plate breaks off at the proximal femur.


STERILE

Holes	Stainless Steel	Titanium
6	730.106	TI-730.106

Holes	Stainless Steel	Titanium
6	730.106-S	TI-730.106-S

4.5mm Reconstruction Plate, Straight

Do not bend more than 15°



STERILE

Holes	Stainless Steel	Titanium
3	728.103	TI-728.103
4	728.104	TI-728.104
5	728.105	TI-728.105
6	728.106	TI-728.106
7	728.107	TI-728.107
8	728.108	TI-728.108
9	728.109	TI-728.109
10	728.110	TI-728.110
11	728.111	TI-728.111
12	728.112	TI-728.112
13	728.113	TI-728.113
14	728.114	TI-728.114
15	728.115	TI-728.115
16	728.116	TI-728.116
17	728.117	TI-728.117
18	728.118	TI-728.118
20	728.120	TI-728.120
22	728.122	TI-728.122

Holes	Stainless Steel	Titanium
3	728.103-S	TI-728.103-S
4	728.104-S	TI-728.104-S
5	728.105-S	TI-728.105-S
6	728.106-S	TI-728.106-S
7	728.107-S	TI-728.107-S
8	728.108-S	TI-728.108-S
9	728.109-S	TI-728.109-S
10	728.110-S	TI-728.110-S
11	728.111-S	TI-728.111-S
12	728.112-S	TI-728.112-S
13	728.113-S	TI-728.113-S
14	728.114-S	TI-728.114-S
15	728.115-S	TI-728.115-S
16	728.116-S	TI-728.116-S
17	728.117-S	TI-728.117-S
18	728.118-S	TI-728.118-S
20	728.120-S	TI-728.120-S
22	728.122-S	TI-728.122-S

4.5mm Cobra Head Plate



STERILE

Holes	Stainless Steel	Titanium
8	735.108	TI-735.108
9	735.109	TI-735.109
10	735.110	TI-735.110
11	735.111	TI-735.111
12	735.112	TI-735.112
13	735.113	TI-735.113
14	735.114	TI-735.114

Holes	Stainless Steel	Titanium
8	735.108-S	TI-735.108-S
9	735.109-S	TI-735.109-S
10	735.110-S	TI-735.110-S
11	735.111-S	TI-735.111-S
12	735.112-S	TI-735.112-S
13	735.113-S	TI-735.113-S
14	735.114-S	TI-735.114-S

4.5mm Roy Camille Plate



Holes	Stainless Steel	Titanium
5	804.005	TI-804.005
6	804.006	TI-804.006
7	804.007	TI-804.007
8	804.008	TI-804.008
9	804.009	TI-804.009
10	804.010	TI-804.010
11	804.011	TI-804.011
12	804.012	TI-804.012
13	804.013	TI-804.013
14	804.014	TI-804.014

STERILE

Holes	Stainless Steel	Titanium
5	804.005-S	TI-804.005-S
6	804.006-S	TI-804.006-S
7	804.007-S	TI-804.007-S
8	804.008-S	TI-804.008-S
9	804.009-S	TI-804.009-S
10	804.010-S	TI-804.010-S
11	804.011-S	TI-804.011-S
12	804.012-S	TI-804.012-S
13	804.013-S	TI-804.013-S
14	804.014-S	TI-804.014-S

Sherman Plate



Holes	Stainless Steel	Titanium
3	802.003	TI-802.003
4	802.004	TI-802.004
5	802.005	TI-802.005
6	802.006	TI-802.006
7	802.007	TI-802.007
8	802.008	TI-802.008
9	802.009	TI-802.009
10	802.010	TI-802.010
11	802.011	TI-802.011
12	802.012	TI-802.012
13	802.013	TI-802.013
14	802.014	TI-802.014

STERILE

Holes	Stainless Steel	Titanium
3	802.003-S	TI-802.003-S
4	802.004-S	TI-802.004-S
5	802.005-S	TI-802.005-S
6	802.006-S	TI-802.006-S
7	802.007-S	TI-802.007-S
8	802.008-S	TI-802.008-S
9	802.009-S	TI-802.009-S
10	802.010-S	TI-802.010-S
11	802.011-S	TI-802.011-S
12	802.012-S	TI-802.012-S
13	802.013-S	TI-802.013-S
14	802.014-S	TI-802.014-S

4.5mm Proximal Tibia Medial Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	763.103L	TI-763.103L	763.103R	TI-763.103R
5	763.105L	TI-763.105L	763.105R	TI-763.105R
7	763.107L	TI-763.107L	763.107R	TI-763.107R
9	763.109L	TI-763.109L	763.109R	TI-763.109R
11	763.111L	TI-763.111L	763.111R	TI-763.111R
13	763.113L	TI-763.113L	763.113R	TI-763.113R

STERILE

	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
5	763.103L-S	TI-763.103L-S	763.103R-S	TI-763.103R-S
7	763.105L-S	TI-763.105L-S	763.105R-S	TI-763.105R-S
9	763.107L-S	TI-763.107L-S	763.107R-S	TI-763.107R-S
10	763.109L-S	TI-763.109L-S	763.109R-S	TI-763.109R-S
11	763.111L-S	TI-763.111L-S	763.111R-S	TI-763.111R-S
13	763.113L-S	TI-763.113L-S	763.113R-S	TI-763.113R-S

4.5mm Proximal Tibia Medial Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4	MP03.04L	TI-MP03.04L	MP03.04R	TI-MP03.04R
5	MP03.05L	TI-MP03.05L	MP03.05R	TI-MP03.05R
6	MP03.06L	TI-MP03.06L	MP03.06R	TI-MP03.06R
7	MP03.07L	TI-MP03.07L	MP03.07R	TI-MP03.07R
8	MP03.08L	TI-MP03.08L	MP03.08R	TI-MP03.08R
9	MP03.09L	TI-MP03.09L	MP03.09R	TI-MP03.09R
10	MP03.10L	TI-MP03.10L	MP03.10R	TI-MP03.10R

STERILE

	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4	MP03.04L-S	TI-MP03.04L-S	MP03.04R-S	TI-MP03.04R-S
5	MP03.05L-S	TI-MP03.05L-S	MP03.05R-S	TI-MP03.05R-S
6	MP03.06L-S	TI-MP03.06L-S	MP03.06R-S	TI-MP03.06R-S
7	MP03.07L-S	TI-MP03.07L-S	MP03.07R-S	TI-MP03.07R-S
8	MP03.08L-S	TI-MP03.08L-S	MP03.08R-S	TI-MP03.08R-S
9	MP03.09L-S	TI-MP03.09L-S	MP03.09R-S	TI-MP03.09R-S
10	MP03.10L-S	TI-MP03.10L-S	MP03.10R-S	TI-MP03.10R-S

4.5mm Proximal Lateral Tibia Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	736.103L	TI-736.103L	736.103R	TI-736.103R
5	736.105L	TI-736.105L	736.105R	TI-736.105R
7	736.107L	TI-736.107L	736.107R	TI-736.107R
9	736.109L	TI-736.109L	736.109R	TI-736.109R
11	736.111L	TI-736.111L	736.111R	TI-736.111R
13	736.113L	TI-736.113L	736.113R	TI-736.113R

STERILE

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	736.103L-S	TI-736.103L-S	736.103R-S	TI-736.103R-S
7	736.105L-S	TI-736.105L-S	736.105R-S	TI-736.105R-S
9	736.107L-S	TI-736.107L-S	736.107R-S	TI-736.107R-S
10	736.109L-S	TI-736.109L-S	736.109R-S	TI-736.109R-S
11	736.111L-S	TI-736.111L-S	736.111R-S	TI-736.111R-S
13	736.113L-S	TI-736.113L-S	736.113R-S	TI-736.113R-S

4.5mm Proximal Femur Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	764.103L	TI-764.103L	764.103R	TI-764.103R
5	764.105L	TI-764.105L	764.105R	TI-764.105R
7	764.107L	TI-764.107L	764.107R	TI-764.107R
9	764.109L	TI-764.109L	764.109R	TI-764.109R
11	764.111L	TI-764.111L	764.111R	TI-764.111R
13	764.113L	TI-764.113L	764.113R	TI-764.113R

STERILE

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	764.103L-S	TI-764.103L-S	764.103R-S	TI-764.103R-S
5	764.105L-S	TI-764.105L-S	764.105R-S	TI-764.105R-S
7	764.107L-S	TI-764.107L-S	764.107R-S	TI-764.107R-S
9	764.109L-S	TI-764.109L-S	764.109R-S	TI-764.109R-S
11	764.111L-S	TI-764.111L-S	764.111R-S	TI-764.111R-S
13	764.113L-S	TI-764.113L-S	764.113R-S	TI-764.113R-S

4.5mm Distal Tibia Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.103L	TI-737.103L	737.103R	TI-737.103R
5	737.105L	TI-737.105L	737.105R	TI-737.105R
7	737.107L	TI-737.107L	737.107R	TI-737.107R
9	737.109L	TI-737.109L	737.109R	TI-737.109R
11	737.111L	TI-737.111L	737.111R	TI-737.111R
13	737.113L	TI-737.113L	737.113R	TI-737.113R

STERILE

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	737.103L-S	TI-737.103L-S	737.103R-S	TI-737.103R-S
7	737.105L-S	TI-737.105L-S	737.105R-S	TI-737.105R-S
9	737.107L-S	TI-737.107L-S	737.107R-S	TI-737.107R-S
10	737.109L-S	TI-737.109L-S	737.109R-S	TI-737.109R-S
11	737.111L-S	TI-737.111L-S	737.111R-S	TI-737.111R-S
13	737.113L-S	TI-737.113L-S	737.113R-S	TI-737.113R-S

4.5mm Distal Lateral Tibia Plate with Round Holes



STERILE

Holes	Type	Stainless Steel	Titanium
5	Left	CP01.05L	TI-CP01.05L
5	Right	CP01.05R	TI-CP01.05R
7	Left	CP01.07L	TI-CP01.07L
7	Right	CP01.07R	TI-CP01.07R
9	Left	CP01.09L	TI-CP01.09L
9	Right	CP01.09R	TI-CP01.09R
11	Left	CP01.11L	TI-CP01.11L
11	Right	CP01.11R	TI-CP01.11R
13	Left	CP01.13L	TI-CP01.13L
13	Right	CP01.13R	TI-CP01.13R

Holes	Type	Stainless Steel	Titanium
5	Left	CP01.05L-S	TI-CP01.05L-S
5	Right	CP01.05R-S	TI-CP01.05R-S
7	Left	CP01.07L-S	TI-CP01.07L-S
7	Right	CP01.07R-S	TI-CP01.07R-S
9	Left	CP01.09L-S	TI-CP01.09L-S
9	Right	CP01.09R-S	TI-CP01.09R-S
11	Left	CP01.11L-S	TI-CP01.11L-S
11	Right	CP01.11R-S	TI-CP01.11R-S
13	Left	CP01.13L-S	TI-CP01.13L-S
13	Right	CP01.13R-S	TI-CP01.13R-S

4.5mm Distal Tibia Lateral Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.203L	TI-737.203L	737.203R	TI-737.203R
5	737.205L	TI-737.205L	737.205R	TI-737.205R
7	737.207L	TI-737.207L	737.207R	TI-737.207R
9	737.209L	TI-737.209L	737.209R	TI-737.209R
11	737.211L	TI-737.211L	737.211R	TI-737.211R
13	737.213L	TI-737.213L	737.213R	TI-737.213R

STERILE

	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
5	737.203L-S	TI-737.203L-S	737.203R-S	TI-737.203R-S
7	737.205L-S	TI-737.205L-S	737.205R-S	TI-737.205R-S
9	737.207L-S	TI-737.207L-S	737.207R-S	TI-737.207R-S
10	737.209L-S	TI-737.209L-S	737.209R-S	TI-737.209R-S
11	737.211L-S	TI-737.211L-S	737.211R-S	TI-737.211R-S
13	737.213L-S	TI-737.213L-S	737.213R-S	TI-737.213R-S

4.5mm Distal Femur Plate




	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.303L	TI-737.303L	737.303R	TI-737.303R
5	737.305L	TI-737.305L	737.305R	TI-737.305R
7	737.307L	TI-737.307L	737.307R	TI-737.307R
9	737.309L	TI-737.309L	737.309R	TI-737.309R
11	737.311L	TI-737.311L	737.311R	TI-737.311R
13	737.313L	TI-737.313L	737.313R	TI-737.313R

STERILE

	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
5	737.303L-S	TI-737.303L-S	737.303R-S	TI-737.303R-S
7	737.305L-S	TI-737.305L-S	737.305R-S	TI-737.305R-S
9	737.307L-S	TI-737.307L-S	737.307R-S	TI-737.307R-S
10	737.309L-S	TI-737.309L-S	737.309R-S	TI-737.309R-S
11	737.311L-S	TI-737.311L-S	737.311R-S	TI-737.311R-S
13	737.313L-S	TI-737.313L-S	737.313R-S	TI-737.313R-S


4.5mm Fibular Distal Tibia Plate



Holes	Holes	Stainless Steel	Titanium
7	Right	CP12.07R	TI-CP12.07R
9	Right	CP12.09R	TI-CP12.09R
11	Right	CP12.11R	TI-CP12.11R
13	Right	CP12.13R	TI-CP12.13R
7	Left	CP12.07L	TI-CP12.07L
9	Left	CP12.09L	TI-CP12.09L
11	Left	CP12.11L	TI-CP12.11L
13	Left	CP12.13L	TI-CP12.13L

STERILE

Holes	Holes	Stainless Steel	Titanium
7	Right	CP12.07R-S	TI-CP12.07R-S
9	Right	CP12.09R-S	TI-CP12.09R-S
11	Right	CP12.11R-S	TI-CP12.11R-S
13	Right	CP12.13R-S	TI-CP12.13R-S
7	Left	CP12.07L-S	TI-CP12.07L-S
9	Left	CP12.09L-S	TI-CP12.09L-S
11	Left	CP12.11L-S	TI-CP12.11L-S
13	Left	CP12.13L-S	TI-CP12.13L-S

ST-002NW : Screw Caddy for Large Fragment Instrument Set


Screw Caddy Composition

4.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 3.2mm

Stainless Steel	Titanium	Length	Unit
105.214	TI-105.214	14mm	6
105.216	TI-105.216	16mm	6
105.218	TI-105.218	18mm	6
105.220	TI-105.220	20mm	6
105.222	TI-105.222	22mm	6
105.224	TI-105.224	24mm	6
105.226	TI-105.226	26mm	6
105.228	TI-105.228	28mm	6
105.230	TI-105.230	30mm	6
105.232	TI-105.232	32mm	6
105.234	TI-105.234	34mm	6
105.236	TI-105.236	36mm	6
105.238	TI-105.238	38mm	6
105.240	TI-105.240	40mm	6
105.242	TI-105.242	42mm	6
105.244	TI-105.244	44mm	6
105.246	TI-105.246	46mm	6
105.248	TI-105.248	48mm	6
105.250	TI-105.250	50mm	6
105.252	TI-105.252	52mm	6
105.254	TI-105.254	54mm	6
105.256	TI-105.256	56mm	6
105.258	TI-105.258	58mm	6
105.260	TI-105.260	60mm	6
105.262	TI-105.262	62mm	6
105.264	TI-105.264	64mm	6

OR

Optional Screw

4.5mm Cortical Screw, (Hex Head)

Drill Bit : 3.2mm

Stainless Steel	Titanium	Length	Unit
105.014	TI-105.014	14mm	6
105.016	TI-105.016	16mm	6
105.018	TI-105.018	18mm	6
105.020	TI-105.020	20mm	6
105.022	TI-105.022	22mm	6
105.024	TI-105.024	24mm	6
105.026	TI-105.026	26mm	6
105.028	TI-105.028	28mm	6
105.030	TI-105.030	30mm	6
105.032	TI-105.032	32mm	6
105.034	TI-105.034	34mm	6
105.036	TI-105.036	36mm	6
105.038	TI-105.038	38mm	6
105.040	TI-105.040	40mm	6
105.042	TI-105.042	42mm	6
105.044	TI-105.044	44mm	6
105.046	TI-105.046	46mm	6
105.048	TI-105.048	48mm	6
105.050	TI-105.050	50mm	6
105.052	TI-105.052	52mm	6
105.054	TI-105.054	54mm	6
105.056	TI-105.056	56mm	6
105.058	TI-105.058	58mm	6
105.060	TI-105.060	60mm	6
105.062	TI-105.062	62mm	6
105.064	TI-105.064	64mm	6
105.066	TI-105.066	66mm	6

Screw Caddy Composition

6.5mm Cancellous Screw, 16mm Thread

Stainless steel	Titanium	Length	Unit
111.030	TI-111.030	30mm	2
111.035	TI-111.035	35mm	2
111.040	TI-111.040	40mm	2
111.045	TI-111.045	45mm	2
111.050	TI-111.050	50mm	2
111.055	TI-111.055	55mm	2
111.060	TI-111.060	60mm	2
111.065	TI-111.065	65mm	2
111.070	TI-111.070	70mm	2
111.075	TI-111.075	75mm	2
111.080	TI-111.080	80mm	2
111.085	TI-111.085	85mm	2
111.090	TI-111.090	90mm	2
111.095	TI-111.095	95mm	2
111.100	TI-111.100	100mm	2
111.105	TI-111.105	105mm	2
111.110	TI-111.110	110mm	2

6.5mm Cancellous Screw, 32mm Thread

Stainless steel	Titanium	Length	Unit
112.035	TI-112.035	35mm	2
112.040	TI-112.040	40mm	2
112.045	TI-112.045	45mm	2
112.050	TI-112.050	50mm	2
112.055	TI-112.055	55mm	2
112.060	TI-112.060	60mm	2
112.065	TI-112.065	65mm	2
112.070	TI-112.070	70mm	2
112.075	TI-112.075	75mm	2
112.080	TI-112.080	80mm	2
112.085	TI-112.085	85mm	2
112.090	TI-112.090	90mm	2
112.095	TI-112.095	95mm	2
112.100	TI-112.100	100mm	2
112.105	TI-112.105	105mm	2
112.110	TI-112.110	110mm	2

6.5mm Cancellous Screw, Full Thread

Stainless steel	Titanium	Length	Unit
113.030	TI-113.030	30mm	2
113.035	TI-113.035	35mm	2
113.040	TI-113.040	40mm	2
113.045	TI-113.045	45mm	2
113.050	TI-113.050	50mm	2
113.055	TI-113.055	55mm	2
113.060	TI-113.060	60mm	2
113.065	TI-113.065	65mm	2
113.070	TI-113.070	70mm	2
113.075	TI-113.075	75mm	2
113.080	TI-113.080	80mm	2
113.085	TI-113.085	85mm	2
113.090	TI-113.090	90mm	2
113.095	TI-113.095	95mm	2
113.100	TI-113.100	100mm	2
113.105	TI-113.105	105mm	2
113.110	TI-113.110	110mm	2

2100-2.0-100 Drill Bit with Quick Coupling End, Ø2.0mm x Length 100mm, for Large Fragment



2100-3.2-145 Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment



2100-4.5-145 Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment



2103-07 Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment



2103-09 Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment




3767-4.5 Double Drill Guide, Ø4.5/3.2mm



1472-058 Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment



3767-6.5 Double Drill Guide, Ø6.5/3.2mm



3767-01 Drill Sleeve Ø6.5/4.5mm for Large Fragment



3412-030 Drill Guide For Neutral and Loaded Position, DCP Ø4.5/3.2mm, for Large Fragment



1472-040 Drill Guide For Neutral and Loaded Position, LC-DCP Ø3.2/3.2mm, for Large Fragment



1472-050 Pointed Drill Guide, Ø6.5mm, for Large Fragment



3420-020 Insert Drill Sleeve Ø4.5/3.2mm, for Large Fragment



3443-38-5.0 Extraction Screw, Ø5.0mm



3402-000 T-Handle With Quick Coupling



1472-054 Quick Coupling Shaft



451-2.0-150E Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm



GW-2.0-150 Guide Wire with Threaded Trocar Tip, Ø2.0mm x Thread Length 8mm x Length 150mm



3409-010L Large Bending Iron, Left, for Large Fragment



3409-010R Large Bending Iron, Right, for Large Fragment



BT-4.5-120 Bending Template, Small, for Large Fragment



BT-4.5-155 Bending Template, Medium, for Large Fragment



BT-4.5-212 Bending Template, Large, for Large Fragment



3406-04 Screwdriver, Hex 3.5mm



1472-056 Screwdriver Holding Sleeve for Cortical and Cancellous Screws



3408-04 Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short



3400-02 T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment




3443-400 Depth Gauge measuring upto 110mm



2139-000 Sharp Hook for Large Fragment



1472-032 Articulated Tension Device



1472-034 Articulated Tension Device Key



2150-1008 Periosteal Elevator, Round, 8mm



2150-1016 Periosteal Elevator, Flat, 16mm



1472-070 Hohmann Retractor, 44mm, for Large Fragment



2146-016 Hohmann Retractor, 16mm, for Large Fragment



2106-1210 Serrated Reduction Forcep, Speed Lock, for Large Fragment



2106-2210 Pointed Reduction Forcep, Ratchet Lock, for Large Fragment



2105-000 Self-Centering Bone Holding Forcep, Speed Lock




7-047-01 Screw Holding forcep for Large Fragment



ST-002NW Screw Caddy for Large Fragment Instrument System




7-047-02 Instrument trays for Large Fragment Instrument Set



7-047-03 Container for Large Fragment Instrument Set




2309-000 Instrument Set For Large Fragment



2309-000
Instrument Set For Large Fragment

Item Code	Item Name	Unit
2100-2.0-100	Drill Bit with Quick Coupling End, Ø2.0mm x Length 100mm, for Large Fragment	2
2100-3.2-145	Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment	3
2100-4.5-145	Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment	2
2103-07	Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment	3
2103-09	Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
1472-058	Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment	1
3767-6.5	Double Drill Guide, Ø6.5/3.2mm	1
3767-01	Drill Sleeve Ø6.5/4.5mm for Large Fragment	1
3412-030	Drill Guide For Neutral and Loaded Position, DCP Ø4.5/3.2mm, for Large Fragment	1
1472-040	Drill Guide For Neutral and Loaded Position, LC-DCP Ø3.2/3.2mm, for Large Fragment	1
1472-050	Pointed Drill Guide, Ø6.5mm, for Large Fragment	1
3420-020	Insert Drill Sleeve Ø4.5/3.2mm, for Large Fragment	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3402-000	T-Handle With Quick Coupling	1
1472-054	Quick Coupling Shaft	1
451-2.0-150E	Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm	3
GW-2.0-150	Guide Wire with Threaded Trocar Tip, Ø2.0mm x Thread Length 8mm x Length 150mm	3
3409-010L	Large Bending Iron, Left, for Large Fragment	1
3409-010R	Large Bending Iron, Right, for Large Fragment	1
BT-4.5-120	Bending Template, Small, for Large Fragment	1
BT-4.5-155	Bending Template, Medium, for Large Fragment	1
BT-4.5-212	Bending Template, Large, for Large Fragment	1
3406-04	Screwdriver, Hex 3.5mm	1
1472-056	Screwdriver Holding Sleeve for Cortical and Cancellous Screws	1
3408-04	Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short	1
3400-02	T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment	1
3443-400	Depth Gauge measuring upto 110mm	1
2139-000	Sharp Hook for Large Fragment	1
1472-032	Articulated Tension Device	1
1472-034	Articulated Tension Device Key	1
2150-1008	Periosteal Elevator, Round, 8mm	1
2150-1016	Periosteal Elevator, Flat, 16mm	1
1472-070	Hohmann Retractor, 44mm, for Large Fragment	1
2146-016	Hohmann Retractor, 16mm, for Large Fragment	1
2106-1210	Serrated Reduction Forcep, Speed Lock, for Large Fragment	1
2106-2210	Pointed Reduction Forcep, Ratchet Lock, for Large Fragment	1
2105-000	Self-Centering Bone Holding Forcep, Speed Lock	2
7-047-01	Screw Holding forcep for Large Fragment	1
ST-002NW	Screw Caddy for Large Fragment Instrument System	1
7-047-02	Instrument trays for Large Fragment Instrument Set	3
7-047-03	Container for Large Fragment Instrument Set	1

Angle Blade Plates

95° Condylar Blade Plate


Blade Length

Holes	Stainless Steel				Titanium			
	50mm	60mm	70mm	80mm	50mm	60mm	70mm	80mm
5	765.5005	765.6005	765.7005	765.8005	TI-765.5005	TI-765.6005	TI-765.7005	TI-765.8005
6	765.5006	765.6006	765.7006	765.8006	TI-765.5006	TI-765.6006	TI-765.7006	TI-765.8006
7	765.5007	765.6007	765.7007	765.8007	TI-765.5007	TI-765.6007	TI-765.7007	TI-765.8007
8	765.5008	765.6008	765.7008	765.8008	TI-765.5008	TI-765.6008	TI-765.7008	TI-765.8008
9	765.5009	765.6009	765.7009	765.8009	TI-765.5009	TI-765.6009	TI-765.7009	TI-765.8009
10	765.5010	765.6010	765.7010	765.8010	TI-765.5010	TI-765.6010	TI-765.7010	TI-765.8010
11	765.5011	765.6011	765.7011	765.8011	TI-765.5011	TI-765.6011	TI-765.7011	TI-765.8011
12	765.5012	765.6012	765.7012	765.8012	TI-765.5012	TI-765.6012	TI-765.7012	TI-765.8012
14	765.5014	765.6014	765.7014	765.8014	TI-765.5014	TI-765.6014	TI-765.7014	TI-765.8014
16	765.5016	765.6016	765.7016	765.8016	TI-765.5016	TI-765.6016	TI-765.7016	TI-765.8016
18	765.5018	765.6018	765.7018	765.8018	TI-765.5018	TI-765.6018	TI-765.7018	TI-765.8018

STERILE

Blade Length

Holes	Stainless Steel				Titanium			
	50mm	60mm	70mm	80mm	50mm	60mm	70mm	80mm
5	765.5005-S	765.6005-S	765.7005-S	765.8005-S	TI-765.5005-S	TI-765.6005-S	TI-765.7005-S	TI-765.8005-S
6	765.5006-S	765.6006-S	765.7006-S	765.8006-S	TI-765.5006-S	TI-765.6006-S	TI-765.7006-S	TI-765.8006-S
7	765.5007-S	765.6007-S	765.7007-S	765.8007-S	TI-765.5007-S	TI-765.6007-S	TI-765.7007-S	TI-765.8007-S
8	765.5008-S	765.6008-S	765.7008-S	765.8008-S	TI-765.5008-S	TI-765.6008-S	TI-765.7008-S	TI-765.8008-S
9	765.5009-S	765.6009-S	765.7009-S	765.8009-S	TI-765.5009-S	TI-765.6009-S	TI-765.7009-S	TI-765.8009-S
10	765.5010-S	765.6010-S	765.7010-S	765.8010-S	TI-765.5010-S	TI-765.6010-S	TI-765.7010-S	TI-765.8010-S
11	765.5011-S	765.6011-S	765.7011-S	765.8011-S	TI-765.5011-S	TI-765.6011-S	TI-765.7011-S	TI-765.8011-S
12	765.5012-S	765.6012-S	765.7012-S	765.8012-S	TI-765.5012-S	TI-765.6012-S	TI-765.7012-S	TI-765.8012-S
14	765.5014-S	765.6014-S	765.7014-S	765.8014-S	TI-765.5014-S	TI-765.6014-S	TI-765.7014-S	TI-765.8014-S
16	765.5016-S	765.6016-S	765.7016-S	765.8016-S	TI-765.5016-S	TI-765.6016-S	TI-765.7016-S	TI-765.8016-S
18	765.5018-S	765.6018-S	765.7018-S	765.8018-S	TI-765.5018-S	TI-765.6018-S	TI-765.7018-S	TI-765.8018-S

130° Angle Blade Plate


Stainless Steel

	Blade Length								
Holes	50mm	60mm	70mm	75mm	80mm	85mm	90mm	95mm	100mm
4	766.5004	766.6004	766.7004	766.7504	766.8004	766.8504	766.9004	766.9504	766.10004
5	766.5005	766.6005	766.7005	766.7505	766.8005	766.8505	766.9005	766.9505	766.10005
6	766.5006	766.6006	766.7006	766.7506	766.8006	766.8506	766.9006	766.9506	766.10006
7	766.5007	766.6007	766.7007	766.7507	766.8007	766.8507	766.9007	766.9507	766.10007
8	766.5008	766.6008	766.7008	766.7508	766.8008	766.8508	766.9008	766.9508	766.10008
9	766.5009	766.6009	766.7009	766.7509	766.8009	766.8509	766.9009	766.9509	766.10009
10	766.5010	766.6010	766.7010	766.7510	766.8010	766.8510	766.9010	766.9510	766.10010
11	766.5011	766.6011	766.7011	766.7511	766.8011	766.8511	766.9011	766.9511	766.10011
12	766.5012	766.6012	766.7012	766.7512	766.8012	766.8512	766.9012	766.9512	766.10012

STERILE

Stainless Steel

	Blade Length								
Holes	50mm	60mm	70mm	75mm	80mm	85mm	90mm	95mm	100mm
4	766.5004-S	766.6004-S	766.7004-S	766.7504-S	766.8004-S	766.8504-S	766.9004-S	766.9504-S	766.10004-S
5	766.5005-S	766.6005-S	766.7005-S	766.7505-S	766.8005-S	766.8505-S	766.9005-S	766.9505-S	766.10005-S
6	766.5006-S	766.6006-S	766.7006-S	766.7506-S	766.8006-S	766.8506-S	766.9006-S	766.9506-S	766.10006-S
7	766.5007-S	766.6007-S	766.7007-S	766.7507-S	766.8007-S	766.8507-S	766.9007-S	766.9507-S	766.10007-S
8	766.5008-S	766.6008-S	766.7008-S	766.7508-S	766.8008-S	766.8508-S	766.9008-S	766.9508-S	766.10008-S
9	766.5009-S	766.6009-S	766.7009-S	766.7509-S	766.8009-S	766.8509-S	766.9009-S	766.9509-S	766.10009-S
10	766.5010-S	766.6010-S	766.7010-S	766.7510-S	766.8010-S	766.8510-S	766.9010-S	766.9510-S	766.10010-S
11	766.5011-S	766.6011-S	766.7011-S	766.7511-S	766.8011-S	766.8511-S	766.9011-S	766.9511-S	766.10011-S
12	766.5012-S	766.6012-S	766.7012-S	766.7512-S	766.8012-S	766.8512-S	766.9012-S	766.9512-S	766.10012-S

130° Angle Blade Plate


Titanium

Holes	Blade Length								
	50mm	60mm	70mm	75mm	80mm	85mm	90mm	95mm	100mm
4	TI-766.5004	TI-766.6004	TI-766.7004	TI-766.7504	TI-766.8004	TI-766.8504	TI-766.9504	TI-766.9004	TI-766.10004
5	TI-766.5005	TI-766.6005	TI-766.7005	TI-766.7505	TI-766.8005	TI-766.8505	TI-766.9505	TI-766.9005	TI-766.10005
6	TI-766.5006	TI-766.6006	TI-766.7006	TI-766.7506	TI-766.8006	TI-766.8506	TI-766.9506	TI-766.9006	TI-766.10006
7	TI-766.5007	TI-766.6007	TI-766.7007	TI-766.7507	TI-766.8007	TI-766.8507	TI-766.9507	TI-766.9007	TI-766.10007
8	TI-766.5008	TI-766.6008	TI-766.7008	TI-766.7508	TI-766.8008	TI-766.8508	TI-766.9508	TI-766.9008	TI-766.10008
9	TI-766.5009	TI-766.6009	TI-766.7009	TI-766.7509	TI-766.8009	TI-766.8509	TI-766.9509	TI-766.9009	TI-766.10009
10	TI-766.5010	TI-766.6010	TI-766.7010	TI-766.7510	TI-766.8010	TI-766.8510	TI-766.9510	TI-766.9010	TI-766.10010
11	TI-766.5011	TI-766.6011	TI-766.7011	TI-766.7511	TI-766.8011	TI-766.8511	TI-766.9511	TI-766.9011	TI-766.10011
12	TI-766.5012	TI-766.6012	TI-766.7012	TI-766.7512	TI-766.8012	TI-766.8512	TI-766.9512	TI-766.9012	TI-766.10012

STERILE

Titanium

Holes	Blade Length								
	50mm	60mm	70mm	75mm	80mm	85mm	90mm	95mm	100mm
4	TI-766.5004-S	TI-766.6004-S	TI-766.7004-S	TI-766.7504-S	TI-766.8004-S	TI-766.8504-S	TI-766.9504-S	TI-766.9004-S	TI-766.10004-S
5	TI-766.5005-S	TI-766.6005-S	TI-766.7005-S	TI-766.7505-S	TI-766.8005-S	TI-766.8505-S	TI-766.9505-S	TI-766.9005-S	TI-766.10005-S
6	TI-766.5006-S	TI-766.6006-S	TI-766.7006-S	TI-766.7506-S	TI-766.8006-S	TI-766.8506-S	TI-766.9506-S	TI-766.9006-S	TI-766.10006-S
7	TI-766.5007-S	TI-766.6007-S	TI-766.7007-S	TI-766.7507-S	TI-766.8007-S	TI-766.8507-S	TI-766.9507-S	TI-766.9007-S	TI-766.10007-S
8	TI-766.5008-S	TI-766.6008-S	TI-766.7008-S	TI-766.7508-S	TI-766.8008-S	TI-766.8508-S	TI-766.9508-S	TI-766.9008-S	TI-766.10008-S
9	TI-766.5009-S	TI-766.6009-S	TI-766.7009-S	TI-766.7509-S	TI-766.8009-S	TI-766.8509-S	TI-766.9509-S	TI-766.9009-S	TI-766.10009-S
10	TI-766.5010-S	TI-766.6010-S	TI-766.7010-S	TI-766.7510-S	TI-766.8010-S	TI-766.8510-S	TI-766.9510-S	TI-766.9010-S	TI-766.10010-S
11	TI-766.5011-S	TI-766.6011-S	TI-766.7011-S	TI-766.7511-S	TI-766.8011-S	TI-766.8511-S	TI-766.9511-S	TI-766.9011-S	TI-766.10011-S
12	TI-766.5012-S	TI-766.6012-S	TI-766.7012-S	TI-766.7512-S	TI-766.8012-S	TI-766.8512-S	TI-766.9512-S	TI-766.9012-S	TI-766.10012-S

90°/100° Angle Blade Plate for Adults


Holes	Blade Length (mm)	Displacement (mm)	Angle	Stainless Steel	Titanium
4	40	10	90°	767.94010	TI-767.94010
4	50	10	90°	767.95010	TI-767.95010
4	60	10	90°	767.96010	TI-767.96010
4	70	10	90°	767.97010	TI-767.97010
4	40	15	90°	767.94015	TI-767.94015
4	50	15	90°	767.95015	TI-767.95015
4	60	15	90°	767.96015	TI-767.96015
4	70	15	90°	767.97015	TI-767.97015
4	50	20	90°	767.95020	TI-767.95020
4	60	20	90°	767.96020	TI-767.96020
4	70	20	90°	767.97020	TI-767.97020
4	50	10	100°	767.05010	TI-767.05010
4	60	10	100°	767.06010	TI-767.06010
4	70	10	100°	767.07010	TI-767.07010

STERILE

Holes	Blade Length (mm)	Displacement (mm)	Angle	Stainless Steel	Titanium
4	40	10	90°	767.94010-S	TI-767.94010-S
4	50	10	90°	767.95010-S	TI-767.95010-S
4	60	10	90°	767.96010-S	TI-767.96010-S
4	70	10	90°	767.97010-S	TI-767.97010-S
4	40	15	90°	767.94015-S	TI-767.94015-S
4	50	15	90°	767.95015-S	TI-767.95015-S
4	60	15	90°	767.96015-S	TI-767.96015-S
4	70	15	90°	767.97015-S	TI-767.97015-S
4	50	20	90°	767.95020-S	TI-767.95020-S
4	60	20	90°	767.96020-S	TI-767.96020-S
4	70	20	90°	767.97020-S	TI-767.97020-S
4	50	10	100°	767.05010-S	TI-767.05010-S
4	60	10	100°	767.06010-S	TI-767.06010-S
4	70	10	100°	767.07010-S	TI-767.07010-S

110°/120°/130° Angle Blade Plate for Intertrochanteric Femoral Osteotomies in Adults



Blade Length(mm)	Angle	Stainless Steel	Titanium
60	110°	768.1160	TI-768.1160
75	110°	768.1175	TI-768.1175
85	110°	768.1185	TI-768.1185
60	120°	768.1260	TI-768.1260
65	120°	768.1265	TI-768.1265
70	120°	768.1270	TI-768.1270
75	120°	768.1275	TI-768.1275
80	120°	768.1280	TI-768.1280
85	120°	768.1285	TI-768.1285
65	130°	768.1365	TI-768.1365
70	130°	768.1370	TI-768.1370
75	130°	768.1375	TI-768.1375
80	130°	768.1380	TI-768.1380
85	130°	768.1385	TI-768.1385
90	130°	768.1390	TI-768.1390
95	130°	768.1395	TI-768.1395
100	130°	768.1400	TI-768.1400

STERILE

Blade Length(mm)	Angle	Stainless Steel	Titanium
60	110°	768.1160-S	TI-768.1160-S
75	110°	768.1175-S	TI-768.1175-S
85	110°	768.1185-S	TI-768.1185-S
60	120°	768.1260-S	TI-768.1260-S
65	120°	768.1265-S	TI-768.1265-S
70	120°	768.1270-S	TI-768.1270-S
75	120°	768.1275-S	TI-768.1275-S
80	120°	768.1280-S	TI-768.1280-S
85	120°	768.1285-S	TI-768.1285-S
65	130°	768.1365-S	TI-768.1365-S
70	130°	768.1370-S	TI-768.1370-S
75	130°	768.1375-S	TI-768.1375-S
80	130°	768.1380-S	TI-768.1380-S
85	130°	768.1385-S	TI-768.1385-S
90	130°	768.1390-S	TI-768.1390-S
95	130°	768.1395-S	TI-768.1395-S
100	130°	768.1400-S	TI-768.1400-S

Instruments for Angle Blade Plates

2100-2.0-100 Drill Bit with Quick Coupling End, Ø2.0mm x Length 100mm, for Large Fragment



2100-3.2-145 Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment



2100-4.5-145 Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment



3767-4.5 Double Drill Guide, Ø4.5/3.2mm



3441-20 Drill Guide 4.5mm for Neutral and Loaded Position



3437-09 Triple Drill Guide 130°



3437-04

Slotted Hammer


3437-01

Chisel Guide with adjustable Angle


3437-02

Seating Chisel


3437-05

Impactor for Angle Blade Plate


3437-03

Inserter-Extractor


3437-07

Triangular Positioning Plate



3437-08

Quadrangular Positioning Plate


3437-06

Condylar Plate Guide


451-2.0-150E

Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm


A10-016

Aluminium Box For Angle Blade Plate Instrument Set

2313-000 : Angled Blade Plate Instrument Set

Codes	Set Consisting of:	Units
2100-2.0-100	Drill Bit with Quick Coupling End, Ø2.0mm x Length 100mm, for Large Fragment	1
2100-3.2-145	Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment	1
2100-4.5-145	Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
3441-20	Drill Guide 4.5mm for Neutral and Loaded Position	1
3437-09	Triple Drill Guide 130°	1
3437-04	Slotted Hammer	1
3437-01	Chisel Guide with adjustable Angle	1
3437-02	Seating Chisel	1
3437-05	Impactor for Angle Blade Plate	1
3437-03	Insertor-Extractor	1
3437-07	Triangular Positioning Plate	1
3437-08	Quadrangular Positioning Plate	1
3437-06	Condylar Plate Guide	1
451-2.0-150E	Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm	10
A10-016	Aluminium Box For Angle Blade Plate Instrument Set	1

Staples, Pins & Wires


Staple with Offset



A	B	C	Titanium
24mm	36mm	5mm	462-24-36-5
24mm	40mm	10mm	462-24-40-10
24mm	44mm	14mm	462-24-44-14

STERILE

A	B	C	Titanium
24mm	36mm	5mm	462-24-36-5-S
24mm	40mm	10mm	462-24-40-10-S
24mm	44mm	14mm	462-24-44-14-S




Three Legged Staple



A	B	C	Titanium
26mm	34mm	5mm	463-26-34-5

STERILE

A	B	C	Titanium
26mm	34mm	5mm	463-26-34-5-S




Ligament Staple



A	X	Y	Z	Titanium
6mm	11mm	25mm	3.7mm	464-6-11-25
8mm	13mm	25mm	3.7mm	464-8-13-25
11mm	16mm	25mm	3.7mm	464-11-16-25
16mm	21mm	25mm	3.7mm	464-16-21-25
8mm	13mm	20mm	3.7mm	464-8-13-20

STERILE

A	X	Y	Z	Titanium
6mm	11mm	25mm	3.7mm	464-6-11-25-S
8mm	13mm	25mm	3.7mm	464-8-13-25-S
11mm	16mm	25mm	3.7mm	464-11-16-25-S
16mm	21mm	25mm	3.7mm	464-16-21-25-S
8mm	13mm	20mm	3.7mm	464-8-13-20-S



Staple - Coventry



Description	Codes
5mm Step	460.005
10mm Step	460.010
15mm Step	460.015

STERILE

Description	Codes
5mm Step	460.005-S
10mm Step	460.010-S
15mm Step	460.015-S



Staple U - Type, Stainless Steel



Dia (mm)	15 mm	20 mm	25 mm
1.5	9-028-01SS	9-028-05SS	9-028-09SS
2.0	9-028-02SS	9-028-06SS	9-028-10SS
2.5	9-028-03SS	9-028-07SS	9-028-11SS
3.0	9-028-04SS	9-028-08SS	9-028-12SS

STERILE

Dia (mm)	15 mm	20 mm	25 mm
1.5	9-028-01SS-S	9-028-05SS-S	9-028-09SS-S
2.0	9-028-02SS-S	9-028-06SS-S	9-028-10SS-S
2.5	9-028-03SS-S	9-028-07SS-S	9-028-11SS-S
3.0	9-028-04SS-S	9-028-08SS-S	9-028-12SS-S

Staple U - Type, Titanium



Dia (mm)	15 mm	20 mm	25 mm
1.5	459-1.5-015	459-1.5-020	459-1.5-025
2.0	459-2.0-015	459-2.0-020	459-2.0-025
2.5	459-2.5-015	459-2.5-020	459-2.5-025
3.0	459-3.0-015	459-3.0-020	459-3.0-025


STERILE

Dia (mm)	15 mm	20 mm	25 mm
1.5	459-1.5-015-S	459-1.5-020-S	459-1.5-025-S
2.0	459-2.0-015-S	459-2.0-020-S	459-2.0-025-S
2.5	459-2.5-015-S	459-2.5-020-S	459-2.5-025-S
3.0	459-3.0-015-S	459-3.0-020-S	459-3.0-025-S

Straight Staple

Used for Tibial Valgus Osteotomy

Used on Kney



A	B	Titanium
25mm	10mm	461-25-10
25mm	16mm	461-25-16
25mm	20mm	461-25-20
25mm	22mm	461-25-22
25mm	26mm	461-25-26
25mm	36mm	461-25-36

STERILE

A	B	Titanium
25mm	10mm	461-25-10
25mm	16mm	461-25-16
25mm	20mm	461-25-20
25mm	22mm	461-25-22
25mm	26mm	461-25-26
25mm	36mm	461-25-36

Steinmann Pins



Size (mm)	Codes
Ø2.0mm x 230mm	453-2.0-230
Ø2.3mm x 230mm	453-2.3-230
Ø2.0mm x 300mm	453-2.0-300
Ø2.5mm x 300mm	453-2.5-300
Ø3.0mm x 150mm	453-3.0-150
Ø3.0mm x 175mm	453-3.0-175
Ø3.0mm x 200mm	453-3.0-200
Ø3.0mm x 225mm	453-3.0-225
Ø3.5mm x 150mm	453-3.5-150
Ø3.5mm x 175mm	453-3.5-175
Ø3.5mm x 200mm	453-3.5-200
Ø3.5mm x 225mm	453-3.5-225
Ø4.0mm x 150mm	453-4.0-150
Ø4.0mm x 175mm	453-4.0-175
Ø4.0mm x 200mm	453-4.0-200
Ø4.0mm x 225mm	453-4.0-225
Ø4.5mm x 150mm	453-4.5-150
Ø4.5mm x 175mm	453-4.5-175
Ø4.5mm x 200mm	453-4.5-200
Ø4.5mm x 225mm	453-4.5-225
Ø5.0mm x 150mm	453-5.0-150
Ø5.0mm x 175mm	453-5.0-175
Ø5.0mm x 200mm	453-5.0-200
Ø5.0mm x 225mm	453-5.0-225



Centrally Threaded Steinman Pin



Size (mm)	Codes
Ø2.0mm x 100mm	454-2.0-100
Ø3.5mm x 250mm	454-3.5-250
Ø3.5mm x 300mm	454-3.5-300
Ø4.0mm x 225mm	454-4.0-225
Ø4.0mm x 300mm	454-4.0-300
Ø4.5mm x 225mm	454-4.5-225
Ø4.5mm x 300mm	454-4.5-300
Ø5.0mm x 200mm	454-5.0-200
Ø5.0mm x 225mm	454-5.0-225
Ø5.0mm x 226mm	454-5.0-226
Ø5.0mm x 300mm	454-5.0-300
Ø6.0mm x 225mm	454-6.0-225



Suture Wire




Size (mm)	Codes
1.60mm, 10 Meter	450.016-10
1.50mm, 10 Meter	450.017-10
1.25mm, 10 Meter	450.018-10
1.00mm, 10 Meter	450.019-10
0.90mm, 10 Meter	450.020-10
0.80mm, 10 Meter	450.021-10
0.70mm, 10 Meter	450.022-10
0.60mm, 10 Meter	450.023-10
0.55mm, 10 Meter	450.024-10
0.45mm, 10 Meter	450.026-10
0.35mm, 10 Meter	450.035-10
0.28mm, 10 Meter	450.028-10
0.30mm, 10 Meter	450.030-10
1.60mm, 5 Meter	450.016-5
1.50mm, 5 Meter	450.017-5
1.25mm, 5 Meter	450.018-5
1.00mm, 5 Meter	450.019-5
0.90mm, 5 Meter	450.020-5
0.80mm, 5 Meter	450.021-5
0.70mm, 5 Meter	450.022-5
0.60mm, 5 Meter	450.023-5
0.55mm, 5 Meter	450.024-5
0.45mm, 5 Meter	450.026-5
0.35mm, 5 Meter	450.035-5
0.28mm, 5 Meter	450.028-5
0.30mm, 5 Meter	450.030-5

STERILE

Size (mm)	Codes
1.60mm, 10 Meter	450.016-10-S
1.50mm, 10 Meter	450.017-10-S
1.25mm, 10 Meter	450.018-10-S
1.00mm, 10 Meter	450.019-10-S
0.90mm, 10 Meter	450.020-10-S
0.80mm, 10 Meter	450.021-10-S
0.70mm, 10 Meter	450.022-10-S
0.60mm, 10 Meter	450.023-10-S
0.55mm, 10 Meter	450.024-10-S
0.45mm, 10 Meter	450.026-10-S
0.35mm, 10 Meter	450.035-10-S
0.28mm, 10 Meter	450.028-10-S
0.30mm, 10 Meter	450.030-10-S
1.60mm, 5 Meter	450.016-5-S
1.50mm, 5 Meter	450.017-5-S
1.25mm, 5 Meter	450.018-5-S
1.00mm, 5 Meter	450.019-5-S
0.90mm, 5 Meter	450.020-5-S
0.80mm, 5 Meter	450.021-5-S
0.70mm, 5 Meter	450.022-5-S
0.60mm, 5 Meter	450.023-5-S
0.55mm, 5 Meter	450.024-5-S
0.45mm, 5 Meter	450.026-5-S
0.35mm, 5 Meter	450.035-5-S
0.28mm, 5 Meter	450.028-5-S
0.30mm, 5 Meter	450.030-5-S



Kirschner Wire Fully Threaded



Length (mm)	Dia (mm)	Codes
225	1.5	452-1.5-225
225	2.0	452-2.0-225
225	2.5	452-2.5-225
150	1.5	452-1.5-150
150	2.0	452-2.0-150
150	2.5	452-2.5-150

STERILE

Length (mm)	Dia (mm)	Codes
225	1.5	452-1.5-225-S
225	2.0	452-2.0-225-S
225	2.5	452-2.5-225-S
150	1.5	452-1.5-150-S
150	2.0	452-2.0-150-S
150	2.5	452-2.5-150-S

Circlage Wire With Loop



Length 280mm	Size (mm)
457-17-280	280mm x 17 SWG (1.50mm)
457-18-280	280mm x 18 SWG (1.25mm)
457-19-280	280mm x 19 SWG (1.00mm)
457-20-280	280mm x 20 SWG (0.90mm)
457-21-280	280mm x 21 SWG (0.80mm)
457-17-600	600mm x 17 SWG (1.50mm)
457-18-600	600mm x 18 SWG (1.25mm)
457-19-600	600mm x 19 SWG (1.00mm)
457-20-600	600mm x 20 SWG (0.90mm)
457-21-600	600mm x 21 SWG (0.80mm)
457-26-600	600mm x 26 SWG (0.50mm)
457-24-600	600mm x 24 SWG (0.60mm)
457-22-600	600mm x 22 SWG (0.70mm)

STERILE

Length 280mm	Size (mm)
457-17-280	280mm x 17 SWG (1.50mm)
457-18-280	280mm x 18 SWG (1.25mm)
457-19-280	280mm x 19 SWG (1.00mm)
457-20-280	280mm x 20 SWG (0.90mm)
457-21-280	280mm x 21 SWG (0.80mm)
457-17-600	600mm x 17 SWG (1.50mm)
457-18-600	600mm x 18 SWG (1.25mm)
457-19-600	600mm x 19 SWG (1.00mm)
457-20-600	600mm x 20 SWG (0.90mm)
457-21-600	600mm x 21 SWG (0.80mm)
457-26-600	600mm x 26 SWG (0.50mm)
457-24-600	600mm x 24 SWG (0.60mm)
457-22-600	600mm x 22 SWG (0.70mm)

Suture Wire


Size (mm)	Codes
Ø0.8mm x 70mm	451-0.8-70
Ø0.9mm x 70mm	451-0.9-70
Ø1.0mm x 70mm	451-1.0-70
Ø1.1mm x 70mm	451-1.1-70
Ø1.2mm x 70mm	451-1.2-70
Ø1.4mm x 70mm	451-1.4-70
Ø1.5mm x 70mm	451-1.5-70
Ø1.6mm x 70mm	451-1.6-70
Ø1.8mm x 70mm	451-1.8-70
Ø2.0mm x 70mm	451-2.0-70
Ø2.2mm x 70mm	451-2.2-70
Ø2.3mm x 70mm	451-2.3-70
Ø2.5mm x 70mm	451-2.5-70
Ø3.0mm x 70mm	451-3.0-70
Ø0.8mm x 100mm	451-0.8-100
Ø0.9mm x 100mm	451-0.9-100
Ø1.0mm x 100mm	451-1.0-100
Ø1.1mm x 100mm	451-1.1-100
Ø1.2mm x 100mm	451-1.2-100
Ø1.4mm x 100mm	451-1.4-100
Ø1.5mm x 100mm	451-1.5-100
Ø1.6mm x 100mm	451-1.6-100
Ø1.8mm x 100mm	451-1.8-100
Ø2.0mm x 100mm	451-2.0-100
Ø2.2mm x 100mm	451-2.2-100
Ø2.3mm x 100mm	451-2.3-100
Ø2.5mm x 100mm	451-2.5-100
Ø3.0mm x 100mm	451-3.0-100
Ø0.8mm x 150mm	451-0.8-150
Ø0.9mm x 150mm	451-0.9-150
Ø1.0mm x 150mm	451-1.0-150
Ø1.1mm x 150mm	451-1.1-150
Ø1.2mm x 230mm	451-1.2-230
Ø1.2mm x 150mm	451-1.2-150
Ø1.4mm x 150mm	451-1.4-150
Ø1.5mm x 230mm	451-1.5-230
Ø1.5mm x 150mm	451-1.5-150
Ø1.6mm x 150mm	451-1.6-150
Ø1.8mm x 150mm	451-1.8-150

Size (mm)	Codes
Ø2.2mm x 150mm	451-2.2-150
Ø2.3mm x 150mm	451-2.3-150
Ø2.5mm x 150mm	451-2.5-150
Ø3.0mm x 150mm	451-3.0-150
Ø0.8mm x 225mm	451-0.8-225
Ø0.9mm x 225mm	451-0.9-225
Ø1.0mm x 225mm	451-1.0-225
Ø1.1mm x 225mm	451-1.1-225
Ø1.2mm x 225mm	451-1.2-225
Ø1.4mm x 225mm	451-1.4-225
Ø1.5mm x 225mm	451-1.5-225
Ø1.6mm x 225mm	451-1.6-225
Ø1.8mm x 225mm	451-1.8-225
Ø2.0mm x 225mm	451-2.0-225
Ø2.2mm x 225mm	451-2.2-225
Ø2.3mm x 225mm	451-2.3-225
Ø2.5mm x 225mm	451-2.5-225
Ø3.0mm x 225mm	451-3.0-225
Ø1.0mm x 230mm	451-1.0-230
Ø1.5mm x 250mm	451-1.5-250
Ø2.0mm x 230mm	451-2.0-230
Ø2.5mm x 230mm	451-2.5-230
Ø0.8mm x 300mm	451-0.8-300
Ø0.9mm x 300mm	451-0.9-300
Ø1.0mm x 300mm	451-1.0-300
Ø1.1mm x 300mm	451-1.1-300
Ø1.2mm x 300mm	451-1.2-300
Ø1.4mm x 300mm	451-1.4-300
Ø1.5mm x 300mm	451-1.5-300
Ø1.6mm x 300mm	451-1.6-300
Ø1.8mm x 300mm	451-1.8-300
Ø2.0mm x 300mm	451-2.0-300
Ø2.2mm x 300mm	451-2.2-300
Ø2.3mm x 300mm	451-2.3-300
Ø2.5mm x 300mm	451-2.5-300
Ø2.8mm x 300mm	451-2.8-300
Ø3.0mm x 300mm	451-3.0-300
Ø0.8mm x 310mm	9-016-001
Ø1.0mm x 310mm	9-016-002
Ø1.2mm x 310mm	9-016-003
Ø1.4mm x 310mm	9-016-004
Ø1.6mm x 310mm	9-016-005
Ø1.8mm x 310mm	9-016-006



Suture Wire
STERILE

Size (mm)	Codes
Ø0.8mm x 70mm	451-0.8-70-S
Ø0.9mm x 70mm	451-0.9-70-S
Ø1.0mm x 70mm	451-1.0-70-S
Ø1.1mm x 70mm	451-1.1-70-S
Ø1.2mm x 70mm	451-1.2-70-S
Ø1.4mm x 70mm	451-1.4-70-S
Ø1.5mm x 70mm	451-1.5-70-S
Ø1.6mm x 70mm	451-1.6-70-S
Ø1.8mm x 70mm	451-1.8-70-S
Ø2.0mm x 70mm	451-2.0-70-S
Ø2.2mm x 70mm	451-2.2-70-S
Ø2.3mm x 70mm	451-2.3-70-S
Ø2.5mm x 70mm	451-2.5-70-S
Ø3.0mm x 70mm	451-3.0-70-S
Ø0.8mm x 100mm	451-0.8-100-S
Ø0.9mm x 100mm	451-0.9-100-S
Ø1.0mm x 100mm	451-1.0-100-S
Ø1.1mm x 100mm	451-1.1-100-S
Ø1.2mm x 100mm	451-1.2-100-S
Ø1.4mm x 100mm	451-1.4-100-S
Ø1.5mm x 100mm	451-1.5-100-S
Ø1.6mm x 100mm	451-1.6-100-S
Ø1.8mm x 100mm	451-1.8-100-S
Ø2.0mm x 100mm	451-2.0-100-S
Ø2.2mm x 100mm	451-2.2-100-S
Ø2.3mm x 100mm	451-2.3-100-S
Ø2.5mm x 100mm	451-2.5-100-S
Ø3.0mm x 100mm	451-3.0-100-S
Ø0.8mm x 150mm	451-0.8-150-S
Ø0.9mm x 150mm	451-0.9-150-S
Ø1.0mm x 150mm	451-1.0-150-S
Ø1.1mm x 150mm	451-1.1-150-S
Ø1.2mm x 230mm	451-1.2-230-S
Ø1.2mm x 150mm	451-1.2-150-S
Ø1.4mm x 150mm	451-1.4-150-S
Ø1.5mm x 230mm	451-1.5-230-S
Ø1.5mm x 150mm	451-1.5-150-S
Ø1.6mm x 150mm	451-1.6-150-S
Ø1.8mm x 150mm	451-1.8-150-S

Size (mm)	Codes
Ø2.2mm x 150mm	451-2.2-150-S
Ø2.3mm x 150mm	451-2.3-150-S
Ø2.5mm x 150mm	451-2.5-150-S
Ø3.0mm x 150mm	451-3.0-150-S
Ø0.8mm x 225mm	451-0.8-225-S
Ø0.9mm x 225mm	451-0.9-225-S
Ø1.0mm x 225mm	451-1.0-225-S
Ø1.1mm x 225mm	451-1.1-225-S
Ø1.2mm x 225mm	451-1.2-225-S
Ø1.4mm x 225mm	451-1.4-225-S
Ø1.5mm x 225mm	451-1.5-225-S
Ø1.6mm x 225mm	451-1.6-225-S
Ø1.8mm x 225mm	451-1.8-225-S
Ø2.0mm x 225mm	451-2.0-225-S
Ø2.2mm x 225mm	451-2.2-225-S
Ø2.3mm x 225mm	451-2.3-225-S
Ø2.5mm x 225mm	451-2.5-225-S
Ø3.0mm x 225mm	451-3.0-225-S
Ø1.0mm x 230mm	451-1.0-230-S
Ø1.5mm x 250mm	451-1.5-250-S
Ø2.0mm x 230mm	451-2.0-230-S
Ø2.5mm x 230mm	451-2.5-230-S
Ø0.8mm x 300mm	451-0.8-300-S
Ø0.9mm x 300mm	451-0.9-300-S
Ø1.0mm x 300mm	451-1.0-300-S
Ø1.1mm x 300mm	451-1.1-300-S
Ø1.2mm x 300mm	451-1.2-300-S
Ø1.4mm x 300mm	451-1.4-300-S
Ø1.5mm x 300mm	451-1.5-300-S
Ø1.6mm x 300mm	451-1.6-300-S
Ø1.8mm x 300mm	451-1.8-300-S
Ø2.0mm x 300mm	451-2.0-300-S
Ø2.2mm x 300mm	451-2.2-300-S
Ø2.3mm x 300mm	451-2.3-300-S
Ø2.5mm x 300mm	451-2.5-300-S
Ø2.8mm x 300mm	451-2.8-300-S
Ø3.0mm x 300mm	451-3.0-300-S
Ø0.8mm x 310mm	9-016-001-S
Ø1.0mm x 310mm	9-016-002-S
Ø1.2mm x 310mm	9-016-003-S
Ø1.4mm x 310mm	9-016-004-S
Ø1.6mm x 310mm	9-016-005-S
Ø1.8mm x 310mm	9-016-006-S



Kirschner Wire with One Side Trocar Tip



Codes	Size (mm)
451-0.8-150E	Ø0.8mm x 150mm
451-0.9-150E	Ø0.9mm x 150mm
451-1.0-150E	Ø1.0mm x 150mm
451-1.4-150E	Ø1.4mm x 150mm
451-1.6-150E	Ø1.6mm x 150mm
451-1.8-150E	Ø1.8mm x 150mm
451-1.2-300E	Ø1.2mm x 300mm
451-1.4-300E	Ø1.4mm x 300mm
451-1.5-300E	Ø1.5mm x 300mm
451-1.6-300E	Ø1.6mm x 300mm
451-1.8-300E	Ø1.8mm x 300mm
451-2.0-300E	Ø2.0mm x 300mm
451-2.2-300E	Ø2.2mm x 300mm
451-2.5-300E	Ø2.5mm x 300mm
451-1.5-310E	Ø1.5mm x 310mm
451-2.0-310E	Ø2.0mm x 310mm
451-2.2-310E	Ø2.2mm x 310mm
451-2.5-310E	Ø2.5mm x 310mm
451-1.8-310E	Ø1.8mm x 310mm
451-3.0-310E	Ø3.0mm x 310mm
451-2.2-225E	Ø2.2mm x 225mm

STERILE

Codes	Size (mm)
451-0.8-150E-S	Ø0.8mm x 150mm
451-0.9-150E-S	Ø0.9mm x 150mm
451-1.0-150E-S	Ø1.0mm x 150mm
451-1.4-150E-S	Ø1.4mm x 150mm
451-1.6-150E-S	Ø1.6mm x 150mm
451-1.8-150E-S	Ø1.8mm x 150mm
451-1.2-300E-S	Ø1.2mm x 300mm
451-1.4-300E-S	Ø1.4mm x 300mm
451-1.5-300E-S	Ø1.5mm x 300mm
451-1.6-300E-S	Ø1.6mm x 300mm
451-1.8-300E-S	Ø1.8mm x 300mm
451-2.0-300E-S	Ø2.0mm x 300mm
451-2.2-300E-S	Ø2.2mm x 300mm
451-2.5-300E-S	Ø2.5mm x 300mm
451-1.5-310E-S	Ø1.5mm x 310mm
451-2.0-310E-S	Ø2.0mm x 310mm
451-2.2-310E-S	Ø2.2mm x 310mm
451-2.5-310E-S	Ø2.5mm x 310mm
451-1.8-310E-S	Ø1.8mm x 310mm
451-3.0-310E-S	Ø3.0mm x 310mm
451-2.2-225E-S	Ø2.2mm x 225mm



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com