

ATHOS NAILING SYSTEM

ATHOS NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants



They can because they
think they can.

ATHOS Nailing System (Type-II)

125° Athos Nail Type-II, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1500S-09-180	TI-1500S-09-180
9mm	200	1500S-09-200	TI-1500S-09-200
9mm	220	1500S-09-220	TI-1500S-09-220
9mm	240	1500S-09-240	TI-1500S-09-240
10mm	180	1500S-10-180	TI-1500S-10-180
10mm	200	1500S-10-200	TI-1500S-10-200
10mm	220	1500S-10-220	TI-1500S-10-220
10mm	240	1500S-10-240	TI-1500S-10-240
11mm	180	1500S-11-180	TI-1500S-11-180
11mm	200	1500S-11-200	TI-1500S-11-200
11mm	220	1500S-11-220	TI-1500S-11-220
11mm	240	1500S-11-240	TI-1500S-11-240
12mm	180	1500S-12-180	TI-1500S-12-180
12mm	200	1500S-12-200	TI-1500S-12-200
12mm	220	1500S-12-220	TI-1500S-12-220
12mm	240	1500S-12-240	TI-1500S-12-240
13mm	180	1500S-13-180	TI-1500S-13-180
13mm	200	1500S-13-200	TI-1500S-13-200
13mm	220	1500S-13-220	TI-1500S-13-220
13mm	240	1500S-13-240	TI-1500S-13-240



125° Athos Nail Type-II, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1500S-09-180-S	TI-1500S-09-180-S
9mm	200	1500S-09-200-S	TI-1500S-09-200-S
9mm	220	1500S-09-220-S	TI-1500S-09-220-S
9mm	240	1500S-09-240-S	TI-1500S-09-240-S
10mm	180	1500S-10-180-S	TI-1500S-10-180-S
10mm	200	1500S-10-200-S	TI-1500S-10-200-S
10mm	220	1500S-10-220-S	TI-1500S-10-220-S
10mm	240	1500S-10-240-S	TI-1500S-10-240-S
11mm	180	1500S-11-180-S	TI-1500S-11-180-S
11mm	200	1500S-11-200-S	TI-1500S-11-200-S
11mm	220	1500S-11-220-S	TI-1500S-11-220-S
11mm	240	1500S-11-240-S	TI-1500S-11-240-S
12mm	180	1500S-12-180-S	TI-1500S-12-180-S
12mm	200	1500S-12-200-S	TI-1500S-12-200-S
12mm	220	1500S-12-220-S	TI-1500S-12-220-S
12mm	240	1500S-12-240-S	TI-1500S-12-240-S
13mm	180	1500S-13-180-S	TI-1500S-13-180-S
13mm	200	1500S-13-200-S	TI-1500S-13-200-S
13mm	220	1500S-13-220-S	TI-1500S-13-220-S
13mm	240	1500S-13-240-S	TI-1500S-13-240-S



125° Athos Nail Type-II, LONG


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1500L-09-320L	TI-1500L-09-320L	1500L-09-320R	TI-1500L-09-320R
9mm	340	1500L-09-340L	TI-1500L-09-340L	1500L-09-340R	TI-1500L-09-340R
9mm	360	1500L-09-360L	TI-1500L-09-360L	1500L-09-360R	TI-1500L-09-360R
9mm	380	1500L-09-380L	TI-1500L-09-380L	1500L-09-380R	TI-1500L-09-380R
9mm	400	1500L-09-400L	TI-1500L-09-400L	1500L-09-400R	TI-1500L-09-400R
9mm	420	1500L-09-420L	TI-1500L-09-420L	1500L-09-420R	TI-1500L-09-420R
9mm	440	1500L-09-440L	TI-1500L-09-440L	1500L-09-440R	TI-1500L-09-440R
10mm	320	1500L-10-320L	TI-1500L-10-320L	1500L-10-320R	TI-1500L-10-320R
10mm	340	1500L-10-340L	TI-1500L-10-340L	1500L-10-340R	TI-1500L-10-340R
10mm	360	1500L-10-360L	TI-1500L-10-360L	1500L-10-360R	TI-1500L-10-360R
10mm	380	1500L-10-380L	TI-1500L-10-380L	1500L-10-380R	TI-1500L-10-380R
10mm	400	1500L-10-400L	TI-1500L-10-400L	1500L-10-400R	TI-1500L-10-400R
10mm	420	1500L-10-420L	TI-1500L-10-420L	1500L-10-420R	TI-1500L-10-420R
10mm	440	1500L-10-440L	TI-1500L-10-440L	1500L-10-440R	TI-1500L-10-440R
11mm	320	1500L-11-320L	TI-1500L-11-320L	1500L-11-320R	TI-1500L-11-320R
11mm	340	1500L-11-340L	TI-1500L-11-340L	1500L-11-340R	TI-1500L-11-340R
11mm	360	1500L-11-360L	TI-1500L-11-360L	1500L-11-360R	TI-1500L-11-360R
11mm	380	1500L-11-380L	TI-1500L-11-380L	1500L-11-380R	TI-1500L-11-380R
11mm	400	1500L-11-400L	TI-1500L-11-400L	1500L-11-400R	TI-1500L-11-400R
11mm	420	1500L-11-420L	TI-1500L-11-420L	1500L-11-420R	TI-1500L-11-420R
11mm	440	1500L-11-440L	TI-1500L-11-440L	1500L-11-440R	TI-1500L-11-440R
12mm	320	1500L-12-320L	TI-1500L-12-320L	1500L-12-320R	TI-1500L-12-320R
12mm	340	1500L-12-340L	TI-1500L-12-340L	1500L-12-340R	TI-1500L-12-340R
12mm	360	1500L-12-360L	TI-1500L-12-360L	1500L-12-360R	TI-1500L-12-360R
12mm	380	1500L-12-380L	TI-1500L-12-380L	1500L-12-380R	TI-1500L-12-380R
12mm	400	1500L-12-400L	TI-1500L-12-400L	1500L-12-400R	TI-1500L-12-400R
12mm	420	1500L-12-420L	TI-1500L-12-420L	1500L-12-420R	TI-1500L-12-420R
12mm	440	1500L-12-440L	TI-1500L-12-440L	1500L-12-440R	TI-1500L-12-440R
13mm	320	1500L-13-320L	TI-1500L-13-320L	1500L-13-320R	TI-1500L-13-320R
13mm	340	1500L-13-340L	TI-1500L-13-340L	1500L-13-340R	TI-1500L-13-340R
13mm	360	1500L-13-360L	TI-1500L-13-360L	1500L-13-360R	TI-1500L-13-360R
13mm	380	1500L-13-380L	TI-1500L-13-380L	1500L-13-380R	TI-1500L-13-380R
13mm	400	1500L-13-400L	TI-1500L-13-400L	1500L-13-400R	TI-1500L-13-400R
13mm	420	1500L-13-420L	TI-1500L-13-420L	1500L-13-420R	TI-1500L-13-420R
13mm	440	1500L-13-440L	TI-1500L-13-440L	1500L-13-440R	TI-1500L-13-440R



125° Athos Nail Type-II, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1500L-09-320L-S	TI-1500L-09-320L-S	1500L-09-320R-S	TI-1500L-09-320R-S
9mm	340	1500L-09-340L-S	TI-1500L-09-340L-S	1500L-09-340R-S	TI-1500L-09-340R-S
9mm	360	1500L-09-360L-S	TI-1500L-09-360L-S	1500L-09-360R-S	TI-1500L-09-360R-S
9mm	380	1500L-09-380L-S	TI-1500L-09-380L-S	1500L-09-380R-S	TI-1500L-09-380R-S
9mm	400	1500L-09-400L-S	TI-1500L-09-400L-S	1500L-09-400R-S	TI-1500L-09-400R-S
9mm	420	1500L-09-420L-S	TI-1500L-09-420L-S	1500L-09-420R-S	TI-1500L-09-420R-S
9mm	440	1500L-09-440L-S	TI-1500L-09-440L-S	1500L-09-440R-S	TI-1500L-09-440R-S
10mm	320	1500L-10-320L-S	TI-1500L-10-320L-S	1500L-10-320R-S	TI-1500L-10-320R-S
10mm	340	1500L-10-340L-S	TI-1500L-10-340L-S	1500L-10-340R-S	TI-1500L-10-340R-S
10mm	360	1500L-10-360L-S	TI-1500L-10-360L-S	1500L-10-360R-S	TI-1500L-10-360R-S
10mm	380	1500L-10-380L-S	TI-1500L-10-380L-S	1500L-10-380R-S	TI-1500L-10-380R-S
10mm	400	1500L-10-400L-S	TI-1500L-10-400L-S	1500L-10-400R-S	TI-1500L-10-400R-S
10mm	420	1500L-10-420L-S	TI-1500L-10-420L-S	1500L-10-420R-S	TI-1500L-10-420R-S
10mm	440	1500L-10-440L-S	TI-1500L-10-440L-S	1500L-10-440R-S	TI-1500L-10-440R-S
11mm	320	1500L-11-320L-S	TI-1500L-11-320L-S	1500L-11-320R-S	TI-1500L-11-320R-S
11mm	340	1500L-11-340L-S	TI-1500L-11-340L-S	1500L-11-340R-S	TI-1500L-11-340R-S
11mm	360	1500L-11-360L-S	TI-1500L-11-360L-S	1500L-11-360R-S	TI-1500L-11-360R-S
11mm	380	1500L-11-380L-S	TI-1500L-11-380L-S	1500L-11-380R-S	TI-1500L-11-380R-S
11mm	400	1500L-11-400L-S	TI-1500L-11-400L-S	1500L-11-400R-S	TI-1500L-11-400R-S
11mm	420	1500L-11-420L-S	TI-1500L-11-420L-S	1500L-11-420R-S	TI-1500L-11-420R-S
11mm	440	1500L-11-440L-S	TI-1500L-11-440L-S	1500L-11-440R-S	TI-1500L-11-440R-S
12mm	320	1500L-12-320L-S	TI-1500L-12-320L-S	1500L-12-320R-S	TI-1500L-12-320R-S
12mm	340	1500L-12-340L-S	TI-1500L-12-340L-S	1500L-12-340R-S	TI-1500L-12-340R-S
12mm	360	1500L-12-360L-S	TI-1500L-12-360L-S	1500L-12-360R-S	TI-1500L-12-360R-S
12mm	380	1500L-12-380L-S	TI-1500L-12-380L-S	1500L-12-380R-S	TI-1500L-12-380R-S
12mm	400	1500L-12-400L-S	TI-1500L-12-400L-S	1500L-12-400R-S	TI-1500L-12-400R-S
12mm	420	1500L-12-420L-S	TI-1500L-12-420L-S	1500L-12-420R-S	TI-1500L-12-420R-S
12mm	440	1500L-12-440L-S	TI-1500L-12-440L-S	1500L-12-440R-S	TI-1500L-12-440R-S
13mm	320	1500L-13-320L-S	TI-1500L-13-320L-S	1500L-13-320R-S	TI-1500L-13-320R-S
13mm	340	1500L-13-340L-S	TI-1500L-13-340L-S	1500L-13-340R-S	TI-1500L-13-340R-S
13mm	360	1500L-13-360L-S	TI-1500L-13-360L-S	1500L-13-360R-S	TI-1500L-13-360R-S
13mm	380	1500L-13-380L-S	TI-1500L-13-380L-S	1500L-13-380R-S	TI-1500L-13-380R-S
13mm	400	1500L-13-400L-S	TI-1500L-13-400L-S	1500L-13-400R-S	TI-1500L-13-400R-S
13mm	420	1500L-13-420L-S	TI-1500L-13-420L-S	1500L-13-420R-S	TI-1500L-13-420R-S
13mm	440	1500L-13-440L-S	TI-1500L-13-440L-S	1500L-13-440R-S	TI-1500L-13-440R-S



130° Athos Nail Type-II, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180	TI-1457S-09-180
9mm	200	1457S-09-200	TI-1457S-09-200
9mm	220	1457S-09-220	TI-1457S-09-220
9mm	240	1457S-09-240	TI-1457S-09-240
10mm	180	1457S-10-180	TI-1457S-10-180
10mm	200	1457S-10-200	TI-1457S-10-200
10mm	220	1457S-10-220	TI-1457S-10-220
10mm	240	1457S-10-240	TI-1457S-10-240
11mm	180	1457S-11-180	TI-1457S-11-180
11mm	200	1457S-11-200	TI-1457S-11-200
11mm	220	1457S-11-220	TI-1457S-11-220
11mm	240	1457S-11-240	TI-1457S-11-240
12mm	180	1457S-12-180	TI-1457S-12-180
12mm	200	1457S-12-200	TI-1457S-12-200
12mm	220	1457S-12-220	TI-1457S-12-220
12mm	240	1457S-12-240	TI-1457S-12-240
13mm	180	1457S-13-180	TI-1457S-13-180
13mm	200	1457S-13-200	TI-1457S-13-200
13mm	220	1457S-13-220	TI-1457S-13-220
13mm	240	1457S-13-240	TI-1457S-13-240



130° Athos Nail Type-II, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180-S	TI-1457S-09-180-S
9mm	200	1457S-09-200-S	TI-1457S-09-200-S
9mm	220	1457S-09-220-S	TI-1457S-09-220-S
9mm	240	1457S-09-240-S	TI-1457S-09-240-S
10mm	180	1457S-10-180-S	TI-1457S-10-180-S
10mm	200	1457S-10-200-S	TI-1457S-10-200-S
10mm	220	1457S-10-220-S	TI-1457S-10-220-S
10mm	240	1457S-10-240-S	TI-1457S-10-240-S
11mm	180	1457S-11-180-S	TI-1457S-11-180-S
11mm	200	1457S-11-200-S	TI-1457S-11-200-S
11mm	220	1457S-11-220-S	TI-1457S-11-220-S
11mm	240	1457S-11-240-S	TI-1457S-11-240-S
12mm	180	1457S-12-180-S	TI-1457S-12-180-S
12mm	200	1457S-12-200-S	TI-1457S-12-200-S
12mm	220	1457S-12-220-S	TI-1457S-12-220-S
12mm	240	1457S-12-240-S	TI-1457S-12-240-S
13mm	180	1457S-13-180-S	TI-1457S-13-180-S
13mm	200	1457S-13-200-S	TI-1457S-13-200-S
13mm	220	1457S-13-220-S	TI-1457S-13-220-S
13mm	240	1457S-13-240-S	TI-1457S-13-240-S



130° Athos Nail Type-II, LONG


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L	TI-1457L-09-320L	1457L-09-320R	TI-1457L-09-320R
9mm	340	1457L-09-340L	TI-1457L-09-340L	1457L-09-340R	TI-1457L-09-340R
9mm	360	1457L-09-360L	TI-1457L-09-360L	1457L-09-360R	TI-1457L-09-360R
9mm	380	1457L-09-380L	TI-1457L-09-380L	1457L-09-380R	TI-1457L-09-380R
9mm	400	1457L-09-400L	TI-1457L-09-400L	1457L-09-400R	TI-1457L-09-400R
9mm	420	1457L-09-420L	TI-1457L-09-420L	1457L-09-420R	TI-1457L-09-420R
9mm	440	1457L-09-440L	TI-1457L-09-440L	1457L-09-440R	TI-1457L-09-440R
10mm	320	1457L-10-320L	TI-1457L-10-320L	1457L-10-320R	TI-1457L-10-320R
10mm	340	1457L-10-340L	TI-1457L-10-340L	1457L-10-340R	TI-1457L-10-340R
10mm	360	1457L-10-360L	TI-1457L-10-360L	1457L-10-360R	TI-1457L-10-360R
10mm	380	1457L-10-380L	TI-1457L-10-380L	1457L-10-380R	TI-1457L-10-380R
10mm	400	1457L-10-400L	TI-1457L-10-400L	1457L-10-400R	TI-1457L-10-400R
10mm	420	1457L-10-420L	TI-1457L-10-420L	1457L-10-420R	TI-1457L-10-420R
10mm	440	1457L-10-440L	TI-1457L-10-440L	1457L-10-440R	TI-1457L-10-440R
11mm	320	1457L-11-320L	TI-1457L-11-320L	1457L-11-320R	TI-1457L-11-320R
11mm	340	1457L-11-340L	TI-1457L-11-340L	1457L-11-340R	TI-1457L-11-340R
11mm	360	1457L-11-360L	TI-1457L-11-360L	1457L-11-360R	TI-1457L-11-360R
11mm	380	1457L-11-380L	TI-1457L-11-380L	1457L-11-380R	TI-1457L-11-380R
11mm	400	1457L-11-400L	TI-1457L-11-400L	1457L-11-400R	TI-1457L-11-400R
11mm	420	1457L-11-420L	TI-1457L-11-420L	1457L-11-420R	TI-1457L-11-420R
11mm	440	1457L-11-440L	TI-1457L-11-440L	1457L-11-440R	TI-1457L-11-440R
12mm	320	1457L-12-320L	TI-1457L-12-320L	1457L-12-320R	TI-1457L-12-320R
12mm	340	1457L-12-340L	TI-1457L-12-340L	1457L-12-340R	TI-1457L-12-340R
12mm	360	1457L-12-360L	TI-1457L-12-360L	1457L-12-360R	TI-1457L-12-360R
12mm	380	1457L-12-380L	TI-1457L-12-380L	1457L-12-380R	TI-1457L-12-380R
12mm	400	1457L-12-400L	TI-1457L-12-400L	1457L-12-400R	TI-1457L-12-400R
12mm	420	1457L-12-420L	TI-1457L-12-420L	1457L-12-420R	TI-1457L-12-420R
12mm	440	1457L-12-440L	TI-1457L-12-440L	1457L-12-440R	TI-1457L-12-440R
13mm	320	1457L-13-320L	TI-1457L-13-320L	1457L-13-320R	TI-1457L-13-320R
13mm	340	1457L-13-340L	TI-1457L-13-340L	1457L-13-340R	TI-1457L-13-340R
13mm	360	1457L-13-360L	TI-1457L-13-360L	1457L-13-360R	TI-1457L-13-360R
13mm	380	1457L-13-380L	TI-1457L-13-380L	1457L-13-380R	TI-1457L-13-380R
13mm	400	1457L-13-400L	TI-1457L-13-400L	1457L-13-400R	TI-1457L-13-400R
13mm	420	1457L-13-420L	TI-1457L-13-420L	1457L-13-420R	TI-1457L-13-420R
13mm	440	1457L-13-440L	TI-1457L-13-440L	1457L-13-440R	TI-1457L-13-440R



130° Athos Nail Type-II, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L-S	TI-1457L-09-320L-S	1457L-09-320R-S	TI-1457L-09-320R-S
9mm	340	1457L-09-340L-S	TI-1457L-09-340L-S	1457L-09-340R-S	TI-1457L-09-340R-S
9mm	360	1457L-09-360L-S	TI-1457L-09-360L-S	1457L-09-360R-S	TI-1457L-09-360R-S
9mm	380	1457L-09-380L-S	TI-1457L-09-380L-S	1457L-09-380R-S	TI-1457L-09-380R-S
9mm	400	1457L-09-400L-S	TI-1457L-09-400L-S	1457L-09-400R-S	TI-1457L-09-400R-S
9mm	420	1457L-09-420L-S	TI-1457L-09-420L-S	1457L-09-420R-S	TI-1457L-09-420R-S
9mm	440	1457L-09-440L-S	TI-1457L-09-440L-S	1457L-09-440R-S	TI-1457L-09-440R-S
10mm	320	1457L-10-320L-S	TI-1457L-10-320L-S	1457L-10-320R-S	TI-1457L-10-320R-S
10mm	340	1457L-10-340L-S	TI-1457L-10-340L-S	1457L-10-340R-S	TI-1457L-10-340R-S
10mm	360	1457L-10-360L-S	TI-1457L-10-360L-S	1457L-10-360R-S	TI-1457L-10-360R-S
10mm	380	1457L-10-380L-S	TI-1457L-10-380L-S	1457L-10-380R-S	TI-1457L-10-380R-S
10mm	400	1457L-10-400L-S	TI-1457L-10-400L-S	1457L-10-400R-S	TI-1457L-10-400R-S
10mm	420	1457L-10-420L-S	TI-1457L-10-420L-S	1457L-10-420R-S	TI-1457L-10-420R-S
10mm	440	1457L-10-440L-S	TI-1457L-10-440L-S	1457L-10-440R-S	TI-1457L-10-440R-S
11mm	320	1457L-11-320L-S	TI-1457L-11-320L-S	1457L-11-320R-S	TI-1457L-11-320R-S
11mm	340	1457L-11-340L-S	TI-1457L-11-340L-S	1457L-11-340R-S	TI-1457L-11-340R-S
11mm	360	1457L-11-360L-S	TI-1457L-11-360L-S	1457L-11-360R-S	TI-1457L-11-360R-S
11mm	380	1457L-11-380L-S	TI-1457L-11-380L-S	1457L-11-380R-S	TI-1457L-11-380R-S
11mm	400	1457L-11-400L-S	TI-1457L-11-400L-S	1457L-11-400R-S	TI-1457L-11-400R-S
11mm	420	1457L-11-420L-S	TI-1457L-11-420L-S	1457L-11-420R-S	TI-1457L-11-420R-S
11mm	440	1457L-11-440L-S	TI-1457L-11-440L-S	1457L-11-440R-S	TI-1457L-11-440R-S
12mm	320	1457L-12-320L-S	TI-1457L-12-320L-S	1457L-12-320R-S	TI-1457L-12-320R-S
12mm	340	1457L-12-340L-S	TI-1457L-12-340L-S	1457L-12-340R-S	TI-1457L-12-340R-S
12mm	360	1457L-12-360L-S	TI-1457L-12-360L-S	1457L-12-360R-S	TI-1457L-12-360R-S
12mm	380	1457L-12-380L-S	TI-1457L-12-380L-S	1457L-12-380R-S	TI-1457L-12-380R-S
12mm	400	1457L-12-400L-S	TI-1457L-12-400L-S	1457L-12-400R-S	TI-1457L-12-400R-S
12mm	420	1457L-12-420L-S	TI-1457L-12-420L-S	1457L-12-420R-S	TI-1457L-12-420R-S
12mm	440	1457L-12-440L-S	TI-1457L-12-440L-S	1457L-12-440R-S	TI-1457L-12-440R-S
13mm	320	1457L-13-320L-S	TI-1457L-13-320L-S	1457L-13-320R-S	TI-1457L-13-320R-S
13mm	340	1457L-13-340L-S	TI-1457L-13-340L-S	1457L-13-340R-S	TI-1457L-13-340R-S
13mm	360	1457L-13-360L-S	TI-1457L-13-360L-S	1457L-13-360R-S	TI-1457L-13-360R-S
13mm	380	1457L-13-380L-S	TI-1457L-13-380L-S	1457L-13-380R-S	TI-1457L-13-380R-S
13mm	400	1457L-13-400L-S	TI-1457L-13-400L-S	1457L-13-400R-S	TI-1457L-13-400R-S
13mm	420	1457L-13-420L-S	TI-1457L-13-420L-S	1457L-13-420R-S	TI-1457L-13-420R-S
13mm	440	1457L-13-440L-S	TI-1457L-13-440L-S	1457L-13-440R-S	TI-1457L-13-440R-S



End Cap For Athos Nail Type-II



Length (mm)	Stainless Steel	Titanium
0	1457-001E	TI-1457-001E
5	1457-005E	TI-1457-005E
10	1457-010E	TI-1457-010E
15	1457-015E	TI-1457-015E



STERILE

Length (mm)	Stainless Steel	Titanium
0	1457-001E-S	TI-1457-001E-S
5	1457-005E-S	TI-1457-005E-S
10	1457-010E-S	TI-1457-010E-S
15	1457-015E-S	TI-1457-015E-S

Inner Screw For Athos Nail Type-II



Stainless Steel	Titanium
1457-0S	TI-1457-0S

STERILE

Stainless Steel	Titanium
1457-0S-S	TI-1457-0S-S



End Cap For Ø10.5mm Cephalic Screw For Athos Nail



Stainless Steel	Titanium
GM01.06	TI-GM01.06

STERILE

Stainless Steel	Titanium
GM01.06-S	TI-GM01.06-S



Ø10.5mm Cephalic Screw, For Athos Nail


Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120


STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070-S	TI-600C-10.5-070-S
10.5mm	75	600C-10.5-075-S	TI-600C-10.5-075-S
10.5mm	80	600C-10.5-080-S	TI-600C-10.5-080-S
10.5mm	85	600C-10.5-085-S	TI-600C-10.5-085-S
10.5mm	90	600C-10.5-090-S	TI-600C-10.5-090-S
10.5mm	95	600C-10.5-095-S	TI-600C-10.5-095-S
10.5mm	100	600C-10.5-100-S	TI-600C-10.5-100-S
10.5mm	105	600C-10.5-105-S	TI-600C-10.5-105-S
10.5mm	110	600C-10.5-110-S	TI-600C-10.5-110-S
10.5mm	115	600C-10.5-115-S	TI-600C-10.5-115-S
10.5mm	120	600C-10.5-120-S	TI-600C-10.5-120-S


Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

STERILE

Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
65	600-065	TI-600-065
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090


Length (mm)	Stainless Steel	Titanium
26	600-026-S	TI-600-026-S
28	600-028-S	TI-600-028-S
30	600-030-S	TI-600-030-S
32	600-032-S	TI-600-032-S
34	600-034-S	TI-600-034-S
36	600-036-S	TI-600-036-S
38	600-038-S	TI-600-038-S
40	600-040-S	TI-600-040-S
42	600-042-S	TI-600-042-S
44	600-044-S	TI-600-044-S
46	600-046-S	TI-600-046-S
48	600-048-S	TI-600-048-S
50	600-050-S	TI-600-050-S
52	600-052-S	TI-600-052-S
54	600-054-S	TI-600-054-S
56	600-056-S	TI-600-056-S
58	600-058-S	TI-600-058-S
60	600-060-S	TI-600-060-S
65	600-065-S	TI-600-065-S
70	600-070-S	TI-600-070-S
75	600-075-S	TI-600-075-S
80	600-080-S	TI-600-080-S
85	600-085-S	TI-600-085-S
90	600-090-S	TI-600-090-S

1-003-02L Implant Box for 125° or 130° Athos Nail Type-II (Left)



Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order


Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*


Tray 4



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs


*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 5



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs


*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	4pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs


Inner Screw For Athos Nail Type-II

Qty
5pcs


End Cap For Athos Nail Type-II

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*


1-003-02R Implant Box for 125° or 130° Athos Nail Type-II (Right)


Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order

Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order

Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order

Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order

Tray 4



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order

Tray 5


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs


Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	4pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Athos Nail Type-II

Qty
5pcs

End Cap For Athos Nail Type-II

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



They can because they think they can.

ATHOS Nailing System (With Anti-Rotation)



125° Anti-Rotation Athos Nail, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1501S-09-180	TI-1501S-09-180
9mm	200	1501S-09-200	TI-1501S-09-200
9mm	220	1501S-09-220	TI-1501S-09-220
9mm	240	1501S-09-240	TI-1501S-09-240
10mm	180	1501S-10-180	TI-1501S-10-180
10mm	200	1501S-10-200	TI-1501S-10-200
10mm	220	1501S-10-220	TI-1501S-10-220
10mm	240	1501S-10-240	TI-1501S-10-240
11mm	180	1501S-11-180	TI-1501S-11-180
11mm	200	1501S-11-200	TI-1501S-11-200
11mm	220	1501S-11-220	TI-1501S-11-220
11mm	240	1501S-11-240	TI-1501S-11-240
12mm	180	1501S-12-180	TI-1501S-12-180
12mm	200	1501S-12-200	TI-1501S-12-200
12mm	220	1501S-12-220	TI-1501S-12-220
12mm	240	1501S-12-240	TI-1501S-12-240
13mm	180	1501S-13-180	TI-1501S-13-180
13mm	200	1501S-13-200	TI-1501S-13-200
13mm	220	1501S-13-220	TI-1501S-13-220
13mm	240	1501S-13-240	TI-1501S-13-240



125° Anti-Rotation Athos Nail, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1501S-09-180-S	TI-1501S-09-180-S
9mm	200	1501S-09-200-S	TI-1501S-09-200-S
9mm	220	1501S-09-220-S	TI-1501S-09-220-S
9mm	240	1501S-09-240-S	TI-1501S-09-240-S
10mm	180	1501S-10-180-S	TI-1501S-10-180-S
10mm	200	1501S-10-200-S	TI-1501S-10-200-S
10mm	220	1501S-10-220-S	TI-1501S-10-220-S
10mm	240	1501S-10-240-S	TI-1501S-10-240-S
11mm	180	1501S-11-180-S	TI-1501S-11-180-S
11mm	200	1501S-11-200-S	TI-1501S-11-200-S
11mm	220	1501S-11-220-S	TI-1501S-11-220-S
11mm	240	1501S-11-240-S	TI-1501S-11-240-S
12mm	180	1501S-12-180-S	TI-1501S-12-180-S
12mm	200	1501S-12-200-S	TI-1501S-12-200-S
12mm	220	1501S-12-220-S	TI-1501S-12-220-S
12mm	240	1501S-12-240-S	TI-1501S-12-240-S
13mm	180	1501S-13-180-S	TI-1501S-13-180-S
13mm	200	1501S-13-200-S	TI-1501S-13-200-S
13mm	220	1501S-13-220-S	TI-1501S-13-220-S
13mm	240	1501S-13-240-S	TI-1501S-13-240-S



125° Anti-Rotation Athos Nail, Long



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1501L-09-320L	TI-1501L-09-320L	1501L-09-320R	TI-1501L-09-320R
9mm	340	1501L-09-340L	TI-1501L-09-340L	1501L-09-340R	TI-1501L-09-340R
9mm	360	1501L-09-360L	TI-1501L-09-360L	1501L-09-360R	TI-1501L-09-360R
9mm	380	1501L-09-380L	TI-1501L-09-380L	1501L-09-380R	TI-1501L-09-380R
9mm	400	1501L-09-400L	TI-1501L-09-400L	1501L-09-400R	TI-1501L-09-400R
9mm	420	1501L-09-420L	TI-1501L-09-420L	1501L-09-420R	TI-1501L-09-420R
9mm	440	1501L-09-440L	TI-1501L-09-440L	1501L-09-440R	TI-1501L-09-440R
10mm	320	1501L-10-320L	TI-1501L-10-320L	1501L-10-320R	TI-1501L-10-320R
10mm	340	1501L-10-340L	TI-1501L-10-340L	1501L-10-340R	TI-1501L-10-340R
10mm	360	1501L-10-360L	TI-1501L-10-360L	1501L-10-360R	TI-1501L-10-360R
10mm	380	1501L-10-380L	TI-1501L-10-380L	1501L-10-380R	TI-1501L-10-380R
10mm	400	1501L-10-400L	TI-1501L-10-400L	1501L-10-400R	TI-1501L-10-400R
10mm	420	1501L-10-420L	TI-1501L-10-420L	1501L-10-420R	TI-1501L-10-420R
10mm	440	1501L-10-440L	TI-1501L-10-440L	1501L-10-440R	TI-1501L-10-440R
11mm	320	1501L-11-320L	TI-1501L-11-320L	1501L-11-320R	TI-1501L-11-320R
11mm	340	1501L-11-340L	TI-1501L-11-340L	1501L-11-340R	TI-1501L-11-340R
11mm	360	1501L-11-360L	TI-1501L-11-360L	1501L-11-360R	TI-1501L-11-360R
11mm	380	1501L-11-380L	TI-1501L-11-380L	1501L-11-380R	TI-1501L-11-380R
11mm	400	1501L-11-400L	TI-1501L-11-400L	1501L-11-400R	TI-1501L-11-400R
11mm	420	1501L-11-420L	TI-1501L-11-420L	1501L-11-420R	TI-1501L-11-420R
11mm	440	1501L-11-440L	TI-1501L-11-440L	1501L-11-440R	TI-1501L-11-440R
12mm	320	1501L-12-320L	TI-1501L-12-320L	1501L-12-320R	TI-1501L-12-320R
12mm	340	1501L-12-340L	TI-1501L-12-340L	1501L-12-340R	TI-1501L-12-340R
12mm	360	1501L-12-360L	TI-1501L-12-360L	1501L-12-360R	TI-1501L-12-360R
12mm	380	1501L-12-380L	TI-1501L-12-380L	1501L-12-380R	TI-1501L-12-380R
12mm	400	1501L-12-400L	TI-1501L-12-400L	1501L-12-400R	TI-1501L-12-400R
12mm	420	1501L-12-420L	TI-1501L-12-420L	1501L-12-420R	TI-1501L-12-420R
12mm	440	1501L-12-440L	TI-1501L-12-440L	1501L-12-440R	TI-1501L-12-440R
13mm	320	1501L-13-320L	TI-1501L-13-320L	1501L-13-320R	TI-1501L-13-320R
13mm	340	1501L-13-340L	TI-1501L-13-340L	1501L-13-340R	TI-1501L-13-340R
13mm	360	1501L-13-360L	TI-1501L-13-360L	1501L-13-360R	TI-1501L-13-360R
13mm	380	1501L-13-380L	TI-1501L-13-380L	1501L-13-380R	TI-1501L-13-380R
13mm	400	1501L-13-400L	TI-1501L-13-400L	1501L-13-400R	TI-1501L-13-400R
13mm	420	1501L-13-420L	TI-1501L-13-420L	1501L-13-420R	TI-1501L-13-420R
13mm	440	1501L-13-440L	TI-1501L-13-440L	1501L-13-440R	TI-1501L-13-440R



STERILE

125° Anti-Rotation Athos Nail, Long

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1501L-09-320L-S	TI-1501L-09-320L-S	1501L-09-320R-S	TI-1501L-09-320R-S
9mm	340	1501L-09-340L-S	TI-1501L-09-340L-S	1501L-09-340R-S	TI-1501L-09-340R-S
9mm	360	1501L-09-360L-S	TI-1501L-09-360L-S	1501L-09-360R-S	TI-1501L-09-360R-S
9mm	380	1501L-09-380L-S	TI-1501L-09-380L-S	1501L-09-380R-S	TI-1501L-09-380R-S
9mm	400	1501L-09-400L-S	TI-1501L-09-400L-S	1501L-09-400R-S	TI-1501L-09-400R-S
9mm	420	1501L-09-420L-S	TI-1501L-09-420L-S	1501L-09-420R-S	TI-1501L-09-420R-S
9mm	440	1501L-09-440L-S	TI-1501L-09-440L-S	1501L-09-440R-S	TI-1501L-09-440R-S
10mm	320	1501L-10-320L-S	TI-1501L-10-320L-S	1501L-10-320R-S	TI-1501L-10-320R-S
10mm	340	1501L-10-340L-S	TI-1501L-10-340L-S	1501L-10-340R-S	TI-1501L-10-340R-S
10mm	360	1501L-10-360L-S	TI-1501L-10-360L-S	1501L-10-360R-S	TI-1501L-10-360R-S
10mm	380	1501L-10-380L-S	TI-1501L-10-380L-S	1501L-10-380R-S	TI-1501L-10-380R-S
10mm	400	1501L-10-400L-S	TI-1501L-10-400L-S	1501L-10-400R-S	TI-1501L-10-400R-S
10mm	420	1501L-10-420L-S	TI-1501L-10-420L-S	1501L-10-420R-S	TI-1501L-10-420R-S
10mm	440	1501L-10-440L-S	TI-1501L-10-440L-S	1501L-10-440R-S	TI-1501L-10-440R-S
11mm	320	1501L-11-320L-S	TI-1501L-11-320L-S	1501L-11-320R-S	TI-1501L-11-320R-S
11mm	340	1501L-11-340L-S	TI-1501L-11-340L-S	1501L-11-340R-S	TI-1501L-11-340R-S
11mm	360	1501L-11-360L-S	TI-1501L-11-360L-S	1501L-11-360R-S	TI-1501L-11-360R-S
11mm	380	1501L-11-380L-S	TI-1501L-11-380L-S	1501L-11-380R-S	TI-1501L-11-380R-S
11mm	400	1501L-11-400L-S	TI-1501L-11-400L-S	1501L-11-400R-S	TI-1501L-11-400R-S
11mm	420	1501L-11-420L-S	TI-1501L-11-420L-S	1501L-11-420R-S	TI-1501L-11-420R-S
11mm	440	1501L-11-440L-S	TI-1501L-11-440L-S	1501L-11-440R-S	TI-1501L-11-440R-S
12mm	320	1501L-12-320L-S	TI-1501L-12-320L-S	1501L-12-320R-S	TI-1501L-12-320R-S
12mm	340	1501L-12-340L-S	TI-1501L-12-340L-S	1501L-12-340R-S	TI-1501L-12-340R-S
12mm	360	1501L-12-360L-S	TI-1501L-12-360L-S	1501L-12-360R-S	TI-1501L-12-360R-S
12mm	380	1501L-12-380L-S	TI-1501L-12-380L-S	1501L-12-380R-S	TI-1501L-12-380R-S
12mm	400	1501L-12-400L-S	TI-1501L-12-400L-S	1501L-12-400R-S	TI-1501L-12-400R-S
12mm	420	1501L-12-420L-S	TI-1501L-12-420L-S	1501L-12-420R-S	TI-1501L-12-420R-S
12mm	440	1501L-12-440L-S	TI-1501L-12-440L-S	1501L-12-440R-S	TI-1501L-12-440R-S
13mm	320	1501L-13-320L-S	TI-1501L-13-320L-S	1501L-13-320R-S	TI-1501L-13-320R-S
13mm	340	1501L-13-340L-S	TI-1501L-13-340L-S	1501L-13-340R-S	TI-1501L-13-340R-S
13mm	360	1501L-13-360L-S	TI-1501L-13-360L-S	1501L-13-360R-S	TI-1501L-13-360R-S
13mm	380	1501L-13-380L-S	TI-1501L-13-380L-S	1501L-13-380R-S	TI-1501L-13-380R-S
13mm	400	1501L-13-400L-S	TI-1501L-13-400L-S	1501L-13-400R-S	TI-1501L-13-400R-S
13mm	420	1501L-13-420L-S	TI-1501L-13-420L-S	1501L-13-420R-S	TI-1501L-13-420R-S
13mm	440	1501L-13-440L-S	TI-1501L-13-440L-S	1501L-13-440R-S	TI-1501L-13-440R-S



130° Anti-Rotation Athos Nail, SHORT



Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180	TI-600S-09-180
9mm	200	600S-09-200	TI-600S-09-200
9mm	220	600S-09-220	TI-600S-09-220
9mm	240	600S-09-240	TI-600S-09-240
10mm	180	600S-10-180	TI-600S-10-180
10mm	200	600S-10-200	TI-600S-10-200
10mm	220	600S-10-220	TI-600S-10-220
10mm	240	600S-10-240	TI-600S-10-240
11mm	180	600S-11-180	TI-600S-11-180
11mm	200	600S-11-200	TI-600S-11-200
11mm	220	600S-11-220	TI-600S-11-220
11mm	240	600S-11-240	TI-600S-11-240
12mm	180	600S-12-180	TI-600S-12-180
12mm	200	600S-12-200	TI-600S-12-200
12mm	220	600S-12-220	TI-600S-12-220
12mm	240	600S-12-240	TI-600S-12-240
13mm	180	600S-13-180	TI-600S-13-180
13mm	200	600S-13-200	TI-600S-13-200
13mm	220	600S-13-220	TI-600S-13-220
13mm	240	600S-13-240	TI-600S-13-240



130° Anti-Rotation Athos Nail, SHORT

STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180-S	TI-600S-09-180-S
9mm	200	600S-09-200-S	TI-600S-09-200-S
9mm	220	600S-09-220-S	TI-600S-09-220-S
9mm	240	600S-09-240-S	TI-600S-09-240-S
10mm	180	600S-10-180-S	TI-600S-10-180-S
10mm	200	600S-10-200-S	TI-600S-10-200-S
10mm	220	600S-10-220-S	TI-600S-10-220-S
10mm	240	600S-10-240-S	TI-600S-10-240-S
11mm	180	600S-11-180-S	TI-600S-11-180-S
11mm	200	600S-11-200-S	TI-600S-11-200-S
11mm	220	600S-11-220-S	TI-600S-11-220-S
11mm	240	600S-11-240-S	TI-600S-11-240-S
12mm	180	600S-12-180-S	TI-600S-12-180-S
12mm	200	600S-12-200-S	TI-600S-12-200-S
12mm	220	600S-12-220-S	TI-600S-12-220-S
12mm	240	600S-12-240-S	TI-600S-12-240-S
13mm	180	600S-13-180-S	TI-600S-13-180-S
13mm	200	600S-13-200-S	TI-600S-13-200-S
13mm	220	600S-13-220-S	TI-600S-13-220-S
13mm	240	600S-13-240-S	TI-600S-13-240-S



130° Anti-Rotation Athos Nail, LONG



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L	TI-600L-09-320L	600L-09-320R	TI-600L-09-320R
9mm	340	600L-09-340L	TI-600L-09-340L	600L-09-340R	TI-600L-09-340R
9mm	360	600L-09-360L	TI-600L-09-360L	600L-09-360R	TI-600L-09-360R
9mm	380	600L-09-380L	TI-600L-09-380L	600L-09-380R	TI-600L-09-380R
9mm	400	600L-09-400L	TI-600L-09-400L	600L-09-400R	TI-600L-09-400R
9mm	420	600L-09-420L	TI-600L-09-420L	600L-09-420R	TI-600L-09-420R
9mm	440	600L-09-440L	TI-600L-09-440L	600L-09-440R	TI-600L-09-440R
10mm	320	600L-10-320L	TI-600L-10-320L	600L-10-320R	TI-600L-10-320R
10mm	340	600L-10-340L	TI-600L-10-340L	600L-10-340R	TI-600L-10-340R
10mm	360	600L-10-360L	TI-600L-10-360L	600L-10-360R	TI-600L-10-360R
10mm	380	600L-10-380L	TI-600L-10-380L	600L-10-380R	TI-600L-10-380R
10mm	400	600L-10-400L	TI-600L-10-400L	600L-10-400R	TI-600L-10-400R
10mm	420	600L-10-420L	TI-600L-10-420L	600L-10-420R	TI-600L-10-420R
10mm	440	600L-10-440L	TI-600L-10-440L	600L-10-440R	TI-600L-10-440R
11mm	320	600L-11-320L	TI-600L-11-320L	600L-11-320R	TI-600L-11-320R
11mm	340	600L-11-340L	TI-600L-11-340L	600L-11-340R	TI-600L-11-340R
11mm	360	600L-11-360L	TI-600L-11-360L	600L-11-360R	TI-600L-11-360R
11mm	380	600L-11-380L	TI-600L-11-380L	600L-11-380R	TI-600L-11-380R
11mm	400	600L-11-400L	TI-600L-11-400L	600L-11-400R	TI-600L-11-400R
11mm	420	600L-11-420L	TI-600L-11-420L	600L-11-420R	TI-600L-11-420R
11mm	440	600L-11-440L	TI-600L-11-440L	600L-11-440R	TI-600L-11-440R
12mm	320	600L-12-320L	TI-600L-12-320L	600L-12-320R	TI-600L-12-320R
12mm	340	600L-12-340L	TI-600L-12-340L	600L-12-340R	TI-600L-12-340R
12mm	360	600L-12-360L	TI-600L-12-360L	600L-12-360R	TI-600L-12-360R
12mm	380	600L-12-380L	TI-600L-12-380L	600L-12-380R	TI-600L-12-380R
12mm	400	600L-12-400L	TI-600L-12-400L	600L-12-400R	TI-600L-12-400R
12mm	420	600L-12-420L	TI-600L-12-420L	600L-12-420R	TI-600L-12-420R
12mm	440	600L-12-440L	TI-600L-12-440L	600L-12-440R	TI-600L-12-440R
13mm	320	600L-13-320L	TI-600L-13-320L	600L-13-320R	TI-600L-13-320R
13mm	340	600L-13-340L	TI-600L-13-340L	600L-13-340R	TI-600L-13-340R
13mm	360	600L-13-360L	TI-600L-13-360L	600L-13-360R	TI-600L-13-360R
13mm	380	600L-13-380L	TI-600L-13-380L	600L-13-380R	TI-600L-13-380R
13mm	400	600L-13-400L	TI-600L-13-400L	600L-13-400R	TI-600L-13-400R
13mm	420	600L-13-420L	TI-600L-13-420L	600L-13-420R	TI-600L-13-420R
13mm	440	600L-13-440L	TI-600L-13-440L	600L-13-440R	TI-600L-13-440R



130° Anti-Rotation Athos Nail, LONG

STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L-S	TI-600L-09-320L-S	600L-09-320R-S	TI-600L-09-320R-S
9mm	340	600L-09-340L-S	TI-600L-09-340L-S	600L-09-340R-S	TI-600L-09-340R-S
9mm	360	600L-09-360L-S	TI-600L-09-360L-S	600L-09-360R-S	TI-600L-09-360R-S
9mm	380	600L-09-380L-S	TI-600L-09-380L-S	600L-09-380R-S	TI-600L-09-380R-S
9mm	400	600L-09-400L-S	TI-600L-09-400L-S	600L-09-400R-S	TI-600L-09-400R-S
9mm	420	600L-09-420L-S	TI-600L-09-420L-S	600L-09-420R-S	TI-600L-09-420R-S
9mm	440	600L-09-440L-S	TI-600L-09-440L-S	600L-09-440R-S	TI-600L-09-440R-S
10mm	320	600L-10-320L-S	TI-600L-10-320L-S	600L-10-320R-S	TI-600L-10-320R-S
10mm	340	600L-10-340L-S	TI-600L-10-340L-S	600L-10-340R-S	TI-600L-10-340R-S
10mm	360	600L-10-360L-S	TI-600L-10-360L-S	600L-10-360R-S	TI-600L-10-360R-S
10mm	380	600L-10-380L-S	TI-600L-10-380L-S	600L-10-380R-S	TI-600L-10-380R-S
10mm	400	600L-10-400L-S	TI-600L-10-400L-S	600L-10-400R-S	TI-600L-10-400R-S
10mm	420	600L-10-420L-S	TI-600L-10-420L-S	600L-10-420R-S	TI-600L-10-420R-S
10mm	440	600L-10-440L-S	TI-600L-10-440L-S	600L-10-440R-S	TI-600L-10-440R-S
11mm	320	600L-11-320L-S	TI-600L-11-320L-S	600L-11-320R-S	TI-600L-11-320R-S
11mm	340	600L-11-340L-S	TI-600L-11-340L-S	600L-11-340R-S	TI-600L-11-340R-S
11mm	360	600L-11-360L-S	TI-600L-11-360L-S	600L-11-360R-S	TI-600L-11-360R-S
11mm	380	600L-11-380L-S	TI-600L-11-380L-S	600L-11-380R-S	TI-600L-11-380R-S
11mm	400	600L-11-400L-S	TI-600L-11-400L-S	600L-11-400R-S	TI-600L-11-400R-S
11mm	420	600L-11-420L-S	TI-600L-11-420L-S	600L-11-420R-S	TI-600L-11-420R-S
11mm	440	600L-11-440L-S	TI-600L-11-440L-S	600L-11-440R-S	TI-600L-11-440R-S
12mm	320	600L-12-320L-S	TI-600L-12-320L-S	600L-12-320R-S	TI-600L-12-320R-S
12mm	340	600L-12-340L-S	TI-600L-12-340L-S	600L-12-340R-S	TI-600L-12-340R-S
12mm	360	600L-12-360L-S	TI-600L-12-360L-S	600L-12-360R-S	TI-600L-12-360R-S
12mm	380	600L-12-380L-S	TI-600L-12-380L-S	600L-12-380R-S	TI-600L-12-380R-S
12mm	400	600L-12-400L-S	TI-600L-12-400L-S	600L-12-400R-S	TI-600L-12-400R-S
12mm	420	600L-12-420L-S	TI-600L-12-420L-S	600L-12-420R-S	TI-600L-12-420R-S
12mm	440	600L-12-440L-S	TI-600L-12-440L-S	600L-12-440R-S	TI-600L-12-440R-S
13mm	320	600L-13-320L-S	TI-600L-13-320L-S	600L-13-320R-S	TI-600L-13-320R-S
13mm	340	600L-13-340L-S	TI-600L-13-340L-S	600L-13-340R-S	TI-600L-13-340R-S
13mm	360	600L-13-360L-S	TI-600L-13-360L-S	600L-13-360R-S	TI-600L-13-360R-S
13mm	380	600L-13-380L-S	TI-600L-13-380L-S	600L-13-380R-S	TI-600L-13-380R-S
13mm	400	600L-13-400L-S	TI-600L-13-400L-S	600L-13-400R-S	TI-600L-13-400R-S
13mm	420	600L-13-420L-S	TI-600L-13-420L-S	600L-13-420R-S	TI-600L-13-420R-S
13mm	440	600L-13-440L-S	TI-600L-13-440L-S	600L-13-440R-S	TI-600L-13-440R-S



End Cap For Anti-Rotation Athos Nail



Length (mm)	Stainless Steel	Titanium
0	600-001E	TI-600-001E
5	600-005E	TI-600-005E
10	600-010E	TI-600-010E
15	600-015E	TI-600-015E

STERILE

Length (mm)	Stainless Steel	Titanium
0	600-001E-S	TI-600-001E-S
5	600-005E-S	TI-600-005E-S
10	600-010E-S	TI-600-010E-S
15	600-015E-S	TI-600-015E-S



Inner Screw For Anti-Rotation Athos Nail-Long (For Cephalic Screw)



STERILE

Stainless Steel	Titanium
600-0S	TI-600-0S

Stainless Steel	Titanium
600-0S-S	TI-600-0S-S



Inner Screw For Anti-Rotation Athos Nail-Short (For Anti-Rotation Screw)



STERILE

Stainless Steel	Titanium
601-0S	TI-601-0S

Stainless Steel	Titanium
601-0S-S	TI-601-0S-S



Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail




STERILE

Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060	TI-600A-6.4-060
65	600A-6.4-065	TI-600A-6.4-065
70	600A-6.4-070	TI-600A-6.4-070
75	600A-6.4-075	TI-600A-6.4-075
80	600A-6.4-080	TI-600A-6.4-080
85	600A-6.4-085	TI-600A-6.4-085
90	600A-6.4-090	TI-600A-6.4-090
95	600A-6.4-095	TI-600A-6.4-095
100	600A-6.4-100	TI-600A-6.4-100
105	600A-6.4-105	TI-600A-6.4-105
110	600A-6.4-110	TI-600A-6.4-110
115	600A-6.4-115	TI-600A-6.4-115
120	600A-6.4-120	TI-600A-6.4-120
125	600A-6.4-125	TI-600A-6.4-125
130	600A-6.4-130	TI-600A-6.4-130

Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060-S	TI-600A-6.4-060-S
65	600A-6.4-065-S	TI-600A-6.4-065-S
70	600A-6.4-070-S	TI-600A-6.4-070-S
75	600A-6.4-075-S	TI-600A-6.4-075-S
80	600A-6.4-080-S	TI-600A-6.4-080-S
85	600A-6.4-085-S	TI-600A-6.4-085-S
90	600A-6.4-090-S	TI-600A-6.4-090-S
95	600A-6.4-095-S	TI-600A-6.4-095-S
100	600A-6.4-100-S	TI-600A-6.4-100-S
105	600A-6.4-105-S	TI-600A-6.4-105-S
110	600A-6.4-110-S	TI-600A-6.4-110-S
115	600A-6.4-115-S	TI-600A-6.4-115-S
120	600A-6.4-120-S	TI-600A-6.4-120-S
125	600A-6.4-125-S	TI-600A-6.4-125-S
130	600A-6.4-130-S	TI-600A-6.4-130-S

End Cap For Ø10.5mm Cephalic Screw For Athos Nail



STERILE

Stainless Steel	Titanium
GM01.06	TI-GM01.06

Stainless Steel	Titanium
GM01.06-S	TI-GM01.06-S

Ø10.5mm Cephalic Screw For Athos Nail


Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120


STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070-S	TI-600C-10.5-070-S
10.5mm	75	600C-10.5-075-S	TI-600C-10.5-075-S
10.5mm	80	600C-10.5-080-S	TI-600C-10.5-080-S
10.5mm	85	600C-10.5-085-S	TI-600C-10.5-085-S
10.5mm	90	600C-10.5-090-S	TI-600C-10.5-090-S
10.5mm	95	600C-10.5-095-S	TI-600C-10.5-095-S
10.5mm	100	600C-10.5-100-S	TI-600C-10.5-100-S
10.5mm	105	600C-10.5-105-S	TI-600C-10.5-105-S
10.5mm	110	600C-10.5-110-S	TI-600C-10.5-110-S
10.5mm	115	600C-10.5-115-S	TI-600C-10.5-115-S
10.5mm	120	600C-10.5-120-S	TI-600C-10.5-120-S

Ø4.8mm Locking Bolt, Self-Tapping for Athos Nail




STERILE

Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
65	600-065	TI-600-065
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090


Length (mm)	Stainless Steel	Titanium
26	600-026-S	TI-600-026-S
28	600-028-S	TI-600-028-S
30	600-030-S	TI-600-030-S
32	600-032-S	TI-600-032-S
34	600-034-S	TI-600-034-S
36	600-036-S	TI-600-036-S
38	600-038-S	TI-600-038-S
40	600-040-S	TI-600-040-S
42	600-042-S	TI-600-042-S
44	600-044-S	TI-600-044-S
46	600-046-S	TI-600-046-S
48	600-048-S	TI-600-048-S
50	600-050-S	TI-600-050-S
52	600-052-S	TI-600-052-S
54	600-054-S	TI-600-054-S
56	600-056-S	TI-600-056-S
58	600-058-S	TI-600-058-S
60	600-060-S	TI-600-060-S
65	600-065-S	TI-600-065-S
70	600-070-S	TI-600-070-S
75	600-075-S	TI-600-075-S
80	600-080-S	TI-600-080-S
85	600-085-S	TI-600-085-S
90	600-090-S	TI-600-090-S

1-003-01L Implant Box for Athos Nail Anti-Rotation (Left)



Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 4



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 5



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	3pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail

Dia	Length	Qty
Ø6.4mm	60mm to 130mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Anti-Rotation Athos Nail (For Cephalic Screw)


For Long Nail	For Short Nail
5pcs	5pcs

End Cap For Anti-Rotation Athos Nail

Length	Qty
0mm to 15mm	2pcs


*Stainless Steel or Titanium Implants
can be placed as per requirement*

1-003-01R Implant Box for Athos Nail Anti-Rotation (Right)



Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 4



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 5



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	3pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail

Dia	Length	Qty
Ø6.4mm	60mm to 130mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Anti-Rotation Athos Nail (For Cephalic Screw)

For Long Nail	For Short Nail
5pcs	5pcs

End Cap For Anti-Rotation Athos Nail

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

Athos Nail
Instrument Set
Aluminium Targeting Device

1457-001 Radiographic Ruler for Short Athos Nail




1457-055 Entry Reamer Protection Sleeve 20/17mm for Athos Nail




1457-056 Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail



1457-004 Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Nitinol, for Athos Nail



1457-053 Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Nitinol, for Athos Nail



1457-005-10 Flexible Shaft with Reamer Ø10mm for Athos Nail



1457-006-11 Flexible Shaft with Reamer Ø11mm for Athos Nail




1457-007-12 Flexible Shaft with Reamer Ø12mm for Athos Nail



1457-008-13 Flexible Shaft with Reamer Ø13mm for Athos Nail



1457-009 T Handle with Quick Coupling for Entry Reamer - Athos Nail



1457-010 Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail



1457-011 Cannulated Awl for Athos Nail



1457-012 Tissue Protector for Athos Nail



1457-013 Insertion Handle, Aluminium, for Athos Nail



1457-014 Nail Holding Bolt for Aluminium Targeting Device for Athos Nail



1457-015 Guide Wire Holder for Athos Nail



1457-016 Insertion Connecting Rod for Athos Nail



1457-054 Block for Insertion Connecting Rod - Athos Nail



1457-017 Combination Wrench 11mm for Athos Nail



1457-018 Insertion Hammer, Solid, for Athos Nail



1457-019-130 130° Proximal Targeting Device, Aluminium, for Athos Nail



1457-019-125 125° Proximal Targeting Device, Aluminium, for Athos Nail



7-062-01 Locking Bolt for Aluminium Targeting Device - Athos Nail



1457-020 Protection Sleeve 10/8.2mm for Athos Nail



1457-021 Trocar Ø8mm for Athos Nail




1457-022-4.3 Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail



1457-023 Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail



1457-024 Sliding Hammer, Slotted, for Athos Nail



1457-025 Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail



1457-026 Allen Key, Hex 3mm for Athos Nail



1457-027 Universal Screwdriver, Hex 7mm for Athos Nail



1457-028 Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail



1457-029 Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail



1457-030 Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-031 Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-032 Inserter for Cephalic Screw Ø10.5mm & End Cap - Athos Nail



1457-033 Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail



1457-034 Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail



1457-035 Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail



1457-036 Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail



7-007-08 Stopper for Cannulated Reamer - Athos Nail



1457-037 Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-038 Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-039 Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-040 Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-041 Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-042 Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



7-007-09 Stopper for Tapered Drill 6.4/4.5mm - Athos Nail



1457-043 Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail



1457-044-2.5 Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw



1457-045-3.0 Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm



1457-046 Extraction Hammering Rod for Athos Nail



1457-047 Depth Gauge measuring upto 100mm for Athos Nail



1457-048 Depth Gauge measuring upto 115mm for Athos Nail



1457-049 Stylet, Ø3mm, for Athos Nail



1457-050 Compression Screw for Athos Nail



1457-051-4.3 Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail




1457-052 Stopper for Drill Bit Ø4.3mm - Athos Nail




1457-057 Curved Awl- Ø9.5-Ø5.6mm for Athos Nail



1457-00T Instrument Trays for Athos Nailing Instrument Set, Aluminium Targeting Device



1457-00B Container with PPSU Lid for Athos Nailing Instrument Set, Aluminium Targeting Device



Optional Instruments




1457-004S Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Stainless Steel, for Athos Nail



1457-053S Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Stainless Steel, for Athos Nail



1457-000S Athos Nailing Instrument Set, Aluminium Targeting Device



1457-000S Athos Nailing Instrument Set, Aluminium Targeting Device


Code	Set Consisting of	Units
1457-001	Radiographic Ruler for Short Athos Nail	1
1457-055	Entry Reamer Protection Sleeve 20/17mm for Athos Nail	1
1457-056	Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail	1
1457-004	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Nitinol, for Athos Nail	1
1457-053	Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Nitinol, for Athos Nail	1
1457-005-10	Flexible Shaft with Reamer Ø10mm for Athos Nail	1
1457-006-11	Flexible Shaft with Reamer Ø11mm for Athos Nail	1
1457-007-12	Flexible Shaft with Reamer Ø12mm for Athos Nail	1
1457-008-13	Flexible Shaft with Reamer Ø13mm for Athos Nail	1
1457-009	T Handle with Quick Coupling for Entry Reamer - Athos Nail	1
1457-010	Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail	1
1457-011	Cannulated Awl for Athos Nail	1
1457-012	Tissue Protector for Athos Nail	1
1457-013	Insertion Handle, Aluminium, for Athos Nail	1
1457-014	Nail Holding Bolt for Aluminium Targeting Device for Athos Nail	2
1457-015	Guide Wire Holder for Athos Nail	1
1457-016	Insertion Connecting Rod for Athos Nail	1
1457-054	Block for Insertion Connecting Rod - Athos Nail	1
1457-017	Combination Wrench 11mm for Athos Nail	1
1457-018	Insertion Hammer, Solid, for Athos Nail	1
1457-019-130	130° Proximal Targeting Device, Aluminium, for Athos Nail	1
1457-019-125	125° Proximal Targeting Device, Aluminium, for Athos Nail	1
7-062-01	Locking Bolt for Aluminium Targeting Device - Athos Nail	3
1457-020	Protection Sleeve 10/8.2mm for Athos Nail	2
1457-021	Trocar Ø8mm for Athos Nail	1
1457-022-4.3	Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail	2
1457-023	Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail	1
1457-024	Sliding Hammer, Slotted, for Athos Nail	1
1457-025	Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail	1
1457-026	Allen Key, Hex 3mm for Athos Nail	1
1457-027	Universal Screwdriver, Hex 7mm for Athos Nail	1
1457-028	Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail	1
1457-029	Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail	1
1457-030	Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-031	Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-032	Insertor for Cephalic Screw Ø10.5mm & End Cap - Athos Nail	1

Code	Set Consisting of	Units
1457-033	Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail	1
1457-034	Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail	1
1457-035	Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-036	Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail	1
7-007-08	Stopper for Cannulated Reamer - Athos Nail	1
1457-037	Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-038	Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-039	Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-040	Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-041	Insertor for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-042	Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
7-007-09	Stopper for Tapered Drill 6.4/4.5mm - Athos Nail	1
1457-043	Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail	1
1457-044-2.5	Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw	5
1457-045-3.0	Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm	5
1457-046	Extraction Hammering Rod for Athos Nail	1
1457-047	Depth Gauge measuring upto 100mm for Athos Nail	1
1457-048	Depth Gauge measuring upto 115mm for Athos Nail	1
1457-049	Stylet, Ø3mm, for Athos Nail	1
1457-050	Compression Screw for Athos Nail	1
1457-051-4.3	Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail	3
1457-052	Stopper for Drill Bit Ø4.3mm - Athos Nail	1
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
1457-00T	Instrument Trays for Athos Nailing Instrument Set, Aluminium Targeting Device	3
1457-00B	Container with PPSU Lid for Athos Nailing Instrument Set, Aluminium Targeting Device	1

Athos Nail Instrument Set

Peek

1457-001 Radiographic Ruler for Short Athos Nail




1457-055 Entry Reamer Protection Sleeve 20/17mm for Athos Nail




1457-056 Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail



1457-004 Guide Wire With Ball Tip $\phi 2.5/3.65$ mm x Length 680mm - Nitinol, for Athos Nail



1457-053 Guide Wire Without Ball Tip $\phi 2.5$ mm x Length 680mm - Nitinol, for Athos Nail



1457-005-10 Flexible Shaft with Reamer $\phi 10$ mm for Athos Nail



1457-006-11 Flexible Shaft with Reamer Ø11mm for Athos Nail



1457-007-12 Flexible Shaft with Reamer Ø12mm for Athos Nail



1457-008-13 Flexible Shaft with Reamer Ø13mm for Athos Nail



1457-009 T Handle with Quick Coupling for Entry Reamer - Athos Nail



1457-010 Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail



1457-011 Cannulated Awl for Athos Nail



1457-012 Tissue Protector for Athos Nail



7-007-01 Insertion Handle, Carbon PEEK, for Athos Nail



7-007-10 Nail Holding Bolt for Insertion Handle, Carbon Peek, for Athos Nail



1457-015 Guide Wire Holder for Athos Nail



7-007-12 Insertion Connecting Rod for Athos Nail, Length 163mm



1457-017 Combination Wrench 11mm for Athos Nail



Athos Nailing Instruments, (Peek)

Instruments

1457-018 Insertion Hammer, Solid, for Athos Nail



7-007-02 130° Proximal Targeting Device, Carbon PEEK, for Athos Nail



7-007-07 Locking Bolt for Carbon PEEK Targeting Device - Athos Nail



7-007-03 125° Proximal Targeting Device, Carbon PEEK, for Athos Nail



7-007-13 Protection Sleeve 10/8.2mm for Athos Nail, Length 175mm



7-007-14 Trocar Ø8mm for Athos Nail, Length 190mm



7-007-15 Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail, Length 195mm



7-007-16 Short Carbon PEEK Distal Targeting Device for Length upto 180mm - Athos Nail



1457-024 Sliding Hammer, Slotted, for Athos Nail



1457-025 Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail



1457-026 Allen Key, Hex 3mm for Athos Nail



1457-027 Universal Screwdriver, Hex 7mm for Athos Nail



7-007-17 Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail, Length 235mm



7-007-18 Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail, Length 250mm



7-007-19 Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail, Length 265mm



1457-031 Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail



7-007-20 Inserter for Cephalic Screw Ø10.5mm & End Cap - Athos Nail, Length 355mm



7-007-21 Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail, Length 270mm



7-007-22 Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail, Length 370mm



7-007-23 Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail, Length 450mm



7-007-08 Stopper for Cannulated Reamer - Athos Nail



1457-037 Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



7-007-24 Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 230mm



7-007-25 Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 250mm



7-007-26 Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 260mm



7-007-27 Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 325mm



7-007-28 Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 415mm



7-007-09 Stopper for Tapered Drill 6.4/4.5mm - Athos Nail



1457-043 Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail



7-007-29 Guide Wire Ø2.5mm x Length 405mm for Ø6.4mm Cannulated Anti -Rotation Screw



7-007-30 Guide Wire with Threaded Tip \varnothing 3.0mm x Thread Length 12mm x Length 420mm for Cephalic Screw \varnothing 10.5mm



1457-046 Extraction Hammering Rod for Athos Nail



1457-047 Depth Gauge measuring upto 100mm for Athos Nail



7-007-31 Depth Gauge measuring upto 90mm for Athos Nail



1457-049 Stylet, \varnothing 3mm, for Athos Nail



7-007-32 Compression Screw for Athos Nail, Length 95mm



7-007-33 Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 320mm for Athos Nail




1457-057 Curved Awl- Ø9.5-Ø5.6mm for Athos Nail




1457-052 Stopper for Drill Bit Ø4.3mm - Athos Nail




7-007-11 Radiographic Target Block



7-007-05 Instrument Trays for Athos Nailing Instrument Set (PEEK)




7-007-06 Container with PPSU Lid for Athos Nailing Instrument Set (PEEK)




Optional Instruments

1457-004S Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Stainless Steel, for Athos Nail



1457-053S Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Stainless Steel, for Athos Nail



7-007 Athos Nailing Instrument Set (PEEK)

7-007 Athos Nailing Instrument Set (PEEK)

Code	Set Consisting of	Units
1457-001	Radiographic Ruler for Short Athos Nail	1
1457-055	Entry Reamer Protection Sleeve 20/17mm for Athos Nail	1
1457-056	Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail	1
1457-004	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Nitinol, for Athos Nail	1
1457-053	Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Nitinol, for Athos Nail	1
1457-005-10	Flexible Shaft with Reamer Ø10mm for Athos Nail	1
1457-006-11	Flexible Shaft with Reamer Ø11mm for Athos Nail	1
1457-007-12	Flexible Shaft with Reamer Ø12mm for Athos Nail	1
1457-008-13	Flexible Shaft with Reamer Ø13mm for Athos Nail	1
1457-009	T Handle with Quick Coupling for Entry Reamer - Athos Nail	1
1457-010	Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail	1
1457-011	Cannulated Awl for Athos Nail	1
1457-012	Tissue Protector for Athos Nail	1
7-007-01	Insertion Handle, Carbon PEEK, for Athos Nail	1
7-007-10	Nail Holding Bolt for Insertion Handle, Carbon Peek, for Athos Nail	2
1457-015	Guide Wire Holder for Athos Nail	1
7-007-12	Insertion Connecting Rod for Athos Nail, Length 163mm	1
1457-017	Combination Wrench 11mm for Athos Nail	1
1457-018	Insertion Hammer, Solid, for Athos Nail	1
7-007-02	130° Proximal Targeting Device, Carbon PEEK, for Athos Nail	1
7-007-07	Locking Bolt for Carbon PEEK Targeting Device - Athos Nail	2
7-007-03	125° Proximal Targeting Device, Carbon PEEK, for Athos Nail	1
7-007-13	Protection Sleeve 10/8.2mm for Athos Nail, Length 175mm	2
7-007-14	Trocar Ø8mm for Athos Nail, Length 190mm	1
7-007-15	Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail, Length 195mm	2
7-007-16	Short Carbon PEEK Distal Targeting Device for Length upto 180mm - Athos Nail	1
1457-024	Sliding Hammer, Slotted, for Athos Nail	1
1457-025	Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail	1
1457-026	Allen Key, Hex 3mm for Athos Nail	1
1457-027	Universal Screwdriver, Hex 7mm for Athos Nail	1
7-007-17	Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail, Length 235mm	1
7-007-18	Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail, Length 250mm	1
7-007-19	Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail, Length 265mm	1
1457-031	Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail	1
7-007-20	Insertor for Cephalic Screw Ø10.5mm & End Cap - Athos Nail, Length 355mm	1
7-007-21	Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail, Length 270mm	1

Code	Set Consisting of	Units
1457-034	Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail	1
7-007-22	Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail, Length 370mm	1
7-007-23	Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail, Length 450mm	1
7-007-08	Stopper for Cannulated Reamer - Athos Nail	1
1457-037	Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
7-007-24	Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 230mm	1
7-007-25	Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 250mm	1
7-007-26	Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 260mm	1
7-007-27	Insertor for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 325mm	1
7-007-28	Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail, Length 415mm	1
7-007-09	Stopper for Tapered Drill 6.4/4.5mm - Athos Nail	1
1457-043	Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail	1
7-007-29	Guide Wire Ø2.5mm x Length 405mm for Ø6.4mm Cannulated Anti -Rotation Screw	5
7-007-30	Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 420mm for Cephalic Screw Ø10.5mm	5
1457-046	Extraction Hammering Rod for Athos Nail	1
1457-047	Depth Gauge measuring upto 100mm for Athos Nail	1
7-007-31	Depth Gauge measuring upto 90mm for Athos Nail	1
1457-049	Stylet, Ø3mm, for Athos Nail	1
7-007-32	Compression Screw for Athos Nail, Length 95mm	1
7-007-33	Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 320mm for Athos Nail	3
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
1457-052	Stopper for Drill Bit Ø4.3mm - Athos Nail	1
7-007-11	Radiographic Target Block	1
7-007-05	Instrument Trays for Athos Nailing Instrument Set (PEEK)	3
7-007-06	Container with PPSU Lid for Athos Nailing Instrument Set (PEEK)	1

Athos Nail Instrument Set **Distal Targeting Device**

1457-001 Radiographic Ruler for Short Athos Nail



1457-055 Entry Reamer Protection Sleeve 20/17mm for Athos Nail



1457-056 Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail



1457-005-10 Flexible Shaft with Reamer Ø10mm for Athos Nail



1457-006-11 Flexible Shaft with Reamer Ø11mm for Athos Nail




1457-007-12 Flexible Shaft with Reamer Ø12mm for Athos Nail



1457-008-13 Flexible Shaft with Reamer \varnothing 13mm for Athos Nail



1457-009 T Handle with Quick Coupling for Entry Reamer - Athos Nail



1457-010 Entry Reamer \varnothing 16.5mm with Quick Coupling End for Athos Nail



1457-011 Cannulated Awl for Athos Nail



1457-012 Tissue Protector for Athos Nail



1457-013 Insertion Handle, Aluminium, for Athos Nail



1457-014 Nail Holding Bolt for Aluminium Targeting Device for Athos Nail



1457-015 Guide Wire Holder for Athos Nail



1457-016 Insertion Connecting Rod for Athos Nail



1457-054 Block for Insertion Connecting Rod - Athos Nail



1457-017 Combination Wrench 11mm for Athos Nail



1457-018 Insertion Hammer, Solid, for Athos Nail




1457-019-130 130° Proximal Targeting Device, Aluminium, for Athos Nail



1457-019-125 125° Proximal Targeting Device, Aluminium, for Athos Nail



7-062-01 Locking Bolt for Aluminium Targeting Device - Athos Nail



1457-020 Protection Sleeve 10/8.2mm for Athos Nail



1457-021 Trocar Ø8mm for Athos Nail




1457-022-4.3 Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail



1457-023 Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail



1457-024 Sliding Hammer, Slotted, for Athos Nail



1457-025 Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail



1457-026 Allen Key, Hex 3mm for Athos Nail



1457-027 Universal Screwdriver, Hex 7mm for Athos Nail



1457-028 Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail



1457-029 Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail



1457-030 Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-031 Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-032 Inserter for Cephalic Screw Ø10.5mm & End Cap - Athos Nail



1457-033 Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail



1457-034 Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail



1457-035 Proximal Cortex Drill \varnothing 10mm with Quick Coupling End for Cephalic Screw \varnothing 10.5mm - Athos Nail



1457-036 Cannulated Reamer, \varnothing 10.5mm for Cephalic Screw \varnothing 10.5mm - Athos Nail



7-007-08 Stopper for Cannulated Reamer - Athos Nail



1457-037 Measuring Device upto 130mm for \varnothing 6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-038 Protection Sleeve 10/8.2mm for \varnothing 6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-039 Trocar Sleeve 8.1/2.5mm for \varnothing 6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-040 Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail




1457-041 Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-042 Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



7-007-09 Stopper for Tapered Drill 6.4/4.5mm - Athos Nail



1457-043 Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail



1457-044-2.5 Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw



1457-045-3.0 Guide Wire with Threaded Tip \varnothing 3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw \varnothing 10.5mm



1457-046 Extraction Hammering Rod for Athos Nail



1457-047 Depth Gauge measuring upto 100mm for Athos Nail



1457-048 Depth Gauge measuring upto 115mm for Athos Nail



1457-049 Stylet, \varnothing 3mm, for Athos Nail



1457-050 Compression Screw for Athos Nail



1457-051-4.3 Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail



1457-052 Stopper for Drill Bit Ø4.3mm - Athos Nail



7-008-01 Ø5.2mm T-Handle Drill Bit with Flat End for Athos Nail



7-008-02 Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Athos Nail



7-008-03 Radiographic Ruler For Long Athos Nail



7-008-04 Distal Targeting Device for Athos Nail



7-008-05 Allen Key, Hex 5mm for Athos Nail



7-008-06 Stabilizing Device (Ø9, Ø10, Ø11) for Athos Nail



7-008-34 Stabilizing Device (Ø12, Ø13) for Athos Nail



7-008-07 Flexible Reamer Shaft (AO Connection) for Athos Nail



7-008-08 Outer Drill Sleeve 10/8.1mm for Distal Targeting Device, for Athos Nail



7-008-09 Trocar Ø8mm for Long Athos Nail



7-008-10 Drill Sleeve 8.1/5.2mm for Positioning Rod, for Athos Nail



7-008-11 Positioning Rod 8.1/5.2mm for Athos Nail



7-008-12 Reduction Rod for Long Athos Nail



7-008-13 Proximal Aiming Bar for Long Athos Nail



7-008-14 Distal Aiming Bar for Long Athos Nail



Reamer Head

Code	Dia	Code	Dia
7-008-15	Ø8.5mm	7-008-21	Ø11.5mm
7-008-16	Ø9mm	7-008-22	Ø12mm
7-008-17	Ø9.5mm	7-008-23	Ø12.5mm
7-008-18	Ø10mm	7-008-24	Ø13mm
7-008-19	Ø10.5mm	7-008-25	Ø13.5mm
7-008-20	Ø11mm	7-008-26	Ø14mm



7-008-27 Locking Bolt for Distal Aiming Bar - Athos Nail




7-008-28 Locking Bolt for Proximal Aiming Bar - Athos Nail




7-008-29 Distal Bolt, Hex 5mm for Distal Targeting Device - Athos Nail



7-008-32 Guide Wire without Ball Tip $\varnothing 2.5\text{mm}$ x Length 1000mm - Nitinol, for Athos Nail



7-008-33 Guide Wire with Ball Tip $\varnothing 2.5/3.65\text{mm}$ x Length 1000mm - Nitinol, for Athos Nail



1457-057 Curved Awl- $\varnothing 9.5\text{-}\varnothing 5.6\text{mm}$ for Athos Nail






7-008-30

Instrument Trays for Athos Nailing instrument set, Distal Targeting Device

**7-008-31**

Container with PPSU Lid for Athos Nailing instrument set, Distal Targeting Device

**Optional Instruments****7-008-32S**Guide Wire without Ball Tip $\varnothing 2.5\text{mm}$ x Length 1000mm - Stainless Steel, for Athos Nail**7-008-33S**Guide Wire with Ball Tip $\varnothing 2.5/3.65\text{mm}$ x Length 1000mm - Stainless Steel, for Athos Nail

7-008 Athos Nailing Instrument Set, Distal Targeting Device

7-008 Athos Nailing Instrument Set, Distal Targeting Device

Code	Set Consisting of	Units
1457-001	Radiographic Ruler for Short Athos Nail	1
1457-055	Entry Reamer Protection Sleeve 20/17mm for Athos Nail	1
1457-056	Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail	1
1457-005-10	Flexible Shaft with Reamer Ø10mm for Athos Nail	1
1457-006-11	Flexible Shaft with Reamer Ø11mm for Athos Nail	1
1457-007-12	Flexible Shaft with Reamer Ø12mm for Athos Nail	1
1457-008-13	Flexible Shaft with Reamer Ø13mm for Athos Nail	1
1457-009	T Handle with Quick Coupling for Entry Reamer - Athos Nail	1
1457-010	Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail	1
1457-011	Cannulated Awl for Athos Nail	1
1457-012	Tissue Protector for Athos Nail	1
1457-013	Insertion Handle, Aluminium, for Athos Nail	1
1457-014	Nail Holding Bolt for Aluminium Targeting Device for Athos Nail	2
1457-015	Guide Wire Holder for Athos Nail	1
1457-016	Insertion Connecting Rod for Athos Nail	1
1457-054	Block for Insertion Connecting Rod - Athos Nail	1
1457-017	Combination Wrench 11mm for Athos Nail	1
1457-018	Insertion Hammer, Solid, for Athos Nail	1
1457-019-130	130° Proximal Targeting Device, Aluminium, for Athos Nail	1
1457-019-125	125° Proximal Targeting Device, Aluminium, for Athos Nail	1
7-062-01	Locking Bolt for Aluminium Targeting Device - Athos Nail	3
1457-020	Protection Sleeve 10/8.2mm for Athos Nail	2
1457-021	Trocar Ø8mm for Athos Nail	1
1457-022-4.3	Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail	2
1457-023	Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail	1
1457-024	Sliding Hammer, Slotted, for Athos Nail	1
1457-025	Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail	1
1457-026	Allen Key, Hex 3mm for Athos Nail	1
1457-027	Universal Screwdriver, Hex 7mm for Athos Nail	1
1457-028	Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail	1
1457-029	Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail	1
1457-030	Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-031	Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-032	Insertor for Cephalic Screw Ø10.5mm & End Cap - Athos Nail	1
1457-033	Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail	1
1457-034	Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail	1
1457-035	Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail	1

Code	Set Consisting of	Units
1457-036	Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail	1
7-007-08	Stopper for Cannulated Reamer - Athos Nail	1
1457-037	Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-038	Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-039	Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-040	Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-041	Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-042	Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
7-007-09	Stopper for Tapered Drill 6.4/4.5mm - Athos Nail	1
1457-043	Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail	1
1457-044-2.5	Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw	5
1457-045-3.0	Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm	5
1457-046	Extraction Hammering Rod for Athos Nail	1
1457-047	Depth Gauge measuring upto 100mm for Athos Nail	1
1457-048	Depth Gauge measuring upto 115mm for Athos Nail	1
1457-049	Styler, Ø3mm, for Athos Nail	1
1457-050	Compression Screw for Athos Nail	1
1457-051-4.3	Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail	3
1457-052	Stopper for Drill Bit Ø4.3mm - Athos Nail	1
7-008-01	Ø5.2mm T-Handle Drill Bit with Flat End for Athos Nail	1
7-008-02	Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Athos Nail	1
7-008-03	Radiographic Ruler For Long Athos Nail	1
7-008-04	Distal Targeting Device for Athos Nail	1
7-008-05	Allen Key, Hex 5mm for Athos Nail	1
7-008-06	Stabilizing Device (Ø9, Ø10, Ø11) for Athos Nail	1
7-008-34	Stabilizing Device (Ø12, Ø13) for Athos Nail	1
7-008-07	Flexible Reamer Shaft (AO Connection) for Athos Nail	2
7-008-08	Outer Drill Sleeve 10/8.1mm for Distal Targeting Device, for Athos Nail	1
7-008-09	Trocar Ø8mm for Long Athos Nail	1
7-008-10	Drill Sleeve 8.1/5.2mm for Positioning Rod, for Athos Nail	1
7-008-11	Positioning Rod 8.1/5.2mm for Athos Nail	1
7-008-12	Reduction Rod for Long Athos Nail	1
7-008-13	Proximal Aiming Bar for Long Athos Nail	1
7-008-14	Distal Aiming Bar for Long Athos Nail	1
7-008-15	Reamer Head, Ø8.5mm for Athos Nail	1
7-008-16	Reamer Head, Ø9.0mm for Athos Nail	1
7-008-17	Reamer Head, Ø9.5mm for Athos Nail	1

Code	Set Consisting of	Units
7-008-18	Reamer Head, Ø10.0mm for Athos Nail	1
7-008-19	Reamer Head, Ø10.5mm for Athos Nail	1
7-008-20	Reamer Head, Ø11.0mm for Athos Nail	1
7-008-21	Reamer Head, Ø11.5mm for Athos Nail	1
7-008-22	Reamer Head, Ø12.0mm for Athos Nail	1
7-008-23	Reamer Head, Ø12.5mm for Athos Nail	1
7-008-24	Reamer Head, Ø13.0mm for Athos Nail	1
7-008-25	Reamer Head, Ø13.5mm for Athos Nail	1
7-008-26	Reamer Head, Ø14.0mm for Athos Nail	1
7-008-27	Locking Bolt for Distal Aiming Bar - Athos Nail	1
7-008-28	Locking Bolt for Proximal Aiming Bar - Athos Nail	2
7-008-29	Distal Bolt, Hex 5mm for Distal Targeting Device - Athos Nail	1
7-008-32	Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for Athos Nail	1
7-008-33	Guide Wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Athos Nail	1
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
7-008-30	Instrument Trays for Athos Nailing instrument set, Distal Targeting Device	4
7-008-31	Container with PPSU Lid for Athos Nailing instrument set, Distal Targeting Device	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com