

JIN TYPE - FEMUR NAILING SYSTEM

JIN TYPE - FEMUR NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants

JIN Type - Femur Nail


Ø Dia	Length	Stainless Steel	Titanium
9mm	320mm	1293-9-320	TI-1293-9-320
9mm	340mm	1293-9-340	TI-1293-9-340
9mm	360mm	1293-9-360	TI-1293-9-360
9mm	380mm	1293-9-380	TI-1293-9-380
9mm	400mm	1293-9-400	TI-1293-9-400
9mm	420mm	1293-9-420	TI-1293-9-420
9mm	440mm	1293-9-440	TI-1293-9-440
10mm	320mm	1293-10-320	TI-1293-10-320
10mm	340mm	1293-10-340	TI-1293-10-340
10mm	360mm	1293-10-360	TI-1293-10-360
10mm	380mm	1293-10-380	TI-1293-10-380
10mm	400mm	1293-10-400	TI-1293-10-400
10mm	420mm	1293-10-420	TI-1293-10-420
10mm	440mm	1293-10-440	TI-1293-10-440
11mm	320mm	1293-11-320	TI-1293-11-320
11mm	340mm	1293-11-340	TI-1293-11-340
11mm	360mm	1293-11-360	TI-1293-11-360
11mm	380mm	1293-11-380	TI-1293-11-380
11mm	400mm	1293-11-400	TI-1293-11-400
11mm	420mm	1293-11-420	TI-1293-11-420
11mm	440mm	1293-11-440	TI-1293-11-440
12mm	320mm	1293-12-320	TI-1293-12-320
12mm	340mm	1293-12-340	TI-1293-12-340
12mm	360mm	1293-12-360	TI-1293-12-360
12mm	380mm	1293-12-380	TI-1293-12-380
12mm	400mm	1293-12-400	TI-1293-12-400
12mm	420mm	1293-12-420	TI-1293-12-420
12mm	440mm	1293-12-440	TI-1293-12-440
13mm	320mm	1293-13-320	TI-1293-13-320
13mm	340mm	1293-13-340	TI-1293-13-340
13mm	360mm	1293-13-360	TI-1293-13-360
13mm	380mm	1293-13-380	TI-1293-13-380
13mm	400mm	1293-13-400	TI-1293-13-400
13mm	420mm	1293-13-420	TI-1293-13-420
13mm	440mm	1293-13-440	TI-1293-13-440



JIN Type - Femur Nail
STERILE

Ø Dia	Length	Stainless Steel	Titanium
9mm	320mm	1293-9-320-S	TI-1293-9-320-S
9mm	340mm	1293-9-340-S	TI-1293-9-340-S
9mm	360mm	1293-9-360-S	TI-1293-9-360-S
9mm	380mm	1293-9-380-S	TI-1293-9-380-S
9mm	400mm	1293-9-400-S	TI-1293-9-400-S
9mm	420mm	1293-9-420-S	TI-1293-9-420-S
9mm	440mm	1293-9-440-S	TI-1293-9-440-S
10mm	320mm	1293-10-320-S	TI-1293-10-320-S
10mm	340mm	1293-10-340-S	TI-1293-10-340-S
10mm	360mm	1293-10-360-S	TI-1293-10-360-S
10mm	380mm	1293-10-380-S	TI-1293-10-380-S
10mm	400mm	1293-10-400-S	TI-1293-10-400-S
10mm	420mm	1293-10-420-S	TI-1293-10-420-S
10mm	440mm	1293-10-440-S	TI-1293-10-440-S
11mm	320mm	1293-11-320-S	TI-1293-11-320-S
11mm	340mm	1293-11-340-S	TI-1293-11-340-S
11mm	360mm	1293-11-360-S	TI-1293-11-360-S
11mm	380mm	1293-11-380-S	TI-1293-11-380-S
11mm	400mm	1293-11-400-S	TI-1293-11-400-S
11mm	420mm	1293-11-420-S	TI-1293-11-420-S
11mm	440mm	1293-11-440-S	TI-1293-11-440-S
12mm	320mm	1293-12-320-S	TI-1293-12-320-S
12mm	340mm	1293-12-340-S	TI-1293-12-340-S
12mm	360mm	1293-12-360-S	TI-1293-12-360-S
12mm	380mm	1293-12-380-S	TI-1293-12-380-S
12mm	400mm	1293-12-400-S	TI-1293-12-400-S
12mm	420mm	1293-12-420-S	TI-1293-12-420-S
12mm	440mm	1293-12-440-S	TI-1293-12-440-S
13mm	320mm	1293-13-320-S	TI-1293-13-320-S
13mm	340mm	1293-13-340-S	TI-1293-13-340-S
13mm	360mm	1293-13-360-S	TI-1293-13-360-S
13mm	380mm	1293-13-380-S	TI-1293-13-380-S
13mm	400mm	1293-13-400-S	TI-1293-13-400-S
13mm	420mm	1293-13-420-S	TI-1293-13-420-S
13mm	440mm	1293-13-440-S	TI-1293-13-440-S



End Cap for JIN Type - Femur Nail

STERILE

Stainless Steel	Titanium
1293-001	TI-1293-001

Stainless Steel	Titanium
1293-001-S	TI-1293-001-S


Ø4.5mm Locking Bolt, Self-Tapping, For JIN Type - Femur Nail


STERILE

Length	Stainless Steel	Titanium
20mm	1293-4.5-20	TI-1293-4.5-20
25mm	1293-4.5-25	TI-1293-4.5-25
30mm	1293-4.5-30	TI-1293-4.5-30
35mm	1293-4.5-35	TI-1293-4.5-35
40mm	1293-4.5-40	TI-1293-4.5-40
45mm	1293-4.5-45	TI-1293-4.5-45
50mm	1293-4.5-50	TI-1293-4.5-50
55mm	1293-4.5-55	TI-1293-4.5-55
60mm	1293-4.5-60	TI-1293-4.5-60
65mm	1293-4.5-65	TI-1293-4.5-65
70mm	1293-4.5-70	TI-1293-4.5-70
75mm	1293-4.5-75	TI-1293-4.5-75
80mm	1293-4.5-80	TI-1293-4.5-80

Length	Stainless Steel	Titanium
20mm	1293-4.5-20-S	TI-1293-4.5-20-S
25mm	1293-4.5-25-S	TI-1293-4.5-25-S
30mm	1293-4.5-30-S	TI-1293-4.5-30-S
35mm	1293-4.5-35-S	TI-1293-4.5-35-S
40mm	1293-4.5-40-S	TI-1293-4.5-40-S
45mm	1293-4.5-45-S	TI-1293-4.5-45-S
50mm	1293-4.5-50-S	TI-1293-4.5-50-S
55mm	1293-4.5-55-S	TI-1293-4.5-55-S
60mm	1293-4.5-60-S	TI-1293-4.5-60-S
65mm	1293-4.5-65-S	TI-1293-4.5-65-S
70mm	1293-4.5-70-S	TI-1293-4.5-70-S
75mm	1293-4.5-75-S	TI-1293-4.5-75-S
80mm	1293-4.5-80-S	TI-1293-4.5-80-S


1-018 Implant Box for JIN Type - Femur Nail



Tray 1



Dia	Length	Qty
Ø9mm	320mm to 440mm	1 pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 2



Dia	Length	Qty
Ø10mm	320mm to 440mm	1 pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 3



Dia	Length	Qty
Ø11mm	320mm to 440mm	1 pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 4



Dia	Length	Qty
Ø12mm	320mm to 440mm	1 pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 5


Dia	Length	Qty
Ø13mm	320mm to 440mm	1 pcs

Stainless Steel or Titanium Implants can be placed as per requirement


**Ø4.5mm Locking Bolt, Self-Tapping,
For JIN Type - Femoral Nail**

Dia	Length	Qty
Ø4.5mm	20mm to 80mm	5pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

End Cap For JIN Type - Femoral Nail


Qty
2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

INS-1293-01 Drill Sleeve 8/4mm for Drill Bit Ø4mm - JIN Type - Femur Nail



INS-1293-02 Protection Sleeve 10/8.2mm for JIN Type - Femur Nail



INS-1293-03 Drill Sleeve 8/5.3mm for Drill Bit Ø5.2mm - JIN Type - Femur Nail



INS-1293-04 Tissue protector for JIN Type - Femur Nail



INS-1293-05 Right Angle Locking Rod Ø4mm For Nail Holding Bolt - JIN Type - Femur Nail



INS-1293-06 T-Handle Screwdriver, Hex 3.5mm, JIN Type - Femur Nail



INS-1293-07 Ø5.2mm T-Handle Drill Bit with Flat End for JIN Type - Femur Nail



INS-1293-10 Positioning Rod Ø5mm for JIN Type - Femur Nail



INS-1293-12 Allen Key, Hex 5mm for JIN Type - Femur Nail



INS-1293-13 Allen Key, Hex 3mm for JIN Type - Femur Nail



INS-1293-14 Combination Wrench 12mm for JIN Type - Femur Nail



INS-1293-15 Cannulated Awl for JIN Type - Femur Nail



Reamer Head

Code	Dia	Code	Dia
INS-1293-24	Ø13mm	INS-1293-21	Ø9.5mm
7-022-03	Ø12.5mm	INS-1293-22	Ø9mm
INS-1293-16	Ø12mm	INS-1293-42	Ø8.5mm
INS-1293-17	Ø11.5mm	INS-1293-43	Ø8mm
INS-1293-18	Ø11mm	7-022-04	Ø13.5mm
INS-1293-19	Ø10.5mm	7-022-05	Ø14mm
INS-1293-20	Ø10mm		



INS-1293-23

Drill Bit Plain Shank/ Jacob Chuck End Ø4.0mm x Length 300mm for JIN Type - Femur Nail



INS-1293-27

Stopper for Drill Bit Ø4mm - JIN Type - Femur Nail



INS-1293-25

Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm for JIN Type - Femur Nail



INS-1293-26

Entry Reamer Ø12.5mm with Quick Coupling End for JIN Type - Femur Nail



INS-1293-28 Reduction Device for JIN Type - Femur Nail



INS-1293-29 Flexible Reaming Shaft for Reamer Head Ø8mm to 14mm - JIN Type - Femur Nail



INS-1293-31 Insertion Handle for JIN Type - Femur Nail



INS-1293-32 Distal Targeting Arm for JIN Type - Femur Nail



INS-1293-33 T-Handle Quick Coupling for Flexible Reamer Shaft/Entry Reamer - JIN Type - Femur Nail



INS-1293-34 Positioning Block for JIN Type - Femur Nail



INS-1293-35 Trocar Ø8mm for JIN Type - Femur Nail



INS-1293-36 Distal Targeting Device for Length 320mm to 440mm, for JIN Type - Femur Nail



INS-1293-30 Bolt for Distal Targeting Device - JIN - Type Femur Nail



INS-1293-37 Protection Sleeve 15.5/13.5mm for Entry Reamer, for JIN Type - Femur Nail



INS-1293-38 Depth Gauge measuring upto 90mm for JIN Type - Femur Nail




INS-1293-39 Extraction Rod with Ram for JIN Type - Femur Nail




INS-1293-40 Extraction Handle for JIN Type-Femur Nail




INS-1293-41 Impactor Ø9.9mm for JIN Type - Femur Nail



INS-1293-44 Guide Wire with Ball Tip Ø2.5/3.5mm x Length 1000mm - Nitinol, for JIN Type - Femur Nail



7-022-07 Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for JIN Type - Femur Nail



INS-1293-46 Nail Holding Bolt for JIN Type - Femur Nail



INS-1293-47 Bolt for Proximal Targeting Device, for JIN Type - Femur Nail



INS-1293-48 Proximal Targeting Device for JIN Type - Femur Nail



INS-1293-49 Guide Wire Introducer for JIN Type - Femur Nail



7-022-06 Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 12mm x Length 400mm




7-022-02 Plastic Exchange Tube for JIN Type - Femur Nail



7-022-01 Radiographic Ruler for JIN Type - Femur Nail





INS-1293T Instrument Trays For JIN Type - Femur Nailing Instrument Set




INS-1293B

Container for JIN Type - Femur Nailing Instrument Set

**Optional Instruments****INS-1293-44S**Guide Wire with Ball Tip $\varnothing 2.5/3.5\text{mm}$ x Length 1000mm - Stainless Steel, for JIN Type - Femur Nail**7-022-07S**Guide Wire without Ball Tip $\varnothing 2.5\text{mm}$ x Length 1000mm - Stainless Steel, for JIN Type - Femur Nail

INS-1293 JIN Type - Femur Nailing Instrument Set



INS-1293 JIN Type - Femur Nailing Instrument Set

Code	Set Consisting of	Units
INS-1293-01	Drill Sleeve 8/4mm for Drill Bit Ø4mm - JIN Type - Femur Nail	2
INS-1293-02	Protection Sleeve 10/8.2mm for JIN Type - Femur Nail	3
INS-1293-03	Drill Sleeve 8/5.3mm for Drill Bit Ø5.2mm - JIN Type - Femur Nail	1
INS-1293-04	Tissue protector for JIN Type - Femur Nail	1
INS-1293-05	Right Angle Locking Rod Ø4mm For Nail Holding Bolt - JIN Type - Femur Nail	1
INS-1293-06	T-Handle Screwdriver, Hex 3.5mm, JIN Type - Femur Nail	1
INS-1293-07	Ø5.2mm T-Handle Drill Bit with Flat End for JIN Type - Femur Nail	1
INS-1293-10	Positioning Rod Ø5mm for JIN Type - Femur Nail	1
INS-1293-12	Allen Key, Hex 5mm for JIN Type - Femur Nail	1
INS-1293-13	Allen Key, Hex 3mm for JIN Type - Femur Nail	1
INS-1293-14	Combination Wrench 12mm for JIN Type - Femur Nail	1
INS-1293-15	Cannulated Awl for JIN Type - Femur Nail	1
INS-1293-24	Reamer Head Ø13.0mm for JIN Type - Femur Nail	1
7-022-03	Reamer Head Ø12.5mm for JIN Type - Femur Nail	1
INS-1293-16	Reamer Head Ø12.0mm for JIN Type - Femur Nail	1
INS-1293-17	Reamer Head Ø11.5mm for JIN Type - Femur Nail	1
INS-1293-18	Reamer Head Ø11.0mm for JIN Type - Femur Nail	1
INS-1293-19	Reamer Head Ø10.5mm for JIN Type - Femur Nail	1
INS-1293-20	Reamer Head Ø10.0mm for JIN Type - Femur Nail	1
INS-1293-21	Reamer Head Ø9.5mm for JIN Type - Femur Nail	1
INS-1293-22	Reamer Head Ø9.0mm for JIN Type - Femur Nail	1
INS-1293-42	Reamer Head Ø8.5mm for JIN Type - Femur Nail	1
INS-1293-43	Reamer Head Ø8.0mm for JIN Type - Femur Nail	1
7-022-04	Reamer Head Ø13.5mm for JIN Type - Femur Nail	1
7-022-05	Reamer Head Ø14.0mm for JIN Type - Femur Nail	1
INS-1293-23	Drill Bit Plain Shank/ Jacob Chuck End Ø4.0mm x Length 300mm for JIN Type - Femur Nail	2
INS-1293-27	Stopper for Drill Bit Ø4mm - JIN Type - Femur Nail	1
INS-1293-25	Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm for JIN Type - Femur Nail	1
INS-1293-26	Entry Reamer Ø12.5mm with Quick Coupling End for JIN Type - Femur Nail	1
INS-1293-28	Reduction Device for JIN Type - Femur Nail	1
INS-1293-29	Flexible Reaming Shaft for Reamer Head Ø8mm to 14mm - JIN Type - Femur Nail	2
INS-1293-31	Insertion Handle for JIN Type - Femur Nail	1
INS-1293-32	Distal Targeting Arm for JIN Type - Femur Nail	1
INS-1293-33	T-Handle Quick Coupling for Flexible Reamer Shaft/Entry Reamer - JIN Type - Femur Nail	1

Code	Set Consisting of	Units
INS-1293-34	Positioning Block for JIN Type - Femur Nail	1
INS-1293-35	Trocar Ø8mm for JIN Type - Femur Nail	1
INS-1293-36	Distal Targeting Device for Length 320mm to 440mm, for JIN Type - Femur Nail	1
INS-1293-30	Bolt for Distal Targeting Device - JIN - Type Femur Nail	3
INS-1293-37	Protection Sleeve 15.5/13.5mm for Entry Reamer, for JIN Type - Femur Nail	1
INS-1293-38	Depth Gauge measuring upto 90mm for JIN Type - Femur Nail	1
INS-1293-39	Extraction Rod with Ram for JIN Type - Femur Nail	1
INS-1293-40	Extraction Handle for JIN Type-Femur Nail	1
INS-1293-41	Impactor Ø9.9mm for JIN Type - Femur Nail	1
INS-1293-44	Guide Wire with Ball Tip Ø2.5/3.5mm x Length 1000mm - Nitinol, for JIN Type - Femur Nail	1
7-022-07	Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for JIN Type - Femur Nail	1
INS-1293-46	Nail Holding Bolt for JIN Type - Femur Nail	1
INS-1293-47	Bolt for Proximal Targeting Device, for JIN Type - Femur Nail	1
INS-1293-48	Proximal Targeting Device for JIN Type - Femur Nail	1
INS-1293-49	Guide Wire Introducer for JIN Type - Femur Nail	1
7-022-06	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 12mm x Length 400mm	3
7-022-02	Plastic Exchange Tube for JIN Type - Femur Nail	1
7-022-01	Radiographic Ruler for JIN Type - Femur Nail	1
INS-1293T	Instrument Trays For JIN Type - Femur Nailing Instrument Set	3
INS-1293B	Container for JIN Type - Femur Nailing Instrument Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com