


CANNULATED SYSTEM

CANNULATED SCREWS SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants

Index

3.0mm Cannulated Screws	1-5
3.5mm Cannulated Screws	6-12
4.0mm Cannulated Screws	13-22
4.5mm Cannulated Screws	23-33
6.5mm Cannulated Screws	34-43
7.0mm Cannulated Screws	44-57
7.3mm Cannulated Screws	58-69

3.0mm Cannulated Screws


3.0mm Cannulated Cancellous Screw, Short Thread


Length (mm)	Stainless Steel	Titanium
10	123.010	TI-123.010
12	123.012	TI-123.012
14	123.014	TI-123.014
16	123.016	TI-123.016
18	123.018	TI-123.018
20	123.020	TI-123.020
22	123.022	TI-123.022
24	123.024	TI-123.024
26	123.026	TI-123.026
28	123.028	TI-123.028
30	123.030	TI-123.030
32	123.032	TI-123.032
34	123.034	TI-123.034
36	123.036	TI-123.036
38	123.038	TI-123.038
40	123.040	TI-123.040
42	123.042	TI-123.042
44	123.044	TI-123.044
46	123.046	TI-123.046
48	123.048	TI-123.048
50	123.050	TI-123.050

STERILE

Length (mm)	Stainless Steel	Titanium
10	123.010-S	TI-123.010-S
12	123.012-S	TI-123.012-S
14	123.014-S	TI-123.014-S
16	123.016-S	TI-123.016-S
18	123.018-S	TI-123.018-S
20	123.020-S	TI-123.020-S
22	123.022-S	TI-123.022-S
24	123.024-S	TI-123.024-S
26	123.026-S	TI-123.026-S
28	123.028-S	TI-123.028-S
30	123.030-S	TI-123.030-S
32	123.032-S	TI-123.032-S
34	123.034-S	TI-123.034-S
36	123.036-S	TI-123.036-S
38	123.038-S	TI-123.038-S
40	123.040-S	TI-123.040-S
42	123.042-S	TI-123.042-S
44	123.044-S	TI-123.044-S
46	123.046-S	TI-123.046-S
48	123.048-S	TI-123.048-S
50	123.050-S	TI-123.050-S

3.0mm Cannulated Cancellous Screw, Long Thread




Length (mm)	Stainless Steel	Titanium
14	123.214	TI-123.214
16	123.216	TI-123.216
18	123.218	TI-123.218
20	123.220	TI-123.220
22	123.222	TI-123.222
24	123.224	TI-123.224
26	123.226	TI-123.226
28	123.228	TI-123.228
30	123.230	TI-123.230
32	123.232	TI-123.232
34	123.234	TI-123.234
36	123.236	TI-123.236
38	123.238	TI-123.238
40	123.240	TI-123.240
42	123.242	TI-123.242
44	123.244	TI-123.244
46	123.246	TI-123.246
48	123.248	TI-123.248
50	123.250	TI-123.250

STERILE

Length (mm)	Stainless Steel	Titanium
14	123.214-S	TI-123.214-S
16	123.216-S	TI-123.216-S
18	123.218-S	TI-123.218-S
20	123.220-S	TI-123.220-S
22	123.222-S	TI-123.222-S
24	123.224-S	TI-123.224-S
26	123.226-S	TI-123.226-S
28	123.228-S	TI-123.228-S
30	123.230-S	TI-123.230-S
32	123.232-S	TI-123.232-S
34	123.234-S	TI-123.234-S
36	123.236-S	TI-123.236-S
38	123.238-S	TI-123.238-S
40	123.240-S	TI-123.240-S
42	123.242-S	TI-123.242-S
44	123.244-S	TI-123.244-S
46	123.246-S	TI-123.246-S
48	123.248-S	TI-123.248-S
50	123.250-S	TI-123.250-S

Washer For Small Fragment Screw



	Stainless Steel	Titanium
Code	100.110	TI-100.110

STERILE

	Stainless Steel	Titanium
Code	100.110-S	TI-100.110-S

2190-2.0-150 Cannulated Drill Bit with Quick Coupling End, Ø2.0mm x Length 150mm



3767-1.1 Double Drill Guide, Ø2.0/1.1mm



3433-01 Cannulated Screwdriver, Hex 2.5mm



3446-000 Fiber Handle with Quick Coupling, Cannulated



3430-03 Cannulated Countersink with Quick Coupling for Ø3.0mm Screw




3436-09 Stylet Ø1.1mm




3426-03 Guide Wire, Ø1.1mm x Length 150mm




3438-17 Direct Measuring Device for Cannulated Screw Ø3.0mm




3425-000 Holding Clip for Washer



3415-000 Screw Holding Forcep



7-120-01 Instrument Tray for 3.0mm Cannulated Cancellous Screw Instrument Set



7-120-02 Container for 3.0mm Cannulated Cancellous Screw Instrument Set



2335-000 3.0mm Cannulated Cancellous Screw Instrument Set


Item Code	Item Name	Unit
2190-2.0-150	Cannulated Drill Bit with Quick Coupling End, Ø2.0mm x Length 150mm	2
3767-1.1	Double Drill Guide, Ø2.0/1.1mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	1
3446-000	Fiber Handle with Quick Coupling, Cannulated	1
3430-03	Cannulated Countersink with Quick Coupling for Ø3.0mm Screw	1
3436-09	Stylet Ø1.1mm	1
3426-03	Guide Wire, Ø1.1mm x Length 150mm	10
3438-17	Direct Measuring Device for Cannulated Screw Ø3.0mm	1
3425-000	Holding Clip for Washer	1
3415-000	Screw Holding Forcep	1
7-120-01	Instrument Tray for 3.0mm Cannulated Cancellous Screw Instrument Set	1
7-120-02	Container for 3.0mm Cannulated Cancellous Screw Instrument Set	1

3.5mm Cannulated Screws

3.5mm Cannulated Cortical Screw, Short Thread



Length (mm)	Stainless Steel	Titanium
10	121.010	TI-121.010
12	121.012	TI-121.012
14	121.014	TI-121.014
16	121.016	TI-121.016
18	121.018	TI-121.018
20	121.020	TI-121.020
22	121.022	TI-121.022
24	121.024	TI-121.024
26	121.026	TI-121.026
28	121.028	TI-121.028
30	121.030	TI-121.030
32	121.032	TI-121.032
34	121.034	TI-121.034
36	121.036	TI-121.036
38	121.038	TI-121.038
40	121.040	TI-121.040
42	121.042	TI-121.042
44	121.044	TI-121.044
46	121.046	TI-121.046
48	121.048	TI-121.048
50	121.050	TI-121.050

STERILE

Length (mm)	Stainless Steel	Titanium
10	121.010-S	TI-121.010-S
12	121.012-S	TI-121.012-S
14	121.014-S	TI-121.014-S
16	121.016-S	TI-121.016-S
18	121.018-S	TI-121.018-S
20	121.020-S	TI-121.020-S
22	121.022-S	TI-121.022-S
24	121.024-S	TI-121.024-S
26	121.026-S	TI-121.026-S
28	121.028-S	TI-121.028-S
30	121.030-S	TI-121.030-S
32	121.032-S	TI-121.032-S
34	121.034-S	TI-121.034-S
36	121.036-S	TI-121.036-S
38	121.038-S	TI-121.038-S
40	121.040-S	TI-121.040-S
42	121.042-S	TI-121.042-S
44	121.044-S	TI-121.044-S
46	121.046-S	TI-121.046-S
48	121.048-S	TI-121.048-S
50	121.050-S	TI-121.050-S




3.5mm Cannulated Cortical Screw, Full Thread



Length (mm)	Stainless Steel	Titanium
10	121.210	TI-121.210
12	121.212	TI-121.212
14	121.214	TI-121.214
16	121.216	TI-121.216
18	121.218	TI-121.218
20	121.220	TI-121.220
22	121.222	TI-121.222
24	121.224	TI-121.224
26	121.226	TI-121.226
28	121.228	TI-121.228
30	121.230	TI-121.230
32	121.232	TI-121.232
34	121.234	TI-121.234
36	121.236	TI-121.236
38	121.238	TI-121.238
40	121.240	TI-121.240
42	121.242	TI-121.242
44	121.244	TI-121.244
46	121.246	TI-121.246
48	121.248	TI-121.248
50	121.250	TI-121.250

STERILE

Length (mm)	Stainless Steel	Titanium
10	121.210-S	TI-121.210-S
12	121.212-S	TI-121.212-S
14	121.214-S	TI-121.214-S
16	121.216-S	TI-121.216-S
18	121.218-S	TI-121.218-S
20	121.220-S	TI-121.220-S
22	121.222-S	TI-121.222-S
24	121.224-S	TI-121.224-S
26	121.226-S	TI-121.226-S
28	121.228-S	TI-121.228-S
30	121.230-S	TI-121.230-S
32	121.232-S	TI-121.232-S
34	121.234-S	TI-121.234-S
36	121.236-S	TI-121.236-S
38	121.238-S	TI-121.238-S
40	121.240-S	TI-121.240-S
42	121.242-S	TI-121.242-S
44	121.244-S	TI-121.244-S
46	121.246-S	TI-121.246-S
48	121.248-S	TI-121.248-S
50	121.250-S	TI-121.250-S




3.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping

STERILE

Length (mm)	Stainless Steel	Titanium
10	121.310	TI-121.310
12	121.312	TI-121.312
14	121.314	TI-121.314
16	121.316	TI-121.316
18	121.318	TI-121.318
20	121.320	TI-121.320
22	121.322	TI-121.322
24	121.324	TI-121.324
26	121.326	TI-121.326
28	121.328	TI-121.328
30	121.330	TI-121.330
32	121.332	TI-121.332
34	121.334	TI-121.334
36	121.336	TI-121.336
38	121.338	TI-121.338
40	121.340	TI-121.340
42	121.342	TI-121.342
44	121.344	TI-121.344
46	121.346	TI-121.346
48	121.348	TI-121.348
50	121.350	TI-121.350

Length (mm)	Stainless Steel	Titanium
10	121.310-S	TI-121.310-S
12	121.312-S	TI-121.312-S
14	121.314-S	TI-121.314-S
16	121.316-S	TI-121.316-S
18	121.318-S	TI-121.318-S
20	121.320-S	TI-121.320-S
22	121.322-S	TI-121.322-S
24	121.324-S	TI-121.324-S
26	121.326-S	TI-121.326-S
28	121.328-S	TI-121.328-S
30	121.330-S	TI-121.330-S
32	121.332-S	TI-121.332-S
34	121.334-S	TI-121.334-S
36	121.336-S	TI-121.336-S
38	121.338-S	TI-121.338-S
40	121.340-S	TI-121.340-S
42	121.342-S	TI-121.342-S
44	121.344-S	TI-121.344-S
46	121.346-S	TI-121.346-S
48	121.348-S	TI-121.348-S
50	121.350-S	TI-121.350-S


3.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping


STERILE

Length (mm)	Stainless Steel	Titanium
10	121.410	TI-121.410
12	121.412	TI-121.412
14	121.414	TI-121.414
16	121.416	TI-121.416
18	121.418	TI-121.418
20	121.420	TI-121.420
22	121.422	TI-121.422
24	121.424	TI-121.424
26	121.426	TI-121.426
28	121.428	TI-121.428
30	121.430	TI-121.430
32	121.432	TI-121.432
34	121.434	TI-121.434
36	121.436	TI-121.436
38	121.438	TI-121.438
40	121.440	TI-121.440
42	121.442	TI-121.442
44	121.444	TI-121.444
46	121.446	TI-121.446
48	121.448	TI-121.448
50	121.450	TI-121.450

Length (mm)	Stainless Steel	Titanium
10	121.410-S	TI-121.410-S
12	121.412-S	TI-121.412-S
14	121.414-S	TI-121.414-S
16	121.416-S	TI-121.416-S
18	121.418-S	TI-121.418-S
20	121.420-S	TI-121.420-S
22	121.422-S	TI-121.422-S
24	121.424-S	TI-121.424-S
26	121.426-S	TI-121.426-S
28	121.428-S	TI-121.428-S
30	121.430-S	TI-121.430-S
32	121.432-S	TI-121.432-S
34	121.434-S	TI-121.434-S
36	121.436-S	TI-121.436-S
38	121.438-S	TI-121.438-S
40	121.440-S	TI-121.440-S
42	121.442-S	TI-121.442-S
44	121.444-S	TI-121.444-S
46	121.446-S	TI-121.446-S
48	121.448-S	TI-121.448-S
50	121.450-S	TI-121.450-S

Washer For Small Fragment Screw


STERILE

	Stainless Steel	Titanium
Code	100.110	TI-100.110

	Stainless Steel	Titanium
Code	100.110-S	TI-100.110-S

2103-2.7-160

Cannulated Drill Bit Quick Coupling, Ø2.7mm x Length 160mm


3435-01

Stopper for Drill Bit Ø2.7mm


3435-02

Cannulated Drill Bit with Quick Coupling, Ø3.5mm x Length 160mm


3767-2.7

Double Drill Guide, Ø2.7/1.2mm


3767-3.5

Double Drill Guide, Ø2.5/3.5mm


3434-000


Double Drill Guide, Ø3.5/2.7mm


3433-01

Cannulated Screwdriver, Hex 2.5mm


3446-000

Fiber Handle with Quick coupling, Cannulated


7-056-02

Wire Sleeve for Guide Wire Ø2.7/1.2mm


7-121-02

Bone Tap for 3.5mm Cannulated Cortical Screw



1489-01 Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm



3430-04 Cannulated Countersink with Quick Coupling for Ø3.5mm Screw



1485-1.2 Stylet, Ø1.2mm



3426-01 Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm




3438-19 Direct Measuring Device for Ø3.5mm Screw




3415-000 Screw Holding Forcep



3425-000 Holding Clip for Washer




7-121-01 Instrument Tray for 3.5mm Cannulated Cortical Screw Instrument Set



A10-045 Container for 3.5mm Cannulated Cortical Instruments Set



2336-000 3.5mm Cannulated Cortical Screw Instrument Set


Item Code	Item Name	Unit
2103-2.7-160	Cannulated Drill Bit Quick Coupling, Ø2.7mm x Length 160mm	2
3435-01	Stopper for Drill Bit Ø2.7mm	1
3435-02	Cannulated Drill Bit with Quick Coupling, Ø3.5mm x Length 160mm	2
3767-2.7	Double Drill Guide, Ø2.7/1.2mm	1
3767-3.5	Double Drill Guide, Ø2.5/3.5mm	1
3434-000	Double Drill Guide, Ø3.5/2.7mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	1
3446-000	Fiber Handle with Quick coupling, Cannulated	1
7-056-02	Wire Sleeve for Guide Wire Ø2.7/1.2mm	1
7-121-02	Bone Tap for 3.5mm Cannulated Cortical Screw	1
1489-01	Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm	1
3430-04	Cannulated Countersink with Quick Coupling for Ø3.5mm Screw	1
1485-1.2	Stylet, Ø1.2mm	1
3426-01	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm	6
3438-19	Direct Measuring Device for Ø3.5mm Screw	1
3415-000	Screw Holding Forcep	1
3425-000	Holding Clip for Washer	1
7-121-01	Instrument Tray for 3.5mm Cannulated Cortical Screw Instrument Set	1
A10-045	Container for 3.5mm Cannulated Cortical Instruments Set	1

4.0mm Cannulated Screws

4.0mm Cannulated Cancellous Screw, Short Thread, Self-Tapping


Length (mm)	Stainless Steel	Titanium
* 10	124.210	TI-124.210
* 12	124.212	TI-124.212
* 14	124.214	TI-124.214
16	124.216	TI-124.216
18	124.218	TI-124.218
20	124.220	TI-124.220
22	124.222	TI-124.222
24	124.224	TI-124.224
26	124.226	TI-124.226
28	124.228	TI-124.228
30	124.230	TI-124.230
32	124.232	TI-124.232
34	124.234	TI-124.234
36	124.236	TI-124.236
38	124.238	TI-124.238
40	124.240	TI-124.240
42	124.242	TI-124.242
44	124.244	TI-124.244
46	124.246	TI-124.246
48	124.248	TI-124.248
50	124.250	TI-124.250
55	124.255	TI-124.255
60	124.260	TI-124.260
* 65	124.265	TI-124.265
* 70	124.270	TI-124.270

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
* 10	124.210-S	TI-124.210-S
* 12	124.212-S	TI-124.212-S
* 14	124.214-S	TI-124.214-S
16	124.216-S	TI-124.216-S
18	124.218-S	TI-124.218-S
20	124.220-S	TI-124.220-S
22	124.222-S	TI-124.222-S
24	124.224-S	TI-124.224-S
26	124.226-S	TI-124.226-S
28	124.228-S	TI-124.228-S
30	124.230-S	TI-124.230-S
32	124.232-S	TI-124.232-S
34	124.234-S	TI-124.234-S
36	124.236-S	TI-124.236-S
38	124.238-S	TI-124.238-S
40	124.240-S	TI-124.240-S
42	124.242-S	TI-124.242-S
44	124.244-S	TI-124.244-S
46	124.246-S	TI-124.246-S
48	124.248-S	TI-124.248-S
50	124.250-S	TI-124.250-S
55	124.255-S	TI-124.255-S
60	124.260-S	TI-124.260-S
* 65	124.265-S	TI-124.265-S
* 70	124.270-S	TI-124.270-S

* Sizes not available in Screw Caddy

4.0mm Cannulated Cancellous Screw, Short Thread



Length (mm)	Stainless Steel	Titanium
* 10	124.010	TI-124.010
* 12	124.012	TI-124.012
* 14	124.014	TI-124.014
16	124.016	TI-124.016
18	124.018	TI-124.018
20	124.020	TI-124.020
22	124.022	TI-124.022
24	124.024	TI-124.024
26	124.026	TI-124.026
28	124.028	TI-124.028
30	124.030	TI-124.030
32	124.032	TI-124.032
34	124.034	TI-124.034
36	124.036	TI-124.036
38	124.038	TI-124.038
40	124.040	TI-124.040
42	124.042	TI-124.042
44	124.044	TI-124.044
46	124.046	TI-124.046
48	124.048	TI-124.048
50	124.050	TI-124.050
55	124.055	TI-124.055
60	124.060	TI-124.060
* 65	124.065	TI-124.065
* 70	124.070	TI-124.070

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
* 10	124.010-S	TI-124.010-S
* 12	124.012-S	TI-124.012-S
* 14	124.014-S	TI-124.014-S
16	124.016-S	TI-124.016-S
18	124.018-S	TI-124.018-S
20	124.020-S	TI-124.020-S
22	124.022-S	TI-124.022-S
24	124.024-S	TI-124.024-S
26	124.026-S	TI-124.026-S
28	124.028-S	TI-124.028-S
30	124.030-S	TI-124.030-S
32	124.032-S	TI-124.032-S
34	124.034-S	TI-124.034-S
36	124.036-S	TI-124.036-S
38	124.038-S	TI-124.038-S
40	124.040-S	TI-124.040-S
42	124.042-S	TI-124.042-S
44	124.044-S	TI-124.044-S
46	124.046-S	TI-124.046-S
48	124.048-S	TI-124.048-S
50	124.050-S	TI-124.050-S
55	124.055-S	TI-124.055-S
60	124.060-S	TI-124.060-S
* 65	124.065-S	TI-124.065-S
* 70	124.070-S	TI-124.070-S

* Sizes not available in Screw Caddy

4.0mm Cannulated Cancellous Screw, Full Thread



Length (mm)	Stainless Steel	Titanium
10	125.010	TI-125.010
12	125.012	TI-125.012
14	125.014	TI-125.024
16	125.016	TI-125.016
18	125.018	TI-125.018
20	125.020	TI-125.020
22	125.022	TI-125.022
24	125.024	TI-125.024
26	125.026	TI-125.026
28	125.028	TI-125.028
30	125.030	TI-125.030
32	125.032	TI-125.032
34	125.034	TI-125.034
36	125.036	TI-125.036
38	125.038	TI-125.038
40	125.040	TI-125.040
42	125.042	TI-125.042
44	125.044	TI-125.044
46	125.046	TI-125.046
48	125.048	TI-125.048
50	125.050	TI-125.050
55	125.055	TI-125.055
60	125.060	TI-125.060

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
10	125.010-S	TI-125.010-S
12	125.012-S	TI-125.012-S
14	125.014-S	TI-125.024-S
16	125.016-S	TI-125.016-S
18	125.018-S	TI-125.018-S
20	125.020-S	TI-125.020-S
22	125.022-S	TI-125.022-S
24	125.024-S	TI-125.024-S
26	125.026-S	TI-125.026-S
28	125.028-S	TI-125.028-S
30	125.030-S	TI-125.030-S
32	125.032-S	TI-125.032-S
34	125.034-S	TI-125.034-S
36	125.036-S	TI-125.036-S
38	125.038-S	TI-125.038-S
40	125.040-S	TI-125.040-S
42	125.042-S	TI-125.042-S
44	125.044-S	TI-125.044-S
46	125.046-S	TI-125.046-S
48	125.048-S	TI-125.048-S
50	125.050-S	TI-125.050-S
55	125.055-S	TI-125.055-S
60	125.060-S	TI-125.060-S

* Sizes not available in Screw Caddy

4.0mm Cannulated Cancellous Screw, Full Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
* 10	125.210	TI-125.210
* 12	125.212	TI-125.212
* 14	125.214	TI-125.214
16	125.216	TI-125.216
18	125.218	TI-125.218
20	125.220	TI-125.220
22	125.222	TI-125.222
24	125.224	TI-125.224
26	125.226	TI-125.226
28	125.228	TI-125.228
30	125.230	TI-125.230
32	125.232	TI-125.232
34	125.234	TI-125.234
36	125.236	TI-125.236
38	125.238	TI-125.238
40	125.240	TI-125.240
42	125.242	TI-125.242
44	125.244	TI-125.244
46	125.246	TI-125.246
48	125.248	TI-125.248
50	125.250	TI-125.250
55	125.255	TI-125.255
60	125.260	TI-125.260
* 65	125.265	TI-125.265
* 70	125.270	TI-125.270

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
* 10	125.210-S	TI-125.210-S
* 12	125.212-S	TI-125.212-S
* 14	125.214-S	TI-125.214-S
16	125.216-S	TI-125.216-S
18	125.218-S	TI-125.218-S
20	125.220-S	TI-125.220-S
22	125.222-S	TI-125.222-S
24	125.224-S	TI-125.224-S
26	125.226-S	TI-125.226-S
28	125.228-S	TI-125.228-S
30	125.230-S	TI-125.230-S
32	125.232-S	TI-125.232-S
34	125.234-S	TI-125.234-S
36	125.236-S	TI-125.236-S
38	125.238-S	TI-125.238-S
40	125.240-S	TI-125.240-S
42	125.242-S	TI-125.242-S
44	125.244-S	TI-125.244-S
46	125.246-S	TI-125.246-S
48	125.248-S	TI-125.248-S
50	125.250-S	TI-125.250-S
55	125.255-S	TI-125.255-S
60	125.260-S	TI-125.260-S
* 65	125.265-S	TI-125.265-S
* 70	125.270-S	TI-125.270-S


* Sizes not available in Screw Caddy

Washer For Small Fragment Screw


	Stainless Steel	Titanium
Code	100.110	TI-100.110

STERILE

	Stainless Steel	Titanium
Code	100.110-S	TI-100.110-S

ST-005-4.0 Screw Caddy For 4.0mm Cannulated Cancellous Screw *(Tray Without Screw)*

**4.0mm Cannulated Cancellous Screw,
Short Thread, Self-Tapping**

Stainless Steel	Titanium	Length	Unit
124.216	TI-124.216	16	3
124.218	TI-124.218	18	3
124.220	TI-124.220	20	3
124.222	TI-124.222	22	3
124.224	TI-124.224	24	3
124.226	TI-124.226	26	3
124.228	TI-124.228	28	3
124.230	TI-124.230	30	3
124.232	TI-124.232	32	3
124.234	TI-124.234	34	3
124.236	TI-124.236	36	3
124.238	TI-124.238	38	3
124.240	TI-124.240	40	3
124.242	TI-124.242	42	3
124.244	TI-124.244	44	3
124.246	TI-124.246	46	3
124.248	TI-124.248	48	3
124.250	TI-124.250	50	3
124.255	TI-124.255	55	3
124.260	TI-124.260	60	3

**4.0mm Cannulated Cancellous Screw,
Full Thread, Self-Tapping**

Stainless Steel	Titanium	Length	Unit
125.216	TI-125.216	16	3
125.218	TI-125.218	18	3
125.220	TI-125.220	20	3
125.222	TI-125.222	22	3
125.224	TI-125.224	24	3
125.226	TI-125.226	26	3
125.228	TI-125.228	28	3
125.230	TI-125.230	30	3
125.232	TI-125.232	32	3
125.234	TI-125.234	34	3
125.236	TI-125.236	36	3
125.238	TI-125.238	38	3
125.240	TI-125.240	40	3
125.242	TI-125.242	42	3
125.244	TI-125.244	44	3
125.246	TI-125.246	46	3
125.248	TI-125.248	48	3
125.250	TI-125.250	50	3
125.255	TI-125.255	55	3
125.260	TI-125.260	60	3

451-1.2-180E Guide Wire, Ø1.2mm x Length 180mm




3426-01-180 Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 180mm



3767-1.20 Double Drill Guide, Ø2.7/1.2mm



1484-4.0 Cannulated Countersink with T-Handle for Ø4.0mm Screw



1486-2.7 Protection Sleeve for Drill Bit Ø2.8mm




7-056-02 Wire Sleeve for Guide Wire Ø2.7/1.2mm



7-056-01 Screw Holding Forcep for Ø4.0mm Screw



2103-2.7-160 Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm



3435-01 Stopper for Drill Bit Ø2.7mm



3433-01 Cannulated Screwdriver, Hex 2.5mm



1489-01 Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm



1487-2.5 Allen Key, Hex 2.5mm, for Ø4.0mm Screw



2103-11 Cannulated T-Handle Tap for Ø4.0mm Screw



3431-01 Direct Measuring Device for Ø4.0mm Screw




1488-01 Extraction Screw with T- Handle for Ø4.0mm Screw




1485-1.2 Stylet, Ø1.2mm




ST-005-4.0 Screw Caddy for 4.0mm Cannulated Cancellous Screw



A10-009 Container with Lid for 4.0mm Cannulated Cancellous Screw Instrument set



2337-000 4.0mm Cannulated Cancellous Screw Instrument Set


Item Code	Item Name	Unit
451-1.2-180E	Guide Wire, Ø1.2mm x Length 180mm	3
3426-01-180	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 180mm	3
3767-1.20	Double Drill Guide, Ø2.7/1.2mm	1
1484-4.0	Cannulated Countersink with T-Handle for Ø4.0mm Screw	1
1486-2.7	Protection Sleeve for Drill Bit Ø2.8mm	1
7-056-02	Wire Sleeve for Guide Wire Ø2.7/1.2mm	1
7-056-01	Screw Holding Forcep for Ø4.0mm Screw	1
2103-2.7-160	Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm	2
3435-01	Stopper for Drill Bit Ø2.7mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	2
1489-01	Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm	1
1487-2.5	Allen Key, Hex 2.5mm, for Ø4.0mm Screw	1
2103-11	Cannulated T-Handle Tap for Ø4.0mm Screw	1
3431-01	Direct Measuring Device for Ø4.0mm Screw	1
1488-01	Extraction Screw with T- Handle for Ø4.0mm Screw	1
1485-1.2	Stylet, Ø1.2mm	1
ST-005-4.0	Screw Caddy for 4.0mm Cannulated Cancellous Screw	1
A10-009	Container with Lid for 4.0mm Cannulated Cancellous Screw Instrument set	1

4.5mm Cannulated Screws

4.5mm Cannulated Cortical Screw, Short Thread


Length (mm)	Stainless Steel	Titanium
20	122.120	TI-122.120
22	122.122	TI-122.122
24	122.124	TI-122.124
26	122.126	TI-122.126
28	122.128	TI-122.128
30	122.130	TI-122.130
32	122.132	TI-122.132
34	122.134	TI-122.134
36	122.136	TI-122.136
38	122.138	TI-122.138
40	122.140	TI-122.140
42	122.142	TI-122.142
44	122.144	TI-122.144
46	122.146	TI-122.146
48	122.148	TI-122.148
50	122.150	TI-122.150
52	122.152	TI-122.152
54	122.154	TI-122.154
56	122.156	TI-122.156
58	122.158	TI-122.158
60	122.160	TI-122.160
62	122.162	TI-122.162
64	122.164	TI-122.164
66	122.166	TI-122.166
68	122.168	TI-122.168
70	122.170	TI-122.170
72	122.172	TI-122.172
74	122.174	TI-122.174
76	122.176	TI-122.176
78	122.178	TI-122.178
80	122.180	TI-122.180

STERILE

Length (mm)	Stainless Steel	Titanium
20	122.120-S	TI-122.120-S
22	122.122-S	TI-122.122-S
24	122.124-S	TI-122.124-S
26	122.126-S	TI-122.126-S
28	122.128-S	TI-122.128-S
30	122.130-S	TI-122.130-S
32	122.132-S	TI-122.132-S
34	122.134-S	TI-122.134-S
36	122.136-S	TI-122.136-S
38	122.138-S	TI-122.138-S
40	122.140-S	TI-122.140-S
42	122.142-S	TI-122.142-S
44	122.144-S	TI-122.144-S
46	122.146-S	TI-122.146-S
48	122.148-S	TI-122.148-S
50	122.150-S	TI-122.150-S
52	122.152-S	TI-122.152-S
54	122.154-S	TI-122.154-S
56	122.156-S	TI-122.156-S
58	122.158-S	TI-122.158-S
60	122.160-S	TI-122.160-S
62	122.162-S	TI-122.162-S
64	122.164-S	TI-122.164-S
66	122.166-S	TI-122.166-S
68	122.168-S	TI-122.168-S
70	122.170-S	TI-122.170-S
72	122.172-S	TI-122.172-S
74	122.174-S	TI-122.174-S
76	122.176-S	TI-122.176-S
78	122.178-S	TI-122.178-S
80	122.180-S	TI-122.180-S

4.5mm Cannulated Cortical Screw, Short Thread


Length (mm)	Stainless Steel	Titanium
20	122.020	TI-122.020
22	122.022	TI-122.022
24	122.024	TI-122.024
26	122.026	TI-122.026
28	122.028	TI-122.028
30	122.030	TI-122.030
32	122.032	TI-122.032
34	122.034	TI-122.034
36	122.036	TI-122.036
38	122.038	TI-122.038
40	122.040	TI-122.040
42	122.042	TI-122.042
44	122.044	TI-122.044
46	122.046	TI-122.046
48	122.048	TI-122.048
50	122.050	TI-122.050
52	122.052	TI-122.052
54	122.054	TI-122.054
56	122.056	TI-122.056
58	122.058	TI-122.058
60	122.060	TI-122.060
62	122.062	TI-122.062
64	122.064	TI-122.064
66	122.066	TI-122.066
68	122.068	TI-122.068
70	122.070	TI-122.070
72	122.072	TI-122.072
74	122.074	TI-122.074
76	122.076	TI-122.076
78	122.078	TI-122.078
80	122.080	TI-122.080

STERILE

Length (mm)	Stainless Steel	Titanium
20	122.020-S	TI-122.020-S
22	122.022-S	TI-122.022-S
24	122.024-S	TI-122.024-S
26	122.026-S	TI-122.026-S
28	122.028-S	TI-122.028-S
30	122.030-S	TI-122.030-S
32	122.032-S	TI-122.032-S
34	122.034-S	TI-122.034-S
36	122.036-S	TI-122.036-S
38	122.038-S	TI-122.038-S
40	122.040-S	TI-122.040-S
42	122.042-S	TI-122.042-S
44	122.044-S	TI-122.044-S
46	122.046-S	TI-122.046-S
48	122.048-S	TI-122.048-S
50	122.050-S	TI-122.050-S
52	122.052-S	TI-122.052-S
54	122.054-S	TI-122.054-S
56	122.056-S	TI-122.056-S
58	122.058-S	TI-122.058-S
60	122.060-S	TI-122.060-S
62	122.062-S	TI-122.062-S
64	122.064-S	TI-122.064-S
66	122.066-S	TI-122.066-S
68	122.068-S	TI-122.068-S
70	122.070-S	TI-122.070-S
72	122.072-S	TI-122.072-S
74	122.074-S	TI-122.074-S
76	122.076-S	TI-122.076-S
78	122.078-S	TI-122.078-S
80	122.080-S	TI-122.080-S

4.5mm Cannulated Cortical Screw, Full Thread

STERILE

Length (mm)	Stainless Steel	Titanium
20	122.220	TI-122.220
22	122.222	TI-122.222
24	122.224	TI-122.224
26	122.226	TI-122.226
28	122.228	TI-122.228
30	122.230	TI-122.230
32	122.232	TI-122.232
34	122.234	TI-122.234
36	122.236	TI-122.236
38	122.238	TI-122.238
40	122.240	TI-122.240
42	122.242	TI-122.242
44	122.244	TI-122.244
46	122.246	TI-122.246
48	122.248	TI-122.248
50	122.250	TI-122.250
52	122.252	TI-122.252
54	122.254	TI-122.254
56	122.256	TI-122.256
58	122.258	TI-122.258
60	122.260	TI-122.260
62	122.262	TI-122.262
64	122.264	TI-122.264
66	122.266	TI-122.266
68	122.268	TI-122.268
70	122.270	TI-122.270
72	122.272	TI-122.272
74	122.274	TI-122.274
76	122.276	TI-122.276
78	122.278	TI-122.278
80	122.280	TI-122.280

Length (mm)	Stainless Steel	Titanium
20	122.220-S	TI-122.220-S
22	122.222-S	TI-122.222-S
24	122.224-S	TI-122.224-S
26	122.226-S	TI-122.226-S
28	122.228-S	TI-122.228-S
30	122.230-S	TI-122.230-S
32	122.232-S	TI-122.232-S
34	122.234-S	TI-122.234-S
36	122.236-S	TI-122.236-S
38	122.238-S	TI-122.238-S
40	122.240-S	TI-122.240-S
42	122.242-S	TI-122.242-S
44	122.244-S	TI-122.244-S
46	122.246-S	TI-122.246-S
48	122.248-S	TI-122.248-S
50	122.250-S	TI-122.250-S
52	122.252-S	TI-122.252-S
54	122.254-S	TI-122.254-S
56	122.256-S	TI-122.256-S
58	122.258-S	TI-122.258-S
60	122.260-S	TI-122.260-S
62	122.262-S	TI-122.262-S
64	122.264-S	TI-122.264-S
66	122.266-S	TI-122.266-S
68	122.268-S	TI-122.268-S
70	122.270-S	TI-122.270-S
72	122.272-S	TI-122.272-S
74	122.274-S	TI-122.274-S
76	122.276-S	TI-122.276-S
78	122.278-S	TI-122.278-S
80	122.280-S	TI-122.280-S

4.5mm Cannulated Cortical Screw, Full Thread

STERILE

Length (mm)	Stainless Steel	Titanium
20	122.320	TI-122.320
22	122.322	TI-122.322
24	122.324	TI-122.324
26	122.326	TI-122.326
28	122.328	TI-122.328
30	122.330	TI-122.330
32	122.332	TI-122.332
34	122.334	TI-122.334
36	122.336	TI-122.336
38	122.338	TI-122.338
40	122.340	TI-122.340
42	122.342	TI-122.342
44	122.344	TI-122.344
46	122.346	TI-122.346
48	122.348	TI-122.348
50	122.350	TI-122.350
52	122.352	TI-122.352
54	122.354	TI-122.354
56	122.356	TI-122.356
58	122.358	TI-122.358
60	122.360	TI-122.360
62	122.362	TI-122.362
64	122.364	TI-122.364
66	122.366	TI-122.366
68	122.368	TI-122.368
70	122.370	TI-122.370
72	122.372	TI-122.372
74	122.374	TI-122.374
76	122.376	TI-122.376
78	122.378	TI-122.378
80	122.380	TI-122.380

Length (mm)	Stainless Steel	Titanium
20	122.320-S	TI-122.320-S
22	122.322-S	TI-122.322-S
24	122.324-S	TI-122.324-S
26	122.326-S	TI-122.326-S
28	122.328-S	TI-122.328-S
30	122.330-S	TI-122.330-S
32	122.332-S	TI-122.332-S
34	122.334-S	TI-122.334-S
36	122.336-S	TI-122.336-S
38	122.338-S	TI-122.338-S
40	122.340-S	TI-122.340-S
42	122.342-S	TI-122.342-S
44	122.344-S	TI-122.344-S
46	122.346-S	TI-122.346-S
48	122.348-S	TI-122.348-S
50	122.350-S	TI-122.350-S
52	122.352-S	TI-122.352-S
54	122.354-S	TI-122.354-S
56	122.356-S	TI-122.356-S
58	122.358-S	TI-122.358-S
60	122.360-S	TI-122.360-S
62	122.362-S	TI-122.362-S
64	122.364-S	TI-122.364-S
66	122.366-S	TI-122.366-S
68	122.368-S	TI-122.368-S
70	122.370-S	TI-122.370-S
72	122.372-S	TI-122.372-S
74	122.374-S	TI-122.374-S
76	122.376-S	TI-122.376-S
78	122.378-S	TI-122.378-S
80	122.380-S	TI-122.380-S

4.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping




Length (mm)	Stainless Steel	Titanium
20	122.120	TI-122.120
22	122.122	TI-122.122
24	122.124	TI-122.124
26	122.126	TI-122.126
28	122.128	TI-122.128
30	122.130	TI-122.130
32	122.132	TI-122.132
34	122.134	TI-122.134
36	122.136	TI-122.136
38	122.138	TI-122.138
40	122.140	TI-122.140
42	122.142	TI-122.142
44	122.144	TI-122.144
46	122.146	TI-122.146
48	122.148	TI-122.148
50	122.150	TI-122.150
52	122.152	TI-122.152
54	122.154	TI-122.154
56	122.156	TI-122.156
58	122.158	TI-122.158
60	122.160	TI-122.160
62	122.162	TI-122.162
64	122.164	TI-122.164
66	122.166	TI-122.166
68	122.168	TI-122.168
70	122.170	TI-122.170
72	122.172	TI-122.172
74	122.174	TI-122.174
76	122.176	TI-122.176
78	122.178	TI-122.178
80	122.180	TI-122.180

STERILE

Length (mm)	Stainless Steel	Titanium
20	122.120-S	TI-122.120-S
22	122.122-S	TI-122.122-S
24	122.124-S	TI-122.124-S
26	122.126-S	TI-122.126-S
28	122.128-S	TI-122.128-S
30	122.130-S	TI-122.130-S
32	122.132-S	TI-122.132-S
34	122.134-S	TI-122.134-S
36	122.136-S	TI-122.136-S
38	122.138-S	TI-122.138-S
40	122.140-S	TI-122.140-S
42	122.142-S	TI-122.142-S
44	122.144-S	TI-122.144-S
46	122.146-S	TI-122.146-S
48	122.148-S	TI-122.148-S
50	122.150-S	TI-122.150-S
52	122.152-S	TI-122.152-S
54	122.154-S	TI-122.154-S
56	122.156-S	TI-122.156-S
58	122.158-S	TI-122.158-S
60	122.160-S	TI-122.160-S
62	122.162-S	TI-122.162-S
64	122.164-S	TI-122.164-S
66	122.166-S	TI-122.166-S
68	122.168-S	TI-122.168-S
70	122.170-S	TI-122.170-S
72	122.172-S	TI-122.172-S
74	122.174-S	TI-122.174-S
76	122.176-S	TI-122.176-S
78	122.178-S	TI-122.178-S
80	122.180-S	TI-122.180-S

4.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.320	TI-122.320
22	122.322	TI-122.322
24	122.324	TI-122.324
26	122.326	TI-122.326
28	122.328	TI-122.328
30	122.330	TI-122.330
32	122.332	TI-122.332
34	122.334	TI-122.334
36	122.336	TI-122.336
38	122.338	TI-122.338
40	122.340	TI-122.340
42	122.342	TI-122.342
44	122.344	TI-122.344
46	122.346	TI-122.346
48	122.348	TI-122.348
50	122.350	TI-122.350
52	122.352	TI-122.352
54	122.354	TI-122.354
56	122.356	TI-122.356
58	122.358	TI-122.358
60	122.360	TI-122.360
62	122.362	TI-122.362
64	122.364	TI-122.364
66	122.366	TI-122.366
68	122.368	TI-122.368
70	122.370	TI-122.370
72	122.372	TI-122.372
74	122.374	TI-122.374
76	122.376	TI-122.376
78	122.378	TI-122.378
80	122.380	TI-122.380

STERILE

Length (mm)	Stainless Steel	Titanium
20	122.320-S	TI-122.320-S
22	122.322-S	TI-122.322-S
24	122.324-S	TI-122.324-S
26	122.326-S	TI-122.326-S
28	122.328-S	TI-122.328-S
30	122.330-S	TI-122.330-S
32	122.332-S	TI-122.332-S
34	122.334-S	TI-122.334-S
36	122.336-S	TI-122.336-S
38	122.338-S	TI-122.338-S
40	122.340-S	TI-122.340-S
42	122.342-S	TI-122.342-S
44	122.344-S	TI-122.344-S
46	122.346-S	TI-122.346-S
48	122.348-S	TI-122.348-S
50	122.350-S	TI-122.350-S
52	122.352-S	TI-122.352-S
54	122.354-S	TI-122.354-S
56	122.356-S	TI-122.356-S
58	122.358-S	TI-122.358-S
60	122.360-S	TI-122.360-S
62	122.362-S	TI-122.362-S
64	122.364-S	TI-122.364-S
66	122.366-S	TI-122.366-S
68	122.368-S	TI-122.368-S
70	122.370-S	TI-122.370-S
72	122.372-S	TI-122.372-S
74	122.374-S	TI-122.374-S
76	122.376-S	TI-122.376-S
78	122.378-S	TI-122.378-S
80	122.380-S	TI-122.380-S


Washer For Large Fragment Screw



	Stainless Steel	Titanium
Code	100.120	TI-100.120

STERILE

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S



3435-04 Cannulated Drill Bit with Quick Coupling, Ø4.5mm x Length 170mm



3435-03 Cannulated Drill Bit with Quick Coupling, Ø3.2mm x Length 170mm



2100-1.5-160 Drill Bit Quick Coupling End, Ø1.5mm x Length 160mm



3767-4.5 Double Drill Guide, Ø4.5/3.2mm



3767-3.2 Double Drill Guide, Ø3.2/1.6mm



3432-01 Bone Tap with Quick Coupling for Ø4.5mm Cannulated Screw, Quick Coupling



3433-02

Cannulated Screwdriver, Hex 3.5mm


3446-000

Fiber Handle with Quick Coupling, Cannulated


3430-02

Cannulated Countersink with Quick Coupling for Ø4.5mm Screw


3427-02

Stylet, Ø1.6mm


3426-02


Guide Wire with Threaded Trocar Tip Ø1.6mm x Thread Length 14mm x Length 240mm


3431-02


Direct Measuring Device for Ø4.5mm Screw




3425-000 Holding Clip For Washer



3415-000 Screw Holding Forcep




7-122-01 Instrument Tray for 4.5mm Cannulated Cortical Screw Instruments Set



A10-010 Container for 4.5mm Cannulated Cortical Screw Instruments Set



2338-000 4.5mm Cannulated Cortical Screw Instrument Set


Item Code	Item Name	Unit
3435-04	Cannulated Drill Bit with Quick Coupling, Ø4.5mm x Length 170mm	1
3435-03	Cannulated Drill Bit with Quick Coupling, Ø3.2mm x Length 170mm	2
2100-1.5-160	Drill Bit Quick Coupling End, Ø1.5mm x Length 160mm	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
3767-3.2	Double Drill Guide, Ø3.2/1.6mm	1
3432-01	Bone Tap with Quick Coupling for Ø4.5mm Cannulated Screw, Quick Coupling	1
3433-02	Cannulated Screwdriver, Hex 3.5mm	1
3446-000	Fiber Handle with Quick Coupling, Cannulated	1
3430-02	Cannulated Countersink with Quick Coupling for Ø4.5mm Screw	1
3427-02	Stylet, Ø1.6mm	1
3426-02	Guide Wire with Threaded Trocar Tip Ø1.6mm x Thread Length 14mm x Length 240mm	10
3431-02	Direct Measuring Device for Ø4.5mm Screw	1
3425-000	Holding Clip For Washer	1
3415-000	Screw Holding Forcep	1
7-122-01	Instrument Tray for 4.5mm Cannulated Cortical Screw Instruments Set	1
A10-010	Container for 4.5mm Cannulated Cortical Screw Instruments Set	1

6.5mm Cannulated Screws

6.5mm Cancellous Screw, 16mm Thread


STERILE

Length (mm)	Stainless Steel	Titanium
30	111.030	TI-111.030
35	111.035	TI-111.035
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100
105	111.105	TI-111.105
110	111.110	TI-111.110

Length (mm)	Stainless Steel	Titanium
30	111.030-S	TI-111.030-S
35	111.035-S	TI-111.035-S
40	111.040-S	TI-111.040-S
45	111.045-S	TI-111.045-S
50	111.050-S	TI-111.050-S
55	111.055-S	TI-111.055-S
60	111.060-S	TI-132.060-S
65	111.065-S	TI-111.065-S
70	111.070-S	TI-111.070-S
75	111.075-S	TI-111.075-S
80	111.080-S	TI-111.080-S
85	111.085-S	TI-111.085-S
90	111.090-S	TI-111.090-S
95	111.095-S	TI-111.095-S
100	111.100-S	TI-111.100-S
105	111.105-S	TI-111.105-S
110	111.110-S	TI-111.110-S

6.5mm Cancellous Screw, 32mm Thread

STERILE

Length (mm)	Stainless Steel	Titanium
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100
105	112.105	TI-112.105
110	112.110	TI-112.110
115	112.115	TI-112.115
120	112.120	TI-112.120

Length (mm)	Stainless Steel	Titanium
45	112.045-S	T-112.045-S
50	112.050-S	T-112.050-S
55	112.055-S	T-112.055-S
60	112.060-S	T-112.060-S
65	112.065-S	T-112.065-S
70	112.070-S	T-112.070-S
75	112.075-S	T-112.075-S
80	112.080-S	T-112.080-S
85	112.085-S	T-112.085-S
90	112.090-S	T-112.090-S
95	112.095-S	T-112.095-S
100	112.100-S	T-112.100-S
105	112.105-S	T-112.105-S
110	112.110-S	T-112.110-S
115	112.115-S	T-112.115-S
120	112.120-S	T-112.120-S

6.5mm Cancellous Screw, Full Thread


STERILE

Length (mm)	Stainless Steel	Titanium
25	113.025	TI-113.025
30	113.030	TI-113.030
35	113.035	TI-113.035
40	113.040	TI-113.040
45	113.045	TI-113.045
50	113.050	TI-113.050
55	113.055	TI-113.055
60	113.060	TI-132.060
65	113.065	TI-113.065
70	113.070	TI-113.070
75	113.075	TI-132.075
80	113.080	TI-132.080
85	113.085	TI-132.085
90	113.090	TI-132.090
95	113.095	TI-132.095
100	113.100	TI-132.100
105	113.105	TI-132.105
110	113.110	TI-132.110

Length (mm)	Stainless Steel	Titanium
25	113.025-S	TI-113.025-S
30	113.030-S	TI-113.030-S
35	113.035-S	TI-113.035-S
40	113.040-S	TI-113.040-S
45	113.045-S	TI-113.045-S
50	113.050-S	TI-113.050-S
55	113.055-S	TI-113.055-S
60	113.060-S	TI-132.060-S
65	113.065-S	TI-113.065-S
70	113.070-S	TI-113.070-S
75	113.075-S	TI-132.075-S
80	113.080-S	TI-132.080-S
85	113.085-S	TI-132.085-S
90	113.090-S	TI-132.090-S
95	113.095-S	TI-132.095-S
100	113.100-S	TI-132.100-S
105	113.105-S	TI-132.105-S
110	113.110-S	TI-132.110-S

6.5mm Cannulated Cancellous Screw, 16mm Thread

STERILE

Length (mm)	Stainless Steel	Titanium
30	126.030	TI-126.030
35	126.035	TI-126.035
40	126.040	TI-126.040
45	126.045	TI-126.045
50	126.050	TI-126.050
55	126.055	TI-126.055
60	126.060	TI-126.060
65	126.065	TI-126.065
70	126.070	TI-126.070
75	126.075	TI-126.075
80	126.080	TI-126.080
85	126.085	TI-126.085
90	126.090	TI-126.090
95	126.095	TI-126.095
100	126.100	TI-126.100
105	126.105	TI-126.105
110	126.110	TI-126.110
115	126.115	TI-126.115
120	126.120	TI-126.120

Length (mm)	Stainless Steel	Titanium
30	126.030-S	TI-126.030-S
35	126.035-S	TI-126.035-S
40	126.040-S	TI-126.040-S
45	126.045-S	TI-126.045-S
50	126.050-S	TI-126.050-S
55	126.055-S	TI-126.055-S
60	126.060-S	TI-126.060-S
65	126.065-S	TI-126.065-S
70	126.070-S	TI-126.070-S
75	126.075-S	TI-126.075-S
80	126.080-S	TI-126.080-S
85	126.085-S	TI-126.085-S
90	126.090-S	TI-126.090-S
95	126.095-S	TI-126.095-S
100	126.100-S	TI-126.100-S
105	126.105-S	TI-126.105-S
110	126.110-S	TI-126.110-S
115	126.115-S	TI-126.115-S
120	126.120-S	TI-126.120-S

6.5mm Cannulated Cancellous Screw, 32mm Thread


STERILE

Length (mm)	Stainless Steel	Titanium
30	127.030	TI-127.030
35	127.035	TI-127.035
40	127.040	TI-127.040
45	127.045	TI-127.045
50	127.050	TI-127.050
55	127.055	TI-127.055
60	127.060	TI-127.060
65	127.065	TI-127.065
70	127.070	TI-127.070
75	127.075	TI-127.075
80	127.080	TI-127.080
85	127.085	TI-127.085
90	127.090	TI-127.090
95	127.095	TI-127.095
100	127.100	TI-127.100
105	127.105	TI-127.105
110	127.110	TI-127.110
115	127.115	TI-127.115
120	127.120	TI-127.120

Length (mm)	Stainless Steel	Titanium
30	127.030-S	TI-127.030-S
35	127.035-S	TI-127.035-S
40	127.040-S	TI-127.040-S
45	127.045-S	TI-127.045-S
50	127.050-S	TI-127.050-S
55	127.055-S	TI-127.055-S
60	127.060-S	TI-127.060-S
65	127.065-S	TI-127.065-S
70	127.070-S	TI-127.070-S
75	127.075-S	TI-127.075-S
80	127.080-S	TI-127.080-S
85	127.085-S	TI-127.085-S
90	127.090-S	TI-127.090-S
95	127.095-S	TI-127.095-S
100	127.100-S	TI-127.100-S
105	127.105-S	TI-127.105-S
110	127.110-S	TI-127.110-S
115	127.115-S	TI-127.115-S
120	127.120-S	TI-127.120-S

6.5mm Cannulated Cancellous Screw, Full Thread


STERILE

Length (mm)	Stainless Steel	Titanium
30	128.030	TI-128.030
35	128.035	TI-128.035
40	128.040	TI-128.040
45	128.045	TI-128.045
50	128.050	TI-128.050
55	128.055	TI-128.055
60	128.060	TI-128.060
65	128.065	TI-128.065
70	128.070	TI-128.070
75	128.075	TI-128.075
80	128.080	TI-128.080
85	128.085	TI-128.085
90	128.090	TI-128.090
95	128.095	TI-128.095
100	128.100	TI-128.100
105	128.105	TI-128.105
110	128.110	TI-128.110
115	128.115	TI-128.115
120	128.120	TI-128.120

Length (mm)	Stainless Steel	Titanium
30	128.030-S	TI-128.030-S
35	128.035-S	TI-128.035-S
40	128.040-S	TI-128.040-S
45	128.045-S	TI-128.045-S
50	128.050-S	TI-128.050-S
55	128.055-S	TI-128.055-S
60	128.060-S	TI-128.060-S
65	128.065-S	TI-128.065-S
70	128.070-S	TI-128.070-S
75	128.075-S	TI-128.075-S
80	128.080-S	TI-128.080-S
85	128.085-S	TI-128.085-S
90	128.090-S	TI-128.090-S
95	128.095-S	TI-128.095-S
100	128.100-S	TI-128.100-S
105	128.105-S	TI-128.105-S
110	128.110-S	TI-128.110-S
115	128.115-S	TI-128.115-S
120	128.120-S	TI-128.120-S

6.5mm Cannulated Screw, 16mm Thread, Self-Drilling

STERILE

Length (mm)	Stainless Steel	Titanium
30	132.030	TI-132.030
35	132.035	TI-132.035
40	132.040	TI-132.040
45	132.045	TI-132.045
50	132.050	TI-132.050
55	132.055	TI-132.055
60	132.060	TI-132.060
65	132.065	TI-132.065
70	132.070	TI-132.070
75	132.075	TI-132.075
80	132.080	TI-132.080
85	132.085	TI-132.085
90	132.090	TI-132.090
95	132.095	TI-132.095
100	132.100	TI-132.100
105	132.105	TI-132.105
110	132.110	TI-132.110
115	132.115	TI-132.115
120	132.120	TI-132.120
125	132.125	TI-132.125
130	132.130	TI-132.130
135	132.135	TI-132.135
140	132.140	TI-132.140
145	132.145	TI-132.145
150	132.150	TI-132.150

Length (mm)	Stainless Steel	Titanium
30	132.030-S	TI-132.030-S
35	132.035-S	TI-132.035-S
40	132.040-S	TI-132.040-S
45	132.045-S	TI-132.045-S
50	132.050-S	TI-132.050-S
55	132.055-S	TI-132.055-S
60	132.060-S	TI-132.060-S
65	132.065-S	TI-132.065-S
70	132.070-S	TI-132.070-S
75	132.075-S	TI-132.075-S
80	132.080-S	TI-132.080-S
85	132.085-S	TI-132.085-S
90	132.090-S	TI-132.090-S
95	132.095-S	TI-132.095-S
100	132.100-S	TI-132.100-S
105	132.105-S	TI-132.105-S
110	132.110-S	TI-132.110-S
115	132.115-S	TI-132.115-S
120	132.120-S	TI-132.120-S
125	132.125-S	TI-132.125-S
130	132.130-S	TI-132.130-S
135	132.135-S	TI-132.135-S
140	132.140-S	TI-132.140-S
145	132.145-S	TI-132.145-S
150	132.150-S	TI-132.150-S

6.5mm Cannulated Screw, 32mm Thread, Self-Drilling

STERILE

Length (mm)	Stainless Steel	Titanium
45	132.245	TI-132.245
50	132.250	TI-132.250
55	132.255	TI-132.255
60	132.260	TI-132.260
65	132.265	TI-132.265
70	132.270	TI-132.270
75	132.275	TI-132.275
80	132.280	TI-132.280
85	132.285	TI-132.285
90	132.290	TI-132.290
95	132.295	TI-132.295
100	132.300	TI-132.300
105	132.305	TI-132.305
110	132.310	TI-132.310
115	132.315	TI-132.315
120	132.320	TI-132.320
125	132.325	TI-132.325
130	132.330	TI-132.330
135	132.335	TI-132.335
140	132.340	TI-132.340
145	132.345	TI-132.345
150	132.350	TI-132.350

Length (mm)	Stainless Steel	Titanium
45	132.245-S	TI-132.245-S
50	132.250-S	TI-132.250-S
55	132.255-S	TI-132.255-S
60	132.260-S	TI-132.260-S
65	132.265-S	TI-132.265-S
70	132.270-S	TI-132.270-S
75	132.275-S	TI-132.275-S
80	132.280-S	TI-132.280-S
85	132.285-S	TI-132.285-S
90	132.290-S	TI-132.290-S
95	132.295-S	TI-132.295-S
100	132.300-S	TI-132.300-S
105	132.305-S	TI-132.305-S
110	132.310-S	TI-132.310-S
115	132.315-S	TI-132.315-S
120	132.320-S	TI-132.320-S
125	132.325-S	TI-132.325-S
130	132.330-S	TI-132.330-S
135	132.335-S	TI-132.335-S
140	132.340-S	TI-132.340-S
145	132.345-S	TI-132.345-S
150	132.350-S	TI-132.350-S

6.5mm Cannulated Screw, Full Thread, Self-Drilling




Length (mm)	Stainless Steel	Titanium
20	133.020	TI-133.020
25	133.025	TI-133.025
30	133.030	TI-133.030
35	133.035	TI-133.035
40	133.040	TI-133.040
45	133.045	TI-133.045
50	133.050	TI-133.050
55	133.055	TI-133.055
60	133.060	TI-133.060
65	133.065	TI-133.065
70	133.070	TI-133.070
75	133.075	TI-133.075
80	133.080	TI-133.080
85	133.085	TI-133.085
90	133.090	TI-133.090
95	133.095	TI-133.095
100	133.100	TI-133.100
105	133.105	TI-133.105
110	133.110	TI-133.110
115	133.115	TI-133.115
120	133.120	TI-133.120
125	133.125	TI-133.125
130	133.130	TI-133.130

STERILE

Length (mm)	Stainless Steel	Titanium
20	133.020-S	TI-133.020-S
25	133.025-S	TI-133.025-S
30	133.030-S	TI-133.030-S
35	133.035-S	TI-133.035-S
40	133.040-S	TI-133.040-S
45	133.045-S	TI-133.045-S
50	133.050-S	TI-133.050-S
55	133.055-S	TI-133.055-S
60	133.060-S	TI-133.060-S
65	133.065-S	TI-133.065-S
70	133.070-S	TI-133.070-S
75	133.075-S	TI-133.075-S
80	133.080-S	TI-133.080-S
85	133.085-S	TI-133.085-S
90	133.090-S	TI-133.090-S
95	133.095-S	TI-133.095-S
100	133.100-S	TI-133.100-S
105	133.105-S	TI-133.105-S
110	133.110-S	TI-133.110-S
115	133.115-S	TI-133.115-S
120	133.120-S	TI-133.120-S
125	133.125-S	TI-133.125-S
130	133.130-S	TI-133.130-S

Washer For Large Fragment Screw



	Stainless Steel	Titanium
Code	100.120	TI-100.120

STERILE

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S

7.0mm Cannulated Screws

7.0mm Cannulated Cancellous Screw, 16mm Thread


STERILE

Length (mm)	Stainless Steel	Titanium
25	129.025	TI-129.025
30	129.030	TI-129.030
35	129.035	TI-129.035
40	129.040	TI-129.040
45	129.045	TI-129.045
50	129.050	TI-129.050
55	129.055	TI-129.055
60	129.060	TI-129.060
65	129.065	TI-129.065
70	129.070	TI-129.070
75	129.075	TI-129.075
80	129.080	TI-129.080
85	129.085	TI-129.085
90	129.090	TI-129.090
95	129.095	TI-129.095
100	129.100	TI-129.100
105	129.105	TI-129.105
110	129.110	TI-129.110
115	129.115	TI-129.115
120	129.120	TI-129.120
125	129.125	TI-129.125
130	129.130	TI-129.130
135	129.135	TI-129.135
140	129.140	TI-129.140
145	129.145	TI-129.145
150	129.150	TI-129.150
155	129.155	TI-129.155
160	129.160	TI-129.160
165	129.165	TI-129.165
170	129.170	TI-129.170
* 175	129.175	TI-129.175
* 180	129.180	TI-129.180

Length (mm)	Stainless Steel	Titanium
25	129.025-S	TI-129.025-S
30	129.030-S	TI-129.030-S
35	129.035-S	TI-129.035-S
40	129.040-S	TI-129.040-S
45	129.045-S	TI-129.045-S
50	129.050-S	TI-129.050-S
55	129.055-S	TI-129.055-S
60	129.060-S	TI-129.060-S
65	129.065-S	TI-129.065-S
70	129.070-S	TI-129.070-S
75	129.075-S	TI-129.075-S
80	129.080-S	TI-129.080-S
85	129.085-S	TI-129.085-S
90	129.090-S	TI-129.090-S
95	129.095-S	TI-129.095-S
100	129.100-S	TI-129.100-S
105	129.105-S	TI-129.105-S
110	129.110-S	TI-129.110-S
115	129.115-S	TI-129.115-S
120	129.120-S	TI-129.120-S
125	129.125-S	TI-129.125-S
130	129.130-S	TI-129.130-S
135	129.135-S	TI-129.135-S
140	129.140-S	TI-129.140-S
145	129.145-S	TI-129.145-S
150	129.150-S	TI-129.150-S
155	129.155-S	TI-129.155-S
160	129.160-S	TI-129.160-S
165	129.165-S	TI-129.165-S
170	129.170-S	TI-129.170-S
* 175	129.175-S	TI-129.175-S
* 180	129.180-S	TI-129.180-S



* Sizes not available in Screw Caddy

7.0mm Cannulated Cancellous Screw, 32mm Thread


Length (mm)	Stainless Steel	Titanium
45	130.045	TI-130.045
50	130.050	TI-130.050
55	130.055	TI-130.055
60	130.060	TI-130.060
65	130.065	TI-130.065
70	130.070	TI-130.070
75	130.075	TI-130.075
80	130.080	TI-130.080
85	130.085	TI-130.085
90	130.090	TI-130.090
95	130.095	TI-130.095
100	130.100	TI-130.100
105	130.105	TI-130.105
110	130.110	TI-130.110
* 115	130.115	TI-130.115
* 120	130.120	TI-130.120

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
45	130.045-S	TI-130.245-S
50	130.050-S	TI-130.250-S
55	130.055-S	TI-130.255-S
60	130.060-S	TI-130.260-S
65	130.065-S	TI-130.265-S
70	130.070-S	TI-130.270-S
75	130.075-S	TI-130.275-S
80	130.080-S	TI-130.280-S
85	130.085-S	TI-130.285-S
90	130.090-S	TI-130.290-S
95	130.095-S	TI-130.295-S
100	130.100-S	TI-130.300-S
105	130.105-S	TI-130.305-S
110	130.110-S	TI-130.310-S
* 115	130.115-S	TI-130.315-S
* 120	130.120-S	TI-130.320-S

* Sizes not available in Screw Caddy



7.0mm Cannulated Cancellous Screw, Full Thread



Length (mm)	Stainless Steel	Titanium
30	131.030	TI-131.030
35	131.035	TI-131.035
40	131.040	TI-131.040
45	131.045	TI-131.045
50	131.050	TI-131.050
55	131.055	TI-131.055
60	131.060	TI-131.060
65	131.065	TI-131.065
70	131.070	TI-131.070
75	131.075	TI-131.075
80	131.080	TI-131.080
85	131.085	TI-131.085
90	131.090	TI-131.090
95	131.095	TI-131.095
100	131.100	TI-131.100
105	131.105	TI-131.105
110	131.110	TI-131.110
* 115	131.115	TI-131.115
* 120	131.120	TI-131.120

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
30	131.030-S	TI-131.030-S
35	131.035-S	TI-131.035-S
40	131.040-S	TI-131.040-S
45	131.045-S	TI-131.045-S
50	131.050-S	TI-131.050-S
55	131.055-S	TI-131.055-S
60	131.060-S	TI-131.060-S
65	131.065-S	TI-131.065-S
70	131.070-S	TI-131.070-S
75	131.075-S	TI-131.075-S
80	131.080-S	TI-131.080-S
85	131.085-S	TI-131.085-S
90	131.090-S	TI-131.090-S
95	131.095-S	TI-131.095-S
100	131.100-S	TI-131.100-S
105	131.105-S	TI-131.105-S
110	131.110-S	TI-131.110-S
* 115	131.115-S	TI-131.115-S
* 120	131.120-S	TI-131.120-S

* Sizes not available in Screw Caddy



7.0mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
30	129.230	TI-129.230
35	129.235	TI-129.235
40	129.240	TI-129.240
45	129.245	TI-129.245
50	129.250	TI-129.250
55	129.255	TI-129.255
60	129.260	TI-129.260
65	129.265	TI-129.265
70	129.270	TI-129.270
75	129.275	TI-129.275
80	129.280	TI-129.280
85	129.285	TI-129.285
90	129.290	TI-129.290
95	129.295	TI-129.295
100	129.300	TI-129.300
105	129.305	TI-129.305
110	129.310	TI-129.310
* 115	129.315	TI-129.315
* 120	129.320	TI-129.320

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
30	129.230-S	TI-129.230-S
35	129.235-S	TI-129.235-S
40	129.240-S	TI-129.240-S
45	129.245-S	TI-129.245-S
50	129.250-S	TI-129.250-S
55	129.255-S	TI-129.255-S
60	129.260-S	TI-129.260-S
65	129.265-S	TI-129.265-S
70	129.270-S	TI-129.270-S
75	129.275-S	TI-129.275-S
80	129.280-S	TI-129.280-S
85	129.285-S	TI-129.285-S
90	129.290-S	TI-129.290-S
95	129.295-S	TI-129.295-S
100	129.300-S	TI-129.300-S
105	129.305-S	TI-129.305-S
110	129.310-S	TI-129.310-S
* 115	129.315-S	TI-129.315-S
* 120	129.320-S	TI-129.320-S

* Sizes not available in Screw Caddy



7.0mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
35	130.235	TI-130.235
40	130.240	TI-130.240
45	130.245	TI-130.245
50	130.250	TI-130.250
55	130.255	TI-130.255
60	130.260	TI-130.260
65	130.265	TI-130.265
70	130.270	TI-130.270
75	130.275	TI-130.275
80	130.280	TI-130.280
85	130.285	TI-130.285
90	130.290	TI-130.290
95	130.295	TI-130.295
100	130.300	TI-130.300
105	130.305	TI-130.305
110	130.310	TI-130.310
* 115	130.315	TI-130.315
* 120	130.320	TI-130.320

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
35	130.235-S	TI-130.235-S
40	130.240-S	TI-130.240-S
45	130.245-S	TI-130.245-S
50	130.250-S	TI-130.250-S
55	130.255-S	TI-130.255-S
60	130.260-S	TI-130.260-S
65	130.265-S	TI-130.265-S
70	130.270-S	TI-130.270-S
75	130.275-S	TI-130.275-S
80	130.280-S	TI-130.280-S
85	130.285-S	TI-130.285-S
90	130.290-S	TI-130.290-S
95	130.295-S	TI-130.295-S
100	130.300-S	TI-130.300-S
105	130.305-S	TI-130.305-S
110	130.310-S	TI-130.310-S
* 115	130.315-S	TI-130.315-S
* 120	130.320-S	TI-130.320-S

* Sizes not available in Screw Caddy



7.0mm Cannulated Cancellous Screw, Full Thread, Self-Drilling




Length (mm)	Stainless Steel	Titanium
30	131.230	TI-131.230
35	131.235	TI-131.235
40	131.240	TI-131.240
45	131.245	TI-131.245
50	131.250	TI-131.250
55	131.255	TI-131.255
60	131.260	TI-131.260
65	131.265	TI-131.265
70	131.270	TI-131.270
75	131.275	TI-131.275
80	131.280	TI-131.280
85	131.285	TI-131.285
90	131.290	TI-131.290
95	131.295	TI-131.295
100	131.300	TI-131.300
105	131.305	TI-131.305
110	131.310	TI-131.310
* 115	131.315	TI-131.315
* 120	131.320	TI-131.320

* Sizes not available in Screw Caddy


STERILE

Length (mm)	Stainless Steel	Titanium
30	131.230-S	TI-131.230-S
35	131.235-S	TI-131.235-S
40	131.240-S	TI-131.240-S
45	131.245-S	TI-131.245-S
50	131.250-S	TI-131.250-S
55	131.255-S	TI-131.255-S
60	131.260-S	TI-131.260-S
65	131.265-S	TI-131.265-S
70	131.270-S	TI-131.270-S
75	131.275-S	TI-131.275-S
80	131.280-S	TI-131.280-S
85	131.285-S	TI-131.285-S
90	131.290-S	TI-131.290-S
95	131.295-S	TI-131.295-S
100	131.300-S	TI-131.300-S
105	131.305-S	TI-131.305-S
110	131.310-S	TI-131.310-S
* 115	131.315-S	TI-131.315-S
* 120	131.320-S	TI-131.320-S

* Sizes not available in Screw Caddy



Washer For Large Fragment Screw




	Stainless Steel	Titanium
Code	100.120	TI-100.120

STERILE

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S

ST-005-7.0 Screw Caddy For 7.0mm Cannulated Cancellous Screw
(Tray Without Screw)




**7.0mm Cannulated Cancellous Screw,
16mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
129.230	TI-129.230	30mm	2
129.235	TI-129.235	35mm	2
129.240	TI-129.240	40mm	2
129.245	TI-129.245	45mm	2
129.250	TI-129.250	50mm	2
129.255	TI-129.255	55mm	2
129.260	TI-129.260	60mm	2
129.265	TI-129.265	65mm	2
129.270	TI-129.270	70mm	2
129.275	TI-129.275	75mm	4
129.280	TI-129.280	80mm	4
129.285	TI-129.285	85mm	4
129.290	TI-129.290	90mm	4
129.295	TI-129.295	95mm	2
129.300	TI-129.300	100mm	2
129.305	TI-129.305	105mm	2
129.310	TI-129.310	110mm	2
129.315	TI-129.315	115mm	2

**7.0mm Cannulated Cancellous Screw,
Full Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
131.230	TI-131.250	30mm	2
131.235	TI-131.255	35mm	2
131.240	TI-131.260	40mm	2
131.245	TI-131.265	45mm	2
131.250	TI-131.250	50mm	2
131.255	TI-131.255	55mm	2
131.260	TI-131.260	60mm	2
131.265	TI-131.265	65mm	2
131.270	TI-131.270	70mm	2
131.275	TI-131.275	75mm	4
131.280	TI-131.280	80mm	4
131.285	TI-131.285	85mm	4
131.290	TI-131.290	90mm	4
131.295	TI-131.295	95mm	2
131.300	TI-131.300	100mm	2
131.305	TI-131.305	105mm	2
131.310	TI-131.310	110mm	2
131.315	TI-131.315	115mm	2


**7.0mm Cannulated Cancellous Screw,
32mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
130.235	TI-130.235	35mm	2
130.240	TI-130.240	40mm	2
130.245	TI-130.245	45mm	2
130.250	TI-130.250	50mm	2
130.255	TI-130.255	55mm	2
130.260	TI-130.260	60mm	2
130.265	TI-130.265	65mm	2
130.270	TI-130.270	70mm	2
130.275	TI-130.275	75mm	4
130.280	TI-130.280	80mm	4
130.285	TI-130.285	85mm	4
130.290	TI-130.290	90mm	4
130.295	TI-130.295	95mm	2
130.300	TI-130.300	100mm	2
130.305	TI-130.305	105mm	2
130.310	TI-130.310	110mm	2
130.315	TI-130.315	115mm	2

451-2.0-250E Guide Wire, Ø2.0mm x Length 250mm



GW-2.0-250 Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm



3433-02 Cannulated Screwdriver, Hex 3.5mm



1490-01 Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm



1482-01 Wire Sleeve Bolt Key



1481-01 Wire Sleeve for Guide Wire, Ø2.0mm



1480-4.5-2.0

Double Drill Guide, Ø4.5/2.0mm


3436-013

Parallel Guide for Guide Wire, Ø2.0mm


3436-014

Direct Measuring Device for Cannulated Cancellous Screw


7-057-01

Screw Holding Forcep for Ø7.0mm Screw


2191-4.5-250

Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm


3435-000

Stopper for Drill Bit Ø4.5mm



7-057-02

Allen Key, Hex 3.0mm, for Ø7.0mm Screw


1491-01

Trocar Ø2.0mm, for Ø7.0mm Screw


1492-01

Guide Sleeve Ø4.5/2.0mm


1493-01

Drill Sleeve Ø8.0/4.5mm


1483-01

Cannulated Countersink with T-Handle for Ø7.0mm Screw


3443.38-5.0

Extraction Screw, Ø5.0mm



3436-012

Protection Sleeve for Drill Bit Ø4.5mm


3436-011


Cannulated Tap with T-Handle for Ø7.0mm Screw



3436-016


Stylet Ø2.0mm


ST-005-7.0

Screw Caddy for 7.0mm Cannulated Cancellous Screw


7-057-03

 Instrument Tray for 7.0mm
Cannulated Cancellous Screw Instrument Set

A10-012

 Container For 7.0mm
Cannulated Cancellous Screw Instrument Set


IS006 7.0mm Cannulated Cancellous Screw Instrument Set



IS006 7.0mm Cannulated Cancellous Screw Instrument Set

Item Code	Item Name	Unit
451-2.0-250E	Guide Wire, Ø2.0mm x Length 250mm	3
GW-2.0-250	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm	3
3433-02	Cannulated Screwdriver, Hex 3.5mm	2
1490-01	Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm	1
1482-01	Wire Sleeve Bolt Key	1
1481-01	Wire Sleeve for Guide Wire, Ø2.0mm	1
1480-4.5-2.0	Double Drill Guide, Ø4.5/2.0mm	1
3436-013	Parallel Guide for Guide Wire, Ø2.0mm	1
3436-014	Direct Measuring Device for Cannulated Cancellous Screw	1
7-057-01	Screw Holding Forcep for Ø7.0mm Screw	1
2191-4.5-250	Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm	1
3435-000	Stopper for Drill Bit Ø4.5mm	1
7-057-02	Allen Key, Hex 3.0mm, for Ø7.0mm Screw	1
1491-01	Trocar Ø2.0mm, for Ø7.0mm Screw	1
1492-01	Guide Sleeve Ø4.5/2.0mm	1
1493-01	Drill Sleeve Ø8.0/4.5mm	1
1483-01	Cannulated Countersink with T-Handle for Ø7.0mm Screw	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3436-012	Protection Sleeve for Drill Bit Ø4.5mm	1
3436-011	Cannulated Tap with T-Handle for Ø7.0mm Screw	1
3436-016	Stylet Ø2.0mm	1
ST-005-7.0	Screw Caddy for 7.0mm Cannulated Cancellous Screw	1
7-057-03	Instrument Tray for 7.0mm Cannulated Cancellous Screw Instrument Set	2
A10-012	Container For 7.0mm Cannulated Cancellous Screw Instrument Set	1

7.3mm Cannulated Screws

7.3mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
30	134.030	TI-134.030
35	134.035	TI-134.035
40	134.040	TI-134.040
45	134.045	TI-134.045
50	134.050	TI-134.050
55	134.055	TI-134.055
60	134.060	TI-134.060
65	134.065	TI-134.065
70	134.070	TI-134.070
75	134.075	TI-134.075
80	134.080	TI-134.080
85	134.085	TI-134.085
90	134.090	TI-134.090
95	134.095	TI-134.095
100	134.100	TI-134.100
105	134.105	TI-134.105
110	134.110	TI-134.110
* 115	134.115	TI-134.115
* 120	134.120	TI-134.120
* 125	134.125	TI-134.125
* 130	134.130	TI-134.130
* 135	134.135	TI-134.135
* 140	134.140	TI-134.140
* 145	134.145	TI-134.145
* 150	134.150	TI-134.150

* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
30	134.030-S	TI-134.030-S
35	134.035-S	TI-134.035-S
40	134.040-S	TI-134.040-S
45	134.045-S	TI-134.045-S
50	134.050-S	TI-134.050-S
55	134.055-S	TI-134.055-S
60	134.060-S	TI-134.060-S
65	134.065-S	TI-134.065-S
70	134.070-S	TI-134.070-S
75	134.075-S	TI-134.075-S
80	134.080-S	TI-134.080-S
85	134.085-S	TI-134.085-S
90	134.090-S	TI-134.090-S
95	134.095-S	TI-134.095-S
100	134.100-S	TI-134.100-S
105	134.105-S	TI-134.105-S
110	134.110-S	TI-134.110-S
* 115	134.115-S	TI-134.115-S
* 120	134.120-S	TI-134.120-S
* 125	134.125-S	TI-134.125-S
* 130	134.130-S	TI-134.130-S
* 135	134.135-S	TI-134.135-S
* 140	134.140-S	TI-134.140-S
* 145	134.145-S	TI-134.145-S
* 150	134.150-S	TI-134.150-S

* Sizes not available in Screw Caddy

7.3mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling

STERILE


Length (mm)	Stainless Steel	Titanium
35	134.235	TI-134.235
40	134.240	TI-134.240
45	134.245	TI-134.245
50	134.250	TI-134.250
55	134.255	TI-134.255
60	134.260	TI-134.260
65	134.265	TI-134.265
70	134.270	TI-134.270
75	134.275	TI-134.275
80	134.280	TI-134.280
85	134.285	TI-134.285
90	134.290	TI-134.290
95	134.295	TI-134.295
100	134.300	TI-134.300
105	134.305	TI-134.305
110	134.310	TI-134.310
* 115	134.315	TI-134.315
* 120	134.320	TI-134.320
* 125	134.325	TI-134.325
* 130	134.330	TI-134.330
* 135	134.335	TI-134.335
* 140	134.340	TI-134.340
* 145	134.345	TI-134.345
* 150	134.350	TI-134.350

* Sizes not available in Screw Caddy

Length (mm)	Stainless Steel	Titanium
35	134.235-S	TI-134.235-S
40	134.240-S	TI-134.240-S
45	134.245-S	TI-134.245-S
50	134.250-S	TI-134.250-S
55	134.255-S	TI-134.255-S
60	134.260-S	TI-134.260-S
65	134.265-S	TI-134.265-S
70	134.270-S	TI-134.270-S
75	134.275-S	TI-134.275-S
80	134.280-S	TI-134.280-S
85	134.285-S	TI-134.285-S
90	134.290-S	TI-134.290-S
95	134.295-S	TI-134.295-S
100	134.300-S	TI-134.300-S
105	134.305-S	TI-134.305-S
110	134.310-S	TI-134.310-S
* 115	134.315-S	TI-134.315-S
* 120	134.320-S	TI-134.320-S
* 125	134.325-S	TI-134.325-S
* 130	134.330-S	TI-134.330-S
* 135	134.335-S	TI-134.335-S
* 140	134.340-S	TI-134.340-S
* 145	134.345-S	TI-134.345-S
* 150	134.350-S	TI-134.350-S

* Sizes not available in Screw Caddy

7.3mm Cannulated Cancellous Screw, Full Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
20	148.020	TI-148.020
25	148.025	TI-148.025
30	148.030	TI-148.030
35	148.035	TI-148.035
40	148.040	TI-148.040
45	148.045	TI-148.045
50	148.050	TI-148.050
55	148.055	TI-148.055
60	148.060	TI-148.060
65	148.065	TI-148.065
70	148.070	TI-148.070
75	148.075	TI-148.075
80	148.080	TI-148.080
85	148.085	TI-148.085
90	148.090	TI-148.090
95	148.095	TI-148.095
100	148.100	TI-148.100
105	148.105	TI-148.105
110	148.110	TI-148.110
* 115	148.115	TI-148.115
* 120	148.120	TI-148.120
* 125	148.125	TI-148.125
* 130	148.130	TI-148.130


* Sizes not available in Screw Caddy

STERILE

Length (mm)	Stainless Steel	Titanium
20	148.020-S	TI-148.020-S
25	148.025-S	TI-148.025-S
30	148.030-S	TI-148.030-S
35	148.035-S	TI-148.035-S
40	148.040-S	TI-148.040-S
45	148.045-S	TI-148.045-S
50	148.050-S	TI-148.050-S
55	148.055-S	TI-148.055-S
60	148.060-S	TI-148.060-S
65	148.065-S	TI-148.065-S
70	148.070-S	TI-148.070-S
75	148.075-S	TI-148.075-S
80	148.080-S	TI-148.080-S
85	148.085-S	TI-148.085-S
90	148.090-S	TI-148.090-S
95	148.095-S	TI-148.095-S
100	148.100-S	TI-148.100-S
105	148.105-S	TI-148.105-S
110	148.110-S	TI-148.110-S
* 115	148.115-S	TI-148.115-S
* 120	148.120-S	TI-148.120-S
* 125	148.125-S	TI-148.125-S
* 130	148.130-S	TI-148.130-S

* Sizes not available in Screw Caddy

Washer For Large Fragment Screw




	Stainless Steel	Titanium
Code	100.120	TI-100.120

STERILE

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S

ST-005-7.3 Screw Caddy for 7.3mm Cannulated Cancellous Screw System
(Tray Without Screw)




**7.3mm Cannulated Cancellous Screw,
16mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
134.030	TI-134.030	30mm	2
134.035	TI-134.035	35mm	2
134.040	TI-134.040	40mm	2
134.045	TI-134.045	45mm	2
134.050	TI-134.050	50mm	2
134.055	TI-134.055	55mm	2
134.060	TI-134.060	60mm	2
134.065	TI-134.065	65mm	2
134.070	TI-134.070	70mm	2
134.075	TI-134.075	75mm	4
134.080	TI-134.080	80mm	4
134.085	TI-134.085	85mm	4
134.090	TI-134.090	90mm	4
134.095	TI-134.095	95mm	2
134.100	TI-134.100	100mm	2
134.105	TI-134.105	105mm	2
134.110	TI-134.110	110mm	2

**7.3mm Cannulated Cancellous Screw,
Full Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
148.030	TI-148.030	30mm	2
148.035	TI-148.035	35mm	2
148.040	TI-148.040	40mm	2
148.045	TI-148.045	45mm	2
148.050	TI-148.050	50mm	2
148.055	TI-148.055	55mm	2
148.060	TI-148.060	60mm	2
148.065	TI-148.065	65mm	2
148.070	TI-148.070	70mm	2
148.075	TI-148.075	75mm	4
148.080	TI-148.080	80mm	4
148.085	TI-148.085	85mm	4
148.090	TI-148.090	90mm	4
148.095	TI-148.095	95mm	2
148.100	TI-148.100	100mm	2
148.105	TI-148.105	105mm	2
148.110	TI-148.110	110mm	2


**7.3mm Cannulated Cancellous Screw,
32mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
134.235	TI-134.235	35mm	2
134.240	TI-134.240	40mm	2
134.245	TI-134.245	45mm	2
134.250	TI-134.250	50mm	2
134.255	TI-134.255	55mm	2
134.260	TI-134.260	60mm	2
134.265	TI-134.265	65mm	2
134.270	TI-134.270	70mm	2
134.275	TI-134.275	75mm	4
134.280	TI-134.280	80mm	4
134.285	TI-134.285	85mm	4
134.290	TI-134.290	90mm	4
134.295	TI-134.295	95mm	2
134.300	TI-134.300	100mm	2
134.305	TI-134.305	105mm	2
134.310	TI-134.310	110mm	2

GW-2.8-250T Guide Wire with Threaded Tip, Ø2.8mm x Thread Length 10mm x Length 250mm



GW-2.8-250 Guide Wire, Ø2.8mm x Length 250mm



1532-01 Drill Bit Cannulated Plain Shank/Jacob Chuck End, Ø5.0mm x Length 250mm



1532-05 Stopper for Drill Bit Ø5.0mm



1539-01 Allen Key, Hex 3mm, for Ø7.3mm Screw



3436-014 Direct Measuring Device for Cannulated Cancellous Screw



1538-01

Cannulated Countersink with T-Handle for Ø7.3mm Screw


1543-01

Wire Sleeve Ø10.0/2.9mm


1542-01

Drill Guide for Drill Bit Ø5.0mm


1541-01


Guide Sleeve Ø5.0/2.9mm


1537-01

Protection Sleeve for Ø10.0/2.9mm


1482-01

Wire Sleeve Bolt Key



1544-01 Wire Sleeve, Adjustable




1534-01 Cannulated Tap with T-Handle, for Ø7.3mm Screw



1533-01 Parallel Guide for Guide Wire Ø2.8mm



7-058-01 Screw Holding Forcep for Ø7.3mm Screw



1478-2.5 Stylet, Ø2.5mm



3433-03 Hexagonal Screwdriver, Cannulation Ø2.9mm, Hex 4.0mm



1540-01 Hexagonal Screwdriver, Hex 4.0mm for Ø7.3mm Screw




1540-05 Holding Sleeve for Cannulated Hexagonal Screwdriver, Hex 4.0mm




1545-01 Extraction Screw with T-Handle, for Ø7.3mm Screw



ST-005-7.3 Screw Caddy for 7.3mm Cannulated Cancellous Screw




IS006-7.3T Instrument Tray for 7.3mm Cannulated Screw Instrument Set



IS006-7.3B Container For 7.3mm Cannulated Cancellous Screw Instrument Set



IS006-7.3 7.3mm Cannulated Cancellous Screw Instrument Set



IS006-7.3 7.3mm Cannulated Cancellous Screw Instrument Set

Item Code	Item Name	Unit
GW-2.8-250T	Guide Wire with Threaded Tip, Ø2.8mm x Thread Length 10mm x Length 250mm	3
GW-2.8-250	Guide Wire, Ø2.8mm x Length 250mm	3
1532-01	Drill Bit Cannulated Plain Shank/Jacob Chuck End, Ø5.0mm x Length 250mm	2
1532-05	Stopper for Drill Bit Ø5.0mm	1
1539-01	Allen Key, Hex 3mm, for Ø7.3mm Screw	1
3436-014	Direct Measuring Device for Cannulated Cancellous Screw	1
1538-01	Cannulated Countersink with T-Handle for Ø7.3mm Screw	1
1543-01	Wire Sleeve Ø10.0/2.9mm	1
1542-01	Drill Guide for Drill Bit Ø5.0mm	1
1541-01	Guide Sleeve Ø5.0/2.9mm	1
1537-01	Protection Sleeve for Ø10.0/2.9mm	1
1482-01	Wire Sleeve Bolt Key	1
1544-01	Wire Sleeve, Adjustable	1
1534-01	Cannulated Tap with T-Handle, for Ø7.3mm Screw	1
1533-01	Parallel Guide for Guide Wire Ø2.8mm	1
7-058-01	Screw Holding Forcep for Ø7.3mm Screw	1
1478-2.5	Stylet, Ø2.5mm	1
3433-03	Hexagonal Screwdriver, Cannulation Ø2.9mm, Hex 4.0mm	1
1540-01	Hexagonal Screwdriver, Hex 4.0mm for Ø7.3mm Screw	1
1540-05	Holding Sleeve for Cannulated Hexagonal Screwdriver, Hex 4.0mm	1
1545-01	Extraction Screw with T-Handle, for Ø7.3mm Screw	1
ST-005-7.3	Screw Caddy for 7.3mm Cannulated Cancellous Screw	1
IS006-7.3T	Instrument Tray for 7.3mm Cannulated Screw Instrument Set	2
IS006-7.3B	Container For 7.3mm Cannulated Cancellous Screw Instrument Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com