

FEMUR NAILING & TIBIA PLATE SYSTEM

FEMUR NAILING & TIBIA PLATE SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75+ countries worldwide.

Our Achievements



ASIA'S FIRST

Orthopaedic Implant Manufacturer



FOR FEMUR NAILING SYSTEM AND TIBIA PLATE SYSTEM

- Clinically Safe Products
- Enhanced Performance
- Stringent Quality Assurance
- Global Compliance



AJAX ADVANCE NAILING SYSTEM

FEMUR NAILING

AJAX Advance Nailing System	1.00 - 1.06
ATHOS Nailing System	2.00 - 2.23
Expert Femur Nailing System	3.00 - 3.13
Konzept Femur Nailing System	4.00 - 4.12
Retrograde Femur Nailing System	5.00 - 5.04
JIN Type - Femur Nailing System	6.00 - 6.03

TIBIA PLATE SYSTEM

AV-Wiselock & Wiselock Plate System	7.00 - 7.50
--	--------------------

Orthopaedic Implants

AJAX Advance Nailing System

130° AJAX Advance Nail, Short, Titanium

Short

Dia	Length	STERILE	
		Sterile	Non-Sterile
9mm	1 7 0 m m	TI-6085S-09-170-S	TI-6085S-09-170
9mm	2 0 0 m m	TI-6085S-09-200-S	TI-6085S-09-200
9mm	2 4 0 m m	TI-6085S-09-240-S	TI-6085S-09-240
10mm	1 7 0 m m	TI-6085S-10-170-S	TI-6085S-10-170
10mm	2 0 0 m m	TI-6085S-10-200-S	TI-6085S-10-200
10mm	2 4 0 m m	TI-6085S-10-240-S	TI-6085S-10-240
11mm	1 7 0 m m	TI-6085S-11-170-S	TI-6085S-11-170
11mm	2 0 0 m m	TI-6085S-11-200-S	TI-6085S-11-200
11mm	2 4 0 m m	TI-6085S-11-240-S	TI-6085S-11-240
12mm	1 7 0 m m	TI-6085S-12-170-S	TI-6085S-12-170
12mm	2 0 0 m m	TI-6085S-12-200-S	TI-6085S-12-200
12mm	240mm	TI-6085S-12-240-S	TI-6085S-12-240



130° AJAX Advance Nail, Long, Left
STERILE


Dia	Length	Sterile TI-	Non- Sterile TI-
9mm	300mm	6085L-09-300L-S	6085L-09-300L
9mm	320mm	TI-6085L-09-320L-S	TI-6085L-09-320L
9mm	340mm	TI-6085L-09-340L-S	TI-6085L-09-340L
9mm	360mm	TI-6085L-09-360L-S	TI-6085L-09-360L
9mm	380mm	TI-6085L-09-380L-S	TI-6085L-09-380L
9mm	400mm	TI-6085L-09-400L-S	TI-6085L-09-400L
9mm	420mm	TI-6085L-09-420L-S	TI-6085L-09-420L
10mm	300mm	TI-6085L-10-300L-S	TI-6085L-10-300L
10mm	320mm	TI-6085L-10-320L-S	TI-6085L-10-320L
10mm	340mm	TI-6085L-10-340L-S	TI-6085L-10-340L
10mm	360mm	TI-6085L-10-360L-S	TI-6085L-10-360L
10mm	380mm	TI-6085L-10-380L-S	TI-6085L-10-380L
10mm	400mm	TI-6085L-10-400L-S	TI-6085L-10-400L
10mm	420mm	TI-6085L-10-420L-S	TI-6085L-10-420L
11mm	300mm	TI-6085L-11-300L-S	TI-6085L-11-300L
11mm	320mm	TI-6085L-11-320L-S	TI-6085L-11-320L
11mm	340mm	TI-6085L-11-340L-S	TI-6085L-11-340L
11mm	360mm	TI-6085L-11-360L-S	TI-6085L-11-360L
11mm	380mm	TI-6085L-11-380L-S	TI-6085L-11-380L
11mm	400mm	TI-6085L-11-400L-S	TI-6085L-11-400L
11mm	420mm	TI-6085L-11-420L-S	TI-6085L-11-420L
12mm	300mm	TI-6085L-12-300L-S	TI-6085L-12-300L
12mm	320mm	TI-6085L-12-320L-S	TI-6085L-12-320L
12mm	340mm	TI-6085L-12-340L-S	TI-6085L-12-340L
12mm	360mm	TI-6085L-12-360L-S	TI-6085L-12-360L
12mm	380mm	TI-6085L-12-380L-S	TI-6085L-12-380L
12mm	400mm	TI-6085L-12-400L-S	TI-6085L-12-400L
12mm	420mm	TI-6085L-12-420L-S	TI-6085L-12-420L

Long



Left

130° AJAX Advance Nail, Long, Right
STERILE


Dia	Length	Sterile TI-	Non- Sterile TI-
9mm	300mm	6085L-09-300R-S	6085L-09-300R
9mm	320mm	TI-6085L-09-320R-S	TI-6085L-09-320R
9mm	340mm	TI-6085L-09-340R-S	TI-6085L-09-340R
9mm	360mm	TI-6085L-09-360R-S	TI-6085L-09-360R
9mm	380mm	TI-6085L-09-380R-S	TI-6085L-09-380R
9mm	400mm	TI-6085L-09-400R-S	TI-6085L-09-400R
9mm	420mm	TI-6085L-09-420R-S	TI-6085L-09-420R
10mm	300mm	TI-6085L-10-300R-S	TI-6085L-10-300R
10mm	320mm	TI-6085L-10-320R-S	TI-6085L-10-320R
10mm	340mm	TI-6085L-10-340R-S	TI-6085L-10-340R
10mm	360mm	TI-6085L-10-360R-S	TI-6085L-10-360R
10mm	380mm	TI-6085L-10-380R-S	TI-6085L-10-380R
10mm	400mm	TI-6085L-10-400R-S	TI-6085L-10-400R
10mm	420mm	TI-6085L-10-420R-S	TI-6085L-10-420R
11mm	300mm	TI-6085L-11-300R-S	TI-6085L-11-300R
11mm	320mm	TI-6085L-11-320R-S	TI-6085L-11-320R
11mm	340mm	TI-6085L-11-340R-S	TI-6085L-11-340R
11mm	360mm	TI-6085L-11-360R-S	TI-6085L-11-360R
11mm	380mm	TI-6085L-11-380R-S	TI-6085L-11-380R
11mm	400mm	TI-6085L-11-400R-S	TI-6085L-11-400R
11mm	420mm	TI-6085L-11-420R-S	TI-6085L-11-420R
12mm	300mm	TI-6085L-12-300R-S	TI-6085L-12-300R
12mm	320mm	TI-6085L-12-320R-S	TI-6085L-12-320R
12mm	340mm	TI-6085L-12-340R-S	TI-6085L-12-340R
12mm	360mm	TI-6085L-12-360R-S	TI-6085L-12-360R
12mm	380mm	TI-6085L-12-380R-S	TI-6085L-12-380R
12mm	400mm	TI-6085L-12-400R-S	TI-6085L-12-400R
12mm	420mm	TI-6085L-12-420R-S	TI-6085L-12-420R


Long



Right

4.9mm Locking Bolt for AJAX Nail, Self-Tapping

Length	STERILE	
	Sterile	Non- Sterile
26mm	TI-6085-01-026-S	TI-6085-01-026
28mm	TI-6085-01-028-S	TI-6085-01-028
30mm	TI-6085-01-030-S	TI-6085-01-030
32mm	TI-6085-01-032-S	TI-6085-01-032
34mm	TI-6085-01-034-S	TI-6085-01-034
36mm	TI-6085-01-036-S	TI-6085-01-036
38mm	TI-6085-01-038-S	TI-6085-01-038
40mm	TI-6085-01-040-S	TI-6085-01-040
42mm	TI-6085-01-042-S	TI-6085-01-042
44mm	TI-6085-01-044-S	TI-6085-01-044
46mm	TI-6085-01-046-S	TI-6085-01-046
48mm	TI-6085-01-048-S	TI-6085-01-048
50mm	TI-6085-01-050-S	TI-6085-01-050
52mm	TI-6085-01-052-S	TI-6085-01-052
54mm	TI-6085-01-054-S	TI-6085-01-054
56mm	TI-6085-01-056-S	TI-6085-01-056
58mm	TI-6085-01-058-S	TI-6085-01-058
60mm	TI-6085-01-060-S	TI-6085-01-060
62mm	TI-6085-01-062-S	TI-6085-01-062
64mm	TI-6085-01-064-S	TI-6085-01-064
66mm	TI-6085-01-066-S	TI-6085-01-066
68mm	TI-6085-01-068-S	TI-6085-01-068
70mm	TI-6085-01-070-S	TI-6085-01-070
72mm	TI-6085-01-072-S	TI-6085-01-072
74mm	TI-6085-01-074-S	TI-6085-01-074
76mm	TI-6085-01-076-S	TI-6085-01-076
78mm	TI-6085-01-078-S	TI-6085-01-078
80mm	TI-6085-01-080-S	TI-6085-01-080
85mm	TI-6085-01-085-S	TI-6085-01-085
90mm	TI-6085-01-090-S	TI-6085-01-090
95mm	TI-6085-01-095-S	TI-6085-01-095
100mm	TI-6085-01-100-S	TI-6085-01-100



AJAX Blade, Titanium

Length	STERILE	
	Sterile	Non-Sterile
75mm	TI-6085-02-075-S	TI-6085-02-075
80mm	TI-6085-02-080-S	TI-6085-02-080
85mm	TI-6085-02-085-S	TI-6085-02-085
90mm	TI-6085-02-090-S	TI-6085-02-090
95mm	TI-6085-02-095-S	TI-6085-02-095
100mm	TI-6085-02-100-S	TI-6085-02-100
105mm	TI-6085-02-105-S	TI-6085-02-105
110mm	TI-6085-02-110-S	TI-6085-02-110
115mm	TI-6085-02-115-S	TI-6085-02-115
120mm	TI-6085-02-120-S	TI-6085-02-120



AJAX Nail End Cap (For AJAX Blade), Titanium

Length	STERILE	
	Sterile TI-6085-	Non- Sterile TI-
0mm	03-000-S TI-	6085-03-000
5mm	6085-03-005-S	TI-6085-03-005
10mm	TI-6085-03-010-S	TI-6085-03-010
15mm	TI-6085-03-015-S	TI-6085-03-015



AJAX Nail End Cap (For Cephalic Screw)

STERILE


Length	Sterile	Non-Sterile
0mm	TI-6085-04-000-S	TI-6085-04-000
5mm	TI-6085-04-005-S	TI-6085-04-005
10mm	TI-6085-04-010-S	TI-6085-04-010
15mm	TI-6085-04-015-S	TI-6085-04-015



Inner Screw for AJAX Cephalic Screw

STERILE


Sterile	Non- Sterile
TI-6085-05	TI-6085-05



AJAX Cephalic Screw

STERILE


Length	Sterile	Non-Sterile
70mm	TI-6085-06-070-S	TI-6085-06-070
75mm	TI-6085-06-075-S	TI-6085-06-075
80mm	TI-6085-06-080-S	TI-6085-06-080
85mm	TI-6085-06-085-S	TI-6085-06-085
90mm	TI-6085-06-090-S	TI-6085-06-090
95mm	TI-6085-06-095-S	TI-6085-06-095
100mm	TI-6085-06-100-S	TI-6085-06-100
105mm	TI-6085-06-105-S	TI-6085-06-105
110mm	TI-6085-06-110-S	TI-6085-06-110
115mm	TI-6085-06-115-S	TI-6085-06-115
120mm	TI-6085-06-120-S	TI-6085-06-120



End Cap for AJAX Cephalic Screw

STERILE


Length	Sterile	Non-sterile
0mm	TI-6085-06-00-S	TI-6085-06-00



ATHOS NAILING SYSTEM

ATHOS NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 90+ countries worldwide.

Our Achievements



Orthopaedic Implants



They can because they
think they can.

**ATHOS Nailing System
(Type-II)**

125° Athos Nail Type-II, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1500S-09-180	TI-1500S-09-180
9mm	200	1500S-09-200	TI-1500S-09-200
9mm	220	1500S-09-220	TI-1500S-09-220
9mm	240	1500S-09-240	TI-1500S-09-240
10mm	180	1500S-10-180	TI-1500S-10-180
10mm	200	1500S-10-200	TI-1500S-10-200
10mm	220	1500S-10-220	TI-1500S-10-220
10mm	240	1500S-10-240	TI-1500S-10-240
11mm	180	1500S-11-180	TI-1500S-11-180
11mm	200	1500S-11-200	TI-1500S-11-200
11mm	220	1500S-11-220	TI-1500S-11-220
11mm	240	1500S-11-240	TI-1500S-11-240
12mm	180	1500S-12-180	TI-1500S-12-180
12mm	200	1500S-12-200	TI-1500S-12-200
12mm	220	1500S-12-220	TI-1500S-12-220
12mm	240	1500S-12-240	TI-1500S-12-240
13mm	180	1500S-13-180	TI-1500S-13-180
13mm	200	1500S-13-200	TI-1500S-13-200
13mm	220	1500S-13-220	TI-1500S-13-220
13mm	240	1500S-13-240	TI-1500S-13-240



125° Athos Nail Type-II, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1500S-09-180-S	TI-1500S-09-180-S
9mm	200	1500S-09-200-S	TI-1500S-09-200-S
9mm	220	1500S-09-220-S	TI-1500S-09-220-S
9mm	240	1500S-09-240-S	TI-1500S-09-240-S
10mm	180	1500S-10-180-S	TI-1500S-10-180-S
10mm	200	1500S-10-200-S	TI-1500S-10-200-S
10mm	220	1500S-10-220-S	TI-1500S-10-220-S
10mm	240	1500S-10-240-S	TI-1500S-10-240-S
11mm	180	1500S-11-180-S	TI-1500S-11-180-S
11mm	200	1500S-11-200-S	TI-1500S-11-200-S
11mm	220	1500S-11-220-S	TI-1500S-11-220-S
11mm	240	1500S-11-240-S	TI-1500S-11-240-S
12mm	180	1500S-12-180-S	TI-1500S-12-180-S
12mm	200	1500S-12-200-S	TI-1500S-12-200-S
12mm	220	1500S-12-220-S	TI-1500S-12-220-S
12mm	240	1500S-12-240-S	TI-1500S-12-240-S
13mm	180	1500S-13-180-S	TI-1500S-13-180-S
13mm	200	1500S-13-200-S	TI-1500S-13-200-S
13mm	220	1500S-13-220-S	TI-1500S-13-220-S
13mm	240	1500S-13-240-S	TI-1500S-13-240-S



125° Athos Nail Type-II, LONG


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1500L-09-320L	TI-1500L-09-320L	1500L-09-320R	TI-1500L-09-320R
9mm	340	1500L-09-340L	TI-1500L-09-340L	1500L-09-340R	TI-1500L-09-340R
9mm	360	1500L-09-360L	TI-1500L-09-360L	1500L-09-360R	TI-1500L-09-360R
9mm	380	1500L-09-380L	TI-1500L-09-380L	1500L-09-380R	TI-1500L-09-380R
9mm	400	1500L-09-400L	TI-1500L-09-400L	1500L-09-400R	TI-1500L-09-400R
9mm	420	1500L-09-420L	TI-1500L-09-420L	1500L-09-420R	TI-1500L-09-420R
9mm	440	1500L-09-440L	TI-1500L-09-440L	1500L-09-440R	TI-1500L-09-440R
10mm	320	1500L-10-320L	TI-1500L-10-320L	1500L-10-320R	TI-1500L-10-320R
10mm	340	1500L-10-340L	TI-1500L-10-340L	1500L-10-340R	TI-1500L-10-340R
10mm	360	1500L-10-360L	TI-1500L-10-360L	1500L-10-360R	TI-1500L-10-360R
10mm	380	1500L-10-380L	TI-1500L-10-380L	1500L-10-380R	TI-1500L-10-380R
10mm	400	1500L-10-400L	TI-1500L-10-400L	1500L-10-400R	TI-1500L-10-400R
10mm	420	1500L-10-420L	TI-1500L-10-420L	1500L-10-420R	TI-1500L-10-420R
10mm	440	1500L-10-440L	TI-1500L-10-440L	1500L-10-440R	TI-1500L-10-440R
11mm	320	1500L-11-320L	TI-1500L-11-320L	1500L-11-320R	TI-1500L-11-320R
11mm	340	1500L-11-340L	TI-1500L-11-340L	1500L-11-340R	TI-1500L-11-340R
11mm	360	1500L-11-360L	TI-1500L-11-360L	1500L-11-360R	TI-1500L-11-360R
11mm	380	1500L-11-380L	TI-1500L-11-380L	1500L-11-380R	TI-1500L-11-380R
11mm	400	1500L-11-400L	TI-1500L-11-400L	1500L-11-400R	TI-1500L-11-400R
11mm	420	1500L-11-420L	TI-1500L-11-420L	1500L-11-420R	TI-1500L-11-420R
11mm	440	1500L-11-440L	TI-1500L-11-440L	1500L-11-440R	TI-1500L-11-440R
12mm	320	1500L-12-320L	TI-1500L-12-320L	1500L-12-320R	TI-1500L-12-320R
12mm	340	1500L-12-340L	TI-1500L-12-340L	1500L-12-340R	TI-1500L-12-340R
12mm	360	1500L-12-360L	TI-1500L-12-360L	1500L-12-360R	TI-1500L-12-360R
12mm	380	1500L-12-380L	TI-1500L-12-380L	1500L-12-380R	TI-1500L-12-380R
12mm	400	1500L-12-400L	TI-1500L-12-400L	1500L-12-400R	TI-1500L-12-400R
12mm	420	1500L-12-420L	TI-1500L-12-420L	1500L-12-420R	TI-1500L-12-420R
12mm	440	1500L-12-440L	TI-1500L-12-440L	1500L-12-440R	TI-1500L-12-440R
13mm	320	1500L-13-320L	TI-1500L-13-320L	1500L-13-320R	TI-1500L-13-320R
13mm	340	1500L-13-340L	TI-1500L-13-340L	1500L-13-340R	TI-1500L-13-340R
13mm	360	1500L-13-360L	TI-1500L-13-360L	1500L-13-360R	TI-1500L-13-360R
13mm	380	1500L-13-380L	TI-1500L-13-380L	1500L-13-380R	TI-1500L-13-380R
13mm	400	1500L-13-400L	TI-1500L-13-400L	1500L-13-400R	TI-1500L-13-400R
13mm	420	1500L-13-420L	TI-1500L-13-420L	1500L-13-420R	TI-1500L-13-420R
13mm	440	1500L-13-440L	TI-1500L-13-440L	1500L-13-440R	TI-1500L-13-440R



125° Athos Nail Type-II, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1500L-09-320L-S	TI-1500L-09-320L-S	1500L-09-320R-S	TI-1500L-09-320R-S
9mm	340	1500L-09-340L-S	TI-1500L-09-340L-S	1500L-09-340R-S	TI-1500L-09-340R-S
9mm	360	1500L-09-360L-S	TI-1500L-09-360L-S	1500L-09-360R-S	TI-1500L-09-360R-S
9mm	380	1500L-09-380L-S	TI-1500L-09-380L-S	1500L-09-380R-S	TI-1500L-09-380R-S
9mm	400	1500L-09-400L-S	TI-1500L-09-400L-S	1500L-09-400R-S	TI-1500L-09-400R-S
9mm	420	1500L-09-420L-S	TI-1500L-09-420L-S	1500L-09-420R-S	TI-1500L-09-420R-S
9mm	440	1500L-09-440L-S	TI-1500L-09-440L-S	1500L-09-440R-S	TI-1500L-09-440R-S
10mm	320	1500L-10-320L-S	TI-1500L-10-320L-S	1500L-10-320R-S	TI-1500L-10-320R-S
10mm	340	1500L-10-340L-S	TI-1500L-10-340L-S	1500L-10-340R-S	TI-1500L-10-340R-S
10mm	360	1500L-10-360L-S	TI-1500L-10-360L-S	1500L-10-360R-S	TI-1500L-10-360R-S
10mm	380	1500L-10-380L-S	TI-1500L-10-380L-S	1500L-10-380R-S	TI-1500L-10-380R-S
10mm	400	1500L-10-400L-S	TI-1500L-10-400L-S	1500L-10-400R-S	TI-1500L-10-400R-S
10mm	420	1500L-10-420L-S	TI-1500L-10-420L-S	1500L-10-420R-S	TI-1500L-10-420R-S
10mm	440	1500L-10-440L-S	TI-1500L-10-440L-S	1500L-10-440R-S	TI-1500L-10-440R-S
11mm	320	1500L-11-320L-S	TI-1500L-11-320L-S	1500L-11-320R-S	TI-1500L-11-320R-S
11mm	340	1500L-11-340L-S	TI-1500L-11-340L-S	1500L-11-340R-S	TI-1500L-11-340R-S
11mm	360	1500L-11-360L-S	TI-1500L-11-360L-S	1500L-11-360R-S	TI-1500L-11-360R-S
11mm	380	1500L-11-380L-S	TI-1500L-11-380L-S	1500L-11-380R-S	TI-1500L-11-380R-S
11mm	400	1500L-11-400L-S	TI-1500L-11-400L-S	1500L-11-400R-S	TI-1500L-11-400R-S
11mm	420	1500L-11-420L-S	TI-1500L-11-420L-S	1500L-11-420R-S	TI-1500L-11-420R-S
11mm	440	1500L-11-440L-S	TI-1500L-11-440L-S	1500L-11-440R-S	TI-1500L-11-440R-S
12mm	320	1500L-12-320L-S	TI-1500L-12-320L-S	1500L-12-320R-S	TI-1500L-12-320R-S
12mm	340	1500L-12-340L-S	TI-1500L-12-340L-S	1500L-12-340R-S	TI-1500L-12-340R-S
12mm	360	1500L-12-360L-S	TI-1500L-12-360L-S	1500L-12-360R-S	TI-1500L-12-360R-S
12mm	380	1500L-12-380L-S	TI-1500L-12-380L-S	1500L-12-380R-S	TI-1500L-12-380R-S
12mm	400	1500L-12-400L-S	TI-1500L-12-400L-S	1500L-12-400R-S	TI-1500L-12-400R-S
12mm	420	1500L-12-420L-S	TI-1500L-12-420L-S	1500L-12-420R-S	TI-1500L-12-420R-S
12mm	440	1500L-12-440L-S	TI-1500L-12-440L-S	1500L-12-440R-S	TI-1500L-12-440R-S
13mm	320	1500L-13-320L-S	TI-1500L-13-320L-S	1500L-13-320R-S	TI-1500L-13-320R-S
13mm	340	1500L-13-340L-S	TI-1500L-13-340L-S	1500L-13-340R-S	TI-1500L-13-340R-S
13mm	360	1500L-13-360L-S	TI-1500L-13-360L-S	1500L-13-360R-S	TI-1500L-13-360R-S
13mm	380	1500L-13-380L-S	TI-1500L-13-380L-S	1500L-13-380R-S	TI-1500L-13-380R-S
13mm	400	1500L-13-400L-S	TI-1500L-13-400L-S	1500L-13-400R-S	TI-1500L-13-400R-S
13mm	420	1500L-13-420L-S	TI-1500L-13-420L-S	1500L-13-420R-S	TI-1500L-13-420R-S
13mm	440	1500L-13-440L-S	TI-1500L-13-440L-S	1500L-13-440R-S	TI-1500L-13-440R-S



130° Athos Nail Type-II, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180	TI-1457S-09-180
9mm	200	1457S-09-200	TI-1457S-09-200
9mm	220	1457S-09-220	TI-1457S-09-220
9mm	240	1457S-09-240	TI-1457S-09-240
10mm	180	1457S-10-180	TI-1457S-10-180
10mm	200	1457S-10-200	TI-1457S-10-200
10mm	220	1457S-10-220	TI-1457S-10-220
10mm	240	1457S-10-240	TI-1457S-10-240
11mm	180	1457S-11-180	TI-1457S-11-180
11mm	200	1457S-11-200	TI-1457S-11-200
11mm	220	1457S-11-220	TI-1457S-11-220
11mm	240	1457S-11-240	TI-1457S-11-240
12mm	180	1457S-12-180	TI-1457S-12-180
12mm	200	1457S-12-200	TI-1457S-12-200
12mm	220	1457S-12-220	TI-1457S-12-220
12mm	240	1457S-12-240	TI-1457S-12-240
13mm	180	1457S-13-180	TI-1457S-13-180
13mm	200	1457S-13-200	TI-1457S-13-200
13mm	220	1457S-13-220	TI-1457S-13-220
13mm	240	1457S-13-240	TI-1457S-13-240



130° Athos Nail Type-II, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180-S	TI-1457S-09-180-S
9mm	200	1457S-09-200-S	TI-1457S-09-200-S
9mm	220	1457S-09-220-S	TI-1457S-09-220-S
9mm	240	1457S-09-240-S	TI-1457S-09-240-S
10mm	180	1457S-10-180-S	TI-1457S-10-180-S
10mm	200	1457S-10-200-S	TI-1457S-10-200-S
10mm	220	1457S-10-220-S	TI-1457S-10-220-S
10mm	240	1457S-10-240-S	TI-1457S-10-240-S
11mm	180	1457S-11-180-S	TI-1457S-11-180-S
11mm	200	1457S-11-200-S	TI-1457S-11-200-S
11mm	220	1457S-11-220-S	TI-1457S-11-220-S
11mm	240	1457S-11-240-S	TI-1457S-11-240-S
12mm	180	1457S-12-180-S	TI-1457S-12-180-S
12mm	200	1457S-12-200-S	TI-1457S-12-200-S
12mm	220	1457S-12-220-S	TI-1457S-12-220-S
12mm	240	1457S-12-240-S	TI-1457S-12-240-S
13mm	180	1457S-13-180-S	TI-1457S-13-180-S
13mm	200	1457S-13-200-S	TI-1457S-13-200-S
13mm	220	1457S-13-220-S	TI-1457S-13-220-S
13mm	240	1457S-13-240-S	TI-1457S-13-240-S



130° Athos Nail Type-II, LONG


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L	TI-1457L-09-320L	1457L-09-320R	TI-1457L-09-320R
9mm	340	1457L-09-340L	TI-1457L-09-340L	1457L-09-340R	TI-1457L-09-340R
9mm	360	1457L-09-360L	TI-1457L-09-360L	1457L-09-360R	TI-1457L-09-360R
9mm	380	1457L-09-380L	TI-1457L-09-380L	1457L-09-380R	TI-1457L-09-380R
9mm	400	1457L-09-400L	TI-1457L-09-400L	1457L-09-400R	TI-1457L-09-400R
9mm	420	1457L-09-420L	TI-1457L-09-420L	1457L-09-420R	TI-1457L-09-420R
9mm	440	1457L-09-440L	TI-1457L-09-440L	1457L-09-440R	TI-1457L-09-440R
10mm	320	1457L-10-320L	TI-1457L-10-320L	1457L-10-320R	TI-1457L-10-320R
10mm	340	1457L-10-340L	TI-1457L-10-340L	1457L-10-340R	TI-1457L-10-340R
10mm	360	1457L-10-360L	TI-1457L-10-360L	1457L-10-360R	TI-1457L-10-360R
10mm	380	1457L-10-380L	TI-1457L-10-380L	1457L-10-380R	TI-1457L-10-380R
10mm	400	1457L-10-400L	TI-1457L-10-400L	1457L-10-400R	TI-1457L-10-400R
10mm	420	1457L-10-420L	TI-1457L-10-420L	1457L-10-420R	TI-1457L-10-420R
10mm	440	1457L-10-440L	TI-1457L-10-440L	1457L-10-440R	TI-1457L-10-440R
11mm	320	1457L-11-320L	TI-1457L-11-320L	1457L-11-320R	TI-1457L-11-320R
11mm	340	1457L-11-340L	TI-1457L-11-340L	1457L-11-340R	TI-1457L-11-340R
11mm	360	1457L-11-360L	TI-1457L-11-360L	1457L-11-360R	TI-1457L-11-360R
11mm	380	1457L-11-380L	TI-1457L-11-380L	1457L-11-380R	TI-1457L-11-380R
11mm	400	1457L-11-400L	TI-1457L-11-400L	1457L-11-400R	TI-1457L-11-400R
11mm	420	1457L-11-420L	TI-1457L-11-420L	1457L-11-420R	TI-1457L-11-420R
11mm	440	1457L-11-440L	TI-1457L-11-440L	1457L-11-440R	TI-1457L-11-440R
12mm	320	1457L-12-320L	TI-1457L-12-320L	1457L-12-320R	TI-1457L-12-320R
12mm	340	1457L-12-340L	TI-1457L-12-340L	1457L-12-340R	TI-1457L-12-340R
12mm	360	1457L-12-360L	TI-1457L-12-360L	1457L-12-360R	TI-1457L-12-360R
12mm	380	1457L-12-380L	TI-1457L-12-380L	1457L-12-380R	TI-1457L-12-380R
12mm	400	1457L-12-400L	TI-1457L-12-400L	1457L-12-400R	TI-1457L-12-400R
12mm	420	1457L-12-420L	TI-1457L-12-420L	1457L-12-420R	TI-1457L-12-420R
12mm	440	1457L-12-440L	TI-1457L-12-440L	1457L-12-440R	TI-1457L-12-440R
13mm	320	1457L-13-320L	TI-1457L-13-320L	1457L-13-320R	TI-1457L-13-320R
13mm	340	1457L-13-340L	TI-1457L-13-340L	1457L-13-340R	TI-1457L-13-340R
13mm	360	1457L-13-360L	TI-1457L-13-360L	1457L-13-360R	TI-1457L-13-360R
13mm	380	1457L-13-380L	TI-1457L-13-380L	1457L-13-380R	TI-1457L-13-380R
13mm	400	1457L-13-400L	TI-1457L-13-400L	1457L-13-400R	TI-1457L-13-400R
13mm	420	1457L-13-420L	TI-1457L-13-420L	1457L-13-420R	TI-1457L-13-420R
13mm	440	1457L-13-440L	TI-1457L-13-440L	1457L-13-440R	TI-1457L-13-440R



130° Athos Nail Type-II, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L-S	TI-1457L-09-320L-S	1457L-09-320R-S	TI-1457L-09-320R-S
9mm	340	1457L-09-340L-S	TI-1457L-09-340L-S	1457L-09-340R-S	TI-1457L-09-340R-S
9mm	360	1457L-09-360L-S	TI-1457L-09-360L-S	1457L-09-360R-S	TI-1457L-09-360R-S
9mm	380	1457L-09-380L-S	TI-1457L-09-380L-S	1457L-09-380R-S	TI-1457L-09-380R-S
9mm	400	1457L-09-400L-S	TI-1457L-09-400L-S	1457L-09-400R-S	TI-1457L-09-400R-S
9mm	420	1457L-09-420L-S	TI-1457L-09-420L-S	1457L-09-420R-S	TI-1457L-09-420R-S
9mm	440	1457L-09-440L-S	TI-1457L-09-440L-S	1457L-09-440R-S	TI-1457L-09-440R-S
10mm	320	1457L-10-320L-S	TI-1457L-10-320L-S	1457L-10-320R-S	TI-1457L-10-320R-S
10mm	340	1457L-10-340L-S	TI-1457L-10-340L-S	1457L-10-340R-S	TI-1457L-10-340R-S
10mm	360	1457L-10-360L-S	TI-1457L-10-360L-S	1457L-10-360R-S	TI-1457L-10-360R-S
10mm	380	1457L-10-380L-S	TI-1457L-10-380L-S	1457L-10-380R-S	TI-1457L-10-380R-S
10mm	400	1457L-10-400L-S	TI-1457L-10-400L-S	1457L-10-400R-S	TI-1457L-10-400R-S
10mm	420	1457L-10-420L-S	TI-1457L-10-420L-S	1457L-10-420R-S	TI-1457L-10-420R-S
10mm	440	1457L-10-440L-S	TI-1457L-10-440L-S	1457L-10-440R-S	TI-1457L-10-440R-S
11mm	320	1457L-11-320L-S	TI-1457L-11-320L-S	1457L-11-320R-S	TI-1457L-11-320R-S
11mm	340	1457L-11-340L-S	TI-1457L-11-340L-S	1457L-11-340R-S	TI-1457L-11-340R-S
11mm	360	1457L-11-360L-S	TI-1457L-11-360L-S	1457L-11-360R-S	TI-1457L-11-360R-S
11mm	380	1457L-11-380L-S	TI-1457L-11-380L-S	1457L-11-380R-S	TI-1457L-11-380R-S
11mm	400	1457L-11-400L-S	TI-1457L-11-400L-S	1457L-11-400R-S	TI-1457L-11-400R-S
11mm	420	1457L-11-420L-S	TI-1457L-11-420L-S	1457L-11-420R-S	TI-1457L-11-420R-S
11mm	440	1457L-11-440L-S	TI-1457L-11-440L-S	1457L-11-440R-S	TI-1457L-11-440R-S
12mm	320	1457L-12-320L-S	TI-1457L-12-320L-S	1457L-12-320R-S	TI-1457L-12-320R-S
12mm	340	1457L-12-340L-S	TI-1457L-12-340L-S	1457L-12-340R-S	TI-1457L-12-340R-S
12mm	360	1457L-12-360L-S	TI-1457L-12-360L-S	1457L-12-360R-S	TI-1457L-12-360R-S
12mm	380	1457L-12-380L-S	TI-1457L-12-380L-S	1457L-12-380R-S	TI-1457L-12-380R-S
12mm	400	1457L-12-400L-S	TI-1457L-12-400L-S	1457L-12-400R-S	TI-1457L-12-400R-S
12mm	420	1457L-12-420L-S	TI-1457L-12-420L-S	1457L-12-420R-S	TI-1457L-12-420R-S
12mm	440	1457L-12-440L-S	TI-1457L-12-440L-S	1457L-12-440R-S	TI-1457L-12-440R-S
13mm	320	1457L-13-320L-S	TI-1457L-13-320L-S	1457L-13-320R-S	TI-1457L-13-320R-S
13mm	340	1457L-13-340L-S	TI-1457L-13-340L-S	1457L-13-340R-S	TI-1457L-13-340R-S
13mm	360	1457L-13-360L-S	TI-1457L-13-360L-S	1457L-13-360R-S	TI-1457L-13-360R-S
13mm	380	1457L-13-380L-S	TI-1457L-13-380L-S	1457L-13-380R-S	TI-1457L-13-380R-S
13mm	400	1457L-13-400L-S	TI-1457L-13-400L-S	1457L-13-400R-S	TI-1457L-13-400R-S
13mm	420	1457L-13-420L-S	TI-1457L-13-420L-S	1457L-13-420R-S	TI-1457L-13-420R-S
13mm	440	1457L-13-440L-S	TI-1457L-13-440L-S	1457L-13-440R-S	TI-1457L-13-440R-S



End Cap For Athos Nail Type-II



Length (mm)	Stainless Steel	Titanium
0	1457-001E	TI-1457-001E
5	1457-005E	TI-1457-005E
10	1457-010E	TI-1457-010E
15	1457-015E	TI-1457-015E



STERILE

Length (mm)	Stainless Steel	Titanium
0	1457-001E-S	TI-1457-001E-S
5	1457-005E-S	TI-1457-005E-S
10	1457-010E-S	TI-1457-010E-S
15	1457-015E-S	TI-1457-015E-S

Inner Screw For Athos Nail Type-II



Stainless Steel	Titanium
1457-0S	TI-1457-0S

STERILE

Stainless Steel	Titanium
1457-0S-S	TI-1457-0S-S



End Cap For Ø10.5mm Cephalic Screw For Athos Nail



Stainless Steel	Titanium
GM01.06	TI-GM01.06

STERILE

Stainless Steel	Titanium
GM01.06-S	TI-GM01.06-S



Ø10.5mm Cephalic Screw, For Athos Nail



Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120



STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070-S	TI-600C-10.5-070-S
10.5mm	75	600C-10.5-075-S	TI-600C-10.5-075-S
10.5mm	80	600C-10.5-080-S	TI-600C-10.5-080-S
10.5mm	85	600C-10.5-085-S	TI-600C-10.5-085-S
10.5mm	90	600C-10.5-090-S	TI-600C-10.5-090-S
10.5mm	95	600C-10.5-095-S	TI-600C-10.5-095-S
10.5mm	100	600C-10.5-100-S	TI-600C-10.5-100-S
10.5mm	105	600C-10.5-105-S	TI-600C-10.5-105-S
10.5mm	110	600C-10.5-110-S	TI-600C-10.5-110-S
10.5mm	115	600C-10.5-115-S	TI-600C-10.5-115-S
10.5mm	120	600C-10.5-120-S	TI-600C-10.5-120-S

Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

STERILE

Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
65	600-065	TI-600-065
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090

Length (mm)	Stainless Steel	Titanium
26	600-026-S	TI-600-026-S
28	600-028-S	TI-600-028-S
30	600-030-S	TI-600-030-S
32	600-032-S	TI-600-032-S
34	600-034-S	TI-600-034-S
36	600-036-S	TI-600-036-S
38	600-038-S	TI-600-038-S
40	600-040-S	TI-600-040-S
42	600-042-S	TI-600-042-S
44	600-044-S	TI-600-044-S
46	600-046-S	TI-600-046-S
48	600-048-S	TI-600-048-S
50	600-050-S	TI-600-050-S
52	600-052-S	TI-600-052-S
54	600-054-S	TI-600-054-S
56	600-056-S	TI-600-056-S
58	600-058-S	TI-600-058-S
60	600-060-S	TI-600-060-S
65	600-065-S	TI-600-065-S
70	600-070-S	TI-600-070-S
75	600-075-S	TI-600-075-S
80	600-080-S	TI-600-080-S
85	600-085-S	TI-600-085-S
90	600-090-S	TI-600-090-S



They can because they
think they can.

ATHOS Nailing System (With Anti-Rotation)



125° Anti-Rotation Athos Nail, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1501S-09-180	TI-1501S-09-180
9mm	200	1501S-09-200	TI-1501S-09-200
9mm	220	1501S-09-220	TI-1501S-09-220
9mm	240	1501S-09-240	TI-1501S-09-240
10mm	180	1501S-10-180	TI-1501S-10-180
10mm	200	1501S-10-200	TI-1501S-10-200
10mm	220	1501S-10-220	TI-1501S-10-220
10mm	240	1501S-10-240	TI-1501S-10-240
11mm	180	1501S-11-180	TI-1501S-11-180
11mm	200	1501S-11-200	TI-1501S-11-200
11mm	220	1501S-11-220	TI-1501S-11-220
11mm	240	1501S-11-240	TI-1501S-11-240
12mm	180	1501S-12-180	TI-1501S-12-180
12mm	200	1501S-12-200	TI-1501S-12-200
12mm	220	1501S-12-220	TI-1501S-12-220
12mm	240	1501S-12-240	TI-1501S-12-240
13mm	180	1501S-13-180	TI-1501S-13-180
13mm	200	1501S-13-200	TI-1501S-13-200
13mm	220	1501S-13-220	TI-1501S-13-220
13mm	240	1501S-13-240	TI-1501S-13-240



125° Anti-Rotation Athos Nail, SHORT

STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1501S-09-180-S	TI-1501S-09-180-S
9mm	200	1501S-09-200-S	TI-1501S-09-200-S
9mm	220	1501S-09-220-S	TI-1501S-09-220-S
9mm	240	1501S-09-240-S	TI-1501S-09-240-S
10mm	180	1501S-10-180-S	TI-1501S-10-180-S
10mm	200	1501S-10-200-S	TI-1501S-10-200-S
10mm	220	1501S-10-220-S	TI-1501S-10-220-S
10mm	240	1501S-10-240-S	TI-1501S-10-240-S
11mm	180	1501S-11-180-S	TI-1501S-11-180-S
11mm	200	1501S-11-200-S	TI-1501S-11-200-S
11mm	220	1501S-11-220-S	TI-1501S-11-220-S
11mm	240	1501S-11-240-S	TI-1501S-11-240-S
12mm	180	1501S-12-180-S	TI-1501S-12-180-S
12mm	200	1501S-12-200-S	TI-1501S-12-200-S
12mm	220	1501S-12-220-S	TI-1501S-12-220-S
12mm	240	1501S-12-240-S	TI-1501S-12-240-S
13mm	180	1501S-13-180-S	TI-1501S-13-180-S
13mm	200	1501S-13-200-S	TI-1501S-13-200-S
13mm	220	1501S-13-220-S	TI-1501S-13-220-S
13mm	240	1501S-13-240-S	TI-1501S-13-240-S



125° Anti-Rotation Athos Nail, Long


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1501L-09-320L	TI-1501L-09-320L	1501L-09-320R	TI-1501L-09-320R
9mm	340	1501L-09-340L	TI-1501L-09-340L	1501L-09-340R	TI-1501L-09-340R
9mm	360	1501L-09-360L	TI-1501L-09-360L	1501L-09-360R	TI-1501L-09-360R
9mm	380	1501L-09-380L	TI-1501L-09-380L	1501L-09-380R	TI-1501L-09-380R
9mm	400	1501L-09-400L	TI-1501L-09-400L	1501L-09-400R	TI-1501L-09-400R
9mm	420	1501L-09-420L	TI-1501L-09-420L	1501L-09-420R	TI-1501L-09-420R
9mm	440	1501L-09-440L	TI-1501L-09-440L	1501L-09-440R	TI-1501L-09-440R
10mm	320	1501L-10-320L	TI-1501L-10-320L	1501L-10-320R	TI-1501L-10-320R
10mm	340	1501L-10-340L	TI-1501L-10-340L	1501L-10-340R	TI-1501L-10-340R
10mm	360	1501L-10-360L	TI-1501L-10-360L	1501L-10-360R	TI-1501L-10-360R
10mm	380	1501L-10-380L	TI-1501L-10-380L	1501L-10-380R	TI-1501L-10-380R
10mm	400	1501L-10-400L	TI-1501L-10-400L	1501L-10-400R	TI-1501L-10-400R
10mm	420	1501L-10-420L	TI-1501L-10-420L	1501L-10-420R	TI-1501L-10-420R
10mm	440	1501L-10-440L	TI-1501L-10-440L	1501L-10-440R	TI-1501L-10-440R
11mm	320	1501L-11-320L	TI-1501L-11-320L	1501L-11-320R	TI-1501L-11-320R
11mm	340	1501L-11-340L	TI-1501L-11-340L	1501L-11-340R	TI-1501L-11-340R
11mm	360	1501L-11-360L	TI-1501L-11-360L	1501L-11-360R	TI-1501L-11-360R
11mm	380	1501L-11-380L	TI-1501L-11-380L	1501L-11-380R	TI-1501L-11-380R
11mm	400	1501L-11-400L	TI-1501L-11-400L	1501L-11-400R	TI-1501L-11-400R
11mm	420	1501L-11-420L	TI-1501L-11-420L	1501L-11-420R	TI-1501L-11-420R
11mm	440	1501L-11-440L	TI-1501L-11-440L	1501L-11-440R	TI-1501L-11-440R
12mm	320	1501L-12-320L	TI-1501L-12-320L	1501L-12-320R	TI-1501L-12-320R
12mm	340	1501L-12-340L	TI-1501L-12-340L	1501L-12-340R	TI-1501L-12-340R
12mm	360	1501L-12-360L	TI-1501L-12-360L	1501L-12-360R	TI-1501L-12-360R
12mm	380	1501L-12-380L	TI-1501L-12-380L	1501L-12-380R	TI-1501L-12-380R
12mm	400	1501L-12-400L	TI-1501L-12-400L	1501L-12-400R	TI-1501L-12-400R
12mm	420	1501L-12-420L	TI-1501L-12-420L	1501L-12-420R	TI-1501L-12-420R
12mm	440	1501L-12-440L	TI-1501L-12-440L	1501L-12-440R	TI-1501L-12-440R
13mm	320	1501L-13-320L	TI-1501L-13-320L	1501L-13-320R	TI-1501L-13-320R
13mm	340	1501L-13-340L	TI-1501L-13-340L	1501L-13-340R	TI-1501L-13-340R
13mm	360	1501L-13-360L	TI-1501L-13-360L	1501L-13-360R	TI-1501L-13-360R
13mm	380	1501L-13-380L	TI-1501L-13-380L	1501L-13-380R	TI-1501L-13-380R
13mm	400	1501L-13-400L	TI-1501L-13-400L	1501L-13-400R	TI-1501L-13-400R
13mm	420	1501L-13-420L	TI-1501L-13-420L	1501L-13-420R	TI-1501L-13-420R
13mm	440	1501L-13-440L	TI-1501L-13-440L	1501L-13-440R	TI-1501L-13-440R



125° Anti-Rotation Athos Nail, Long
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1501L-09-320L-S	TI-1501L-09-320L-S	1501L-09-320R-S	TI-1501L-09-320R-S
9mm	340	1501L-09-340L-S	TI-1501L-09-340L-S	1501L-09-340R-S	TI-1501L-09-340R-S
9mm	360	1501L-09-360L-S	TI-1501L-09-360L-S	1501L-09-360R-S	TI-1501L-09-360R-S
9mm	380	1501L-09-380L-S	TI-1501L-09-380L-S	1501L-09-380R-S	TI-1501L-09-380R-S
9mm	400	1501L-09-400L-S	TI-1501L-09-400L-S	1501L-09-400R-S	TI-1501L-09-400R-S
9mm	420	1501L-09-420L-S	TI-1501L-09-420L-S	1501L-09-420R-S	TI-1501L-09-420R-S
9mm	440	1501L-09-440L-S	TI-1501L-09-440L-S	1501L-09-440R-S	TI-1501L-09-440R-S
10mm	320	1501L-10-320L-S	TI-1501L-10-320L-S	1501L-10-320R-S	TI-1501L-10-320R-S
10mm	340	1501L-10-340L-S	TI-1501L-10-340L-S	1501L-10-340R-S	TI-1501L-10-340R-S
10mm	360	1501L-10-360L-S	TI-1501L-10-360L-S	1501L-10-360R-S	TI-1501L-10-360R-S
10mm	380	1501L-10-380L-S	TI-1501L-10-380L-S	1501L-10-380R-S	TI-1501L-10-380R-S
10mm	400	1501L-10-400L-S	TI-1501L-10-400L-S	1501L-10-400R-S	TI-1501L-10-400R-S
10mm	420	1501L-10-420L-S	TI-1501L-10-420L-S	1501L-10-420R-S	TI-1501L-10-420R-S
10mm	440	1501L-10-440L-S	TI-1501L-10-440L-S	1501L-10-440R-S	TI-1501L-10-440R-S
11mm	320	1501L-11-320L-S	TI-1501L-11-320L-S	1501L-11-320R-S	TI-1501L-11-320R-S
11mm	340	1501L-11-340L-S	TI-1501L-11-340L-S	1501L-11-340R-S	TI-1501L-11-340R-S
11mm	360	1501L-11-360L-S	TI-1501L-11-360L-S	1501L-11-360R-S	TI-1501L-11-360R-S
11mm	380	1501L-11-380L-S	TI-1501L-11-380L-S	1501L-11-380R-S	TI-1501L-11-380R-S
11mm	400	1501L-11-400L-S	TI-1501L-11-400L-S	1501L-11-400R-S	TI-1501L-11-400R-S
11mm	420	1501L-11-420L-S	TI-1501L-11-420L-S	1501L-11-420R-S	TI-1501L-11-420R-S
11mm	440	1501L-11-440L-S	TI-1501L-11-440L-S	1501L-11-440R-S	TI-1501L-11-440R-S
12mm	320	1501L-12-320L-S	TI-1501L-12-320L-S	1501L-12-320R-S	TI-1501L-12-320R-S
12mm	340	1501L-12-340L-S	TI-1501L-12-340L-S	1501L-12-340R-S	TI-1501L-12-340R-S
12mm	360	1501L-12-360L-S	TI-1501L-12-360L-S	1501L-12-360R-S	TI-1501L-12-360R-S
12mm	380	1501L-12-380L-S	TI-1501L-12-380L-S	1501L-12-380R-S	TI-1501L-12-380R-S
12mm	400	1501L-12-400L-S	TI-1501L-12-400L-S	1501L-12-400R-S	TI-1501L-12-400R-S
12mm	420	1501L-12-420L-S	TI-1501L-12-420L-S	1501L-12-420R-S	TI-1501L-12-420R-S
12mm	440	1501L-12-440L-S	TI-1501L-12-440L-S	1501L-12-440R-S	TI-1501L-12-440R-S
13mm	320	1501L-13-320L-S	TI-1501L-13-320L-S	1501L-13-320R-S	TI-1501L-13-320R-S
13mm	340	1501L-13-340L-S	TI-1501L-13-340L-S	1501L-13-340R-S	TI-1501L-13-340R-S
13mm	360	1501L-13-360L-S	TI-1501L-13-360L-S	1501L-13-360R-S	TI-1501L-13-360R-S
13mm	380	1501L-13-380L-S	TI-1501L-13-380L-S	1501L-13-380R-S	TI-1501L-13-380R-S
13mm	400	1501L-13-400L-S	TI-1501L-13-400L-S	1501L-13-400R-S	TI-1501L-13-400R-S
13mm	420	1501L-13-420L-S	TI-1501L-13-420L-S	1501L-13-420R-S	TI-1501L-13-420R-S
13mm	440	1501L-13-440L-S	TI-1501L-13-440L-S	1501L-13-440R-S	TI-1501L-13-440R-S



130° Anti-Rotation Athos Nail, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180	TI-600S-09-180
9mm	200	600S-09-200	TI-600S-09-200
9mm	220	600S-09-220	TI-600S-09-220
9mm	240	600S-09-240	TI-600S-09-240
10mm	180	600S-10-180	TI-600S-10-180
10mm	200	600S-10-200	TI-600S-10-200
10mm	220	600S-10-220	TI-600S-10-220
10mm	240	600S-10-240	TI-600S-10-240
11mm	180	600S-11-180	TI-600S-11-180
11mm	200	600S-11-200	TI-600S-11-200
11mm	220	600S-11-220	TI-600S-11-220
11mm	240	600S-11-240	TI-600S-11-240
12mm	180	600S-12-180	TI-600S-12-180
12mm	200	600S-12-200	TI-600S-12-200
12mm	220	600S-12-220	TI-600S-12-220
12mm	240	600S-12-240	TI-600S-12-240
13mm	180	600S-13-180	TI-600S-13-180
13mm	200	600S-13-200	TI-600S-13-200
13mm	220	600S-13-220	TI-600S-13-220
13mm	240	600S-13-240	TI-600S-13-240



130° Anti-Rotation Athos Nail, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180-S	TI-600S-09-180-S
9mm	200	600S-09-200-S	TI-600S-09-200-S
9mm	220	600S-09-220-S	TI-600S-09-220-S
9mm	240	600S-09-240-S	TI-600S-09-240-S
10mm	180	600S-10-180-S	TI-600S-10-180-S
10mm	200	600S-10-200-S	TI-600S-10-200-S
10mm	220	600S-10-220-S	TI-600S-10-220-S
10mm	240	600S-10-240-S	TI-600S-10-240-S
11mm	180	600S-11-180-S	TI-600S-11-180-S
11mm	200	600S-11-200-S	TI-600S-11-200-S
11mm	220	600S-11-220-S	TI-600S-11-220-S
11mm	240	600S-11-240-S	TI-600S-11-240-S
12mm	180	600S-12-180-S	TI-600S-12-180-S
12mm	200	600S-12-200-S	TI-600S-12-200-S
12mm	220	600S-12-220-S	TI-600S-12-220-S
12mm	240	600S-12-240-S	TI-600S-12-240-S
13mm	180	600S-13-180-S	TI-600S-13-180-S
13mm	200	600S-13-200-S	TI-600S-13-200-S
13mm	220	600S-13-220-S	TI-600S-13-220-S
13mm	240	600S-13-240-S	TI-600S-13-240-S



130° Anti-Rotation Athos Nail, LONG


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L	TI-600L-09-320L	600L-09-320R	TI-600L-09-320R
9mm	340	600L-09-340L	TI-600L-09-340L	600L-09-340R	TI-600L-09-340R
9mm	360	600L-09-360L	TI-600L-09-360L	600L-09-360R	TI-600L-09-360R
9mm	380	600L-09-380L	TI-600L-09-380L	600L-09-380R	TI-600L-09-380R
9mm	400	600L-09-400L	TI-600L-09-400L	600L-09-400R	TI-600L-09-400R
9mm	420	600L-09-420L	TI-600L-09-420L	600L-09-420R	TI-600L-09-420R
9mm	440	600L-09-440L	TI-600L-09-440L	600L-09-440R	TI-600L-09-440R
10mm	320	600L-10-320L	TI-600L-10-320L	600L-10-320R	TI-600L-10-320R
10mm	340	600L-10-340L	TI-600L-10-340L	600L-10-340R	TI-600L-10-340R
10mm	360	600L-10-360L	TI-600L-10-360L	600L-10-360R	TI-600L-10-360R
10mm	380	600L-10-380L	TI-600L-10-380L	600L-10-380R	TI-600L-10-380R
10mm	400	600L-10-400L	TI-600L-10-400L	600L-10-400R	TI-600L-10-400R
10mm	420	600L-10-420L	TI-600L-10-420L	600L-10-420R	TI-600L-10-420R
10mm	440	600L-10-440L	TI-600L-10-440L	600L-10-440R	TI-600L-10-440R
11mm	320	600L-11-320L	TI-600L-11-320L	600L-11-320R	TI-600L-11-320R
11mm	340	600L-11-340L	TI-600L-11-340L	600L-11-340R	TI-600L-11-340R
11mm	360	600L-11-360L	TI-600L-11-360L	600L-11-360R	TI-600L-11-360R
11mm	380	600L-11-380L	TI-600L-11-380L	600L-11-380R	TI-600L-11-380R
11mm	400	600L-11-400L	TI-600L-11-400L	600L-11-400R	TI-600L-11-400R
11mm	420	600L-11-420L	TI-600L-11-420L	600L-11-420R	TI-600L-11-420R
11mm	440	600L-11-440L	TI-600L-11-440L	600L-11-440R	TI-600L-11-440R
12mm	320	600L-12-320L	TI-600L-12-320L	600L-12-320R	TI-600L-12-320R
12mm	340	600L-12-340L	TI-600L-12-340L	600L-12-340R	TI-600L-12-340R
12mm	360	600L-12-360L	TI-600L-12-360L	600L-12-360R	TI-600L-12-360R
12mm	380	600L-12-380L	TI-600L-12-380L	600L-12-380R	TI-600L-12-380R
12mm	400	600L-12-400L	TI-600L-12-400L	600L-12-400R	TI-600L-12-400R
12mm	420	600L-12-420L	TI-600L-12-420L	600L-12-420R	TI-600L-12-420R
12mm	440	600L-12-440L	TI-600L-12-440L	600L-12-440R	TI-600L-12-440R
13mm	320	600L-13-320L	TI-600L-13-320L	600L-13-320R	TI-600L-13-320R
13mm	340	600L-13-340L	TI-600L-13-340L	600L-13-340R	TI-600L-13-340R
13mm	360	600L-13-360L	TI-600L-13-360L	600L-13-360R	TI-600L-13-360R
13mm	380	600L-13-380L	TI-600L-13-380L	600L-13-380R	TI-600L-13-380R
13mm	400	600L-13-400L	TI-600L-13-400L	600L-13-400R	TI-600L-13-400R
13mm	420	600L-13-420L	TI-600L-13-420L	600L-13-420R	TI-600L-13-420R
13mm	440	600L-13-440L	TI-600L-13-440L	600L-13-440R	TI-600L-13-440R



130° Anti-Rotation Athos Nail, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L-S	TI-600L-09-320L-S	600L-09-320R-S	TI-600L-09-320R-S
9mm	340	600L-09-340L-S	TI-600L-09-340L-S	600L-09-340R-S	TI-600L-09-340R-S
9mm	360	600L-09-360L-S	TI-600L-09-360L-S	600L-09-360R-S	TI-600L-09-360R-S
9mm	380	600L-09-380L-S	TI-600L-09-380L-S	600L-09-380R-S	TI-600L-09-380R-S
9mm	400	600L-09-400L-S	TI-600L-09-400L-S	600L-09-400R-S	TI-600L-09-400R-S
9mm	420	600L-09-420L-S	TI-600L-09-420L-S	600L-09-420R-S	TI-600L-09-420R-S
9mm	440	600L-09-440L-S	TI-600L-09-440L-S	600L-09-440R-S	TI-600L-09-440R-S
10mm	320	600L-10-320L-S	TI-600L-10-320L-S	600L-10-320R-S	TI-600L-10-320R-S
10mm	340	600L-10-340L-S	TI-600L-10-340L-S	600L-10-340R-S	TI-600L-10-340R-S
10mm	360	600L-10-360L-S	TI-600L-10-360L-S	600L-10-360R-S	TI-600L-10-360R-S
10mm	380	600L-10-380L-S	TI-600L-10-380L-S	600L-10-380R-S	TI-600L-10-380R-S
10mm	400	600L-10-400L-S	TI-600L-10-400L-S	600L-10-400R-S	TI-600L-10-400R-S
10mm	420	600L-10-420L-S	TI-600L-10-420L-S	600L-10-420R-S	TI-600L-10-420R-S
10mm	440	600L-10-440L-S	TI-600L-10-440L-S	600L-10-440R-S	TI-600L-10-440R-S
11mm	320	600L-11-320L-S	TI-600L-11-320L-S	600L-11-320R-S	TI-600L-11-320R-S
11mm	340	600L-11-340L-S	TI-600L-11-340L-S	600L-11-340R-S	TI-600L-11-340R-S
11mm	360	600L-11-360L-S	TI-600L-11-360L-S	600L-11-360R-S	TI-600L-11-360R-S
11mm	380	600L-11-380L-S	TI-600L-11-380L-S	600L-11-380R-S	TI-600L-11-380R-S
11mm	400	600L-11-400L-S	TI-600L-11-400L-S	600L-11-400R-S	TI-600L-11-400R-S
11mm	420	600L-11-420L-S	TI-600L-11-420L-S	600L-11-420R-S	TI-600L-11-420R-S
11mm	440	600L-11-440L-S	TI-600L-11-440L-S	600L-11-440R-S	TI-600L-11-440R-S
12mm	320	600L-12-320L-S	TI-600L-12-320L-S	600L-12-320R-S	TI-600L-12-320R-S
12mm	340	600L-12-340L-S	TI-600L-12-340L-S	600L-12-340R-S	TI-600L-12-340R-S
12mm	360	600L-12-360L-S	TI-600L-12-360L-S	600L-12-360R-S	TI-600L-12-360R-S
12mm	380	600L-12-380L-S	TI-600L-12-380L-S	600L-12-380R-S	TI-600L-12-380R-S
12mm	400	600L-12-400L-S	TI-600L-12-400L-S	600L-12-400R-S	TI-600L-12-400R-S
12mm	420	600L-12-420L-S	TI-600L-12-420L-S	600L-12-420R-S	TI-600L-12-420R-S
12mm	440	600L-12-440L-S	TI-600L-12-440L-S	600L-12-440R-S	TI-600L-12-440R-S
13mm	320	600L-13-320L-S	TI-600L-13-320L-S	600L-13-320R-S	TI-600L-13-320R-S
13mm	340	600L-13-340L-S	TI-600L-13-340L-S	600L-13-340R-S	TI-600L-13-340R-S
13mm	360	600L-13-360L-S	TI-600L-13-360L-S	600L-13-360R-S	TI-600L-13-360R-S
13mm	380	600L-13-380L-S	TI-600L-13-380L-S	600L-13-380R-S	TI-600L-13-380R-S
13mm	400	600L-13-400L-S	TI-600L-13-400L-S	600L-13-400R-S	TI-600L-13-400R-S
13mm	420	600L-13-420L-S	TI-600L-13-420L-S	600L-13-420R-S	TI-600L-13-420R-S
13mm	440	600L-13-440L-S	TI-600L-13-440L-S	600L-13-440R-S	TI-600L-13-440R-S



End Cap For Anti-Rotation Athos Nail



Length (mm)	Stainless Steel	Titanium
0	600-001E	TI-600-001E
5	600-005E	TI-600-005E
10	600-010E	TI-600-010E
15	600-015E	TI-600-015E

STERILE

Length (mm)	Stainless Steel	Titanium
0	600-001E-S	TI-600-001E-S
5	600-005E-S	TI-600-005E-S
10	600-010E-S	TI-600-010E-S
15	600-015E-S	TI-600-015E-S



Inner Screw For Anti-Rotation Athos Nail-Long (For Cephalic Screw)



Stainless Steel	Titanium
600-0S	TI-600-0S

STERILE

Stainless Steel	Titanium
600-0S-S	TI-600-0S-S



Inner Screw For Anti-Rotation Athos Nail-Short (For Anti-Rotation Screw)



Stainless Steel	Titanium
601-0S	TI-601-0S

STERILE

Stainless Steel	Titanium
601-0S-S	TI-601-0S-S



Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail



STERILE

Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060	TI-600A-6.4-060
65	600A-6.4-065	TI-600A-6.4-065
70	600A-6.4-070	TI-600A-6.4-070
75	600A-6.4-075	TI-600A-6.4-075
80	600A-6.4-080	TI-600A-6.4-080
85	600A-6.4-085	TI-600A-6.4-085
90	600A-6.4-090	TI-600A-6.4-090
95	600A-6.4-095	TI-600A-6.4-095
100	600A-6.4-100	TI-600A-6.4-100
105	600A-6.4-105	TI-600A-6.4-105
110	600A-6.4-110	TI-600A-6.4-110
115	600A-6.4-115	TI-600A-6.4-115
120	600A-6.4-120	TI-600A-6.4-120
125	600A-6.4-125	TI-600A-6.4-125
130	600A-6.4-130	TI-600A-6.4-130

Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060-S	TI-600A-6.4-060-S
65	600A-6.4-065-S	TI-600A-6.4-065-S
70	600A-6.4-070-S	TI-600A-6.4-070-S
75	600A-6.4-075-S	TI-600A-6.4-075-S
80	600A-6.4-080-S	TI-600A-6.4-080-S
85	600A-6.4-085-S	TI-600A-6.4-085-S
90	600A-6.4-090-S	TI-600A-6.4-090-S
95	600A-6.4-095-S	TI-600A-6.4-095-S
100	600A-6.4-100-S	TI-600A-6.4-100-S
105	600A-6.4-105-S	TI-600A-6.4-105-S
110	600A-6.4-110-S	TI-600A-6.4-110-S
115	600A-6.4-115-S	TI-600A-6.4-115-S
120	600A-6.4-120-S	TI-600A-6.4-120-S
125	600A-6.4-125-S	TI-600A-6.4-125-S
130	600A-6.4-130-S	TI-600A-6.4-130-S

End Cap For Ø10.5mm Cephalic Screw For Athos Nail



STERILE

Stainless Steel	Titanium
GM01.06	TI-GM01.06

Stainless Steel	Titanium
GM01.06-S	TI-GM01.06-S

Ø10.5mm Cephalic Screw For Athos Nail



Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120



STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070-S	TI-600C-10.5-070-S
10.5mm	75	600C-10.5-075-S	TI-600C-10.5-075-S
10.5mm	80	600C-10.5-080-S	TI-600C-10.5-080-S
10.5mm	85	600C-10.5-085-S	TI-600C-10.5-085-S
10.5mm	90	600C-10.5-090-S	TI-600C-10.5-090-S
10.5mm	95	600C-10.5-095-S	TI-600C-10.5-095-S
10.5mm	100	600C-10.5-100-S	TI-600C-10.5-100-S
10.5mm	105	600C-10.5-105-S	TI-600C-10.5-105-S
10.5mm	110	600C-10.5-110-S	TI-600C-10.5-110-S
10.5mm	115	600C-10.5-115-S	TI-600C-10.5-115-S
10.5mm	120	600C-10.5-120-S	TI-600C-10.5-120-S

Ø4.8mm Locking Bolt, Self-Tapping for Athos Nail


STERILE

Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
65	600-065	TI-600-065
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090

Length (mm)	Stainless Steel	Titanium
26	600-026-S	TI-600-026-S
28	600-028-S	TI-600-028-S
30	600-030-S	TI-600-030-S
32	600-032-S	TI-600-032-S
34	600-034-S	TI-600-034-S
36	600-036-S	TI-600-036-S
38	600-038-S	TI-600-038-S
40	600-040-S	TI-600-040-S
42	600-042-S	TI-600-042-S
44	600-044-S	TI-600-044-S
46	600-046-S	TI-600-046-S
48	600-048-S	TI-600-048-S
50	600-050-S	TI-600-050-S
52	600-052-S	TI-600-052-S
54	600-054-S	TI-600-054-S
56	600-056-S	TI-600-056-S
58	600-058-S	TI-600-058-S
60	600-060-S	TI-600-060-S
65	600-065-S	TI-600-065-S
70	600-070-S	TI-600-070-S
75	600-075-S	TI-600-075-S
80	600-080-S	TI-600-080-S
85	600-085-S	TI-600-085-S
90	600-090-S	TI-600-090-S

EXPERT FEMUR NAILING SYSTEM

EXPERT FEMUR NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 90+ countries worldwide.

Our Achievements



Orthopaedic Implants

INTRODUCTION

The Expert Femur Nail enables the surgeon to stabilize subtrochanteric femur fractures, ipsilateral neck/shaft fractures, femur shaft fractures, impending pathological fractures, malunions and nonunions.

LOCKING OPTIONS


Standard Locking

The Expert Femur Nail with standard locking is indicated for fractures in femur shaft (except subtrochanteric fractures).

- For sufficient proximal **static** locking, always use the 120° antegrade locking option together with the transverse static screw.



- For immediate **primary dynamization**, insert only one proximal locking screw through the dynamic slot.




- For **secondary dynamization** use both the dynamic and the 120° antegrade locking position and remove the 120° locking when required.



Reconstruction Locking

The Expert Femur Nail with reconstruction locking is indicated for subtrochanteric fractures in addition with femoral shaft and neck fractures.

The use of two Ø6.4mm Cannulated Anti-Rotation screws ensures optimal stabilization for the treatment of combined femur neck and shaft fractures.




Ø6.4mm Cannulated
Anti-Rotation screws



Distal Locking

The distal segment can be stabilized by using two Ø4.8mm Locking Bolts. Stability of the distal fragment can be enhanced by the use of a third Ø4.8mm Locking Bolt in the oblique hole.

1. Static Hole
2. Dynamic Hole (2.1 Dynamic Position & 2.2 Static Position)
3. Static hole



For sufficient distal **static** locking, it is suggested that **a minimum of two locking screws** should be used



COMPRESSION

It is recommended to close fracture gaps in order to decrease the incidence of nonunion or malunion. The Expert Femur Nailing offers two compression options.

Proximal Compression :

If proximal compression is planned, over-insert the nail to compensate for back striking the nail, active compression with compression screw or proximal dynamisation, the final position (after compression) of the nail should be flush with the trochanteric cortex.

Distal Dynamisation:

If distal dynamisation is planned, the tip of the nail will slide maximum by 9mm distally. In order to protect the articulating surface of the distal femur. This movement has to be taken into account when choosing the length and insertion of the implant.



Proximal Compression Options:

- Active compression via compression screw
- Back stroke technique
- Dynamisation



Distal Compression:

- Dynamisation

INDICATIONS

Standard Locking Indications

The Expert Femur Nail with standard locking is indicated for fractures in the Femur Shaft:

32-A/B/C (except subtrochanteric fractures 32-A [1–3].1, 32-B [1–3].1, and 32-C [1–3].1).



Reconstruction Locking Indications

The Expert Femur Nail with reconstruction locking is indicated for fractures in the femur shaft in case of combination with femur neck fractures:

32-A/B/C combined with 31-B (double ipsilateral fractures).


Additionally the Expert Femur Nail is indicated for fractures in the subtrochanteric section:

32-A [1–3].1, 32-B [1–3].1, and 32-C [1–3].1.



Contraindications

- Isolated femur neck fractures.
- Supracondylar fractures (localisation 32).
- Intertrochanteric fractures
- Pertrochanteric fractures



PRODUCT SPECIFICATIONS

Expert Femur Nail

Diameters:

Ø9mm, Ø10mm, Ø11mm, Ø12mm & Ø13mm

Length:

320mm - 440mm (With 20mm difference)

Available in:

Stainless Steel and Titanium

Directions:

Left and Right



Right
Golden & Type-II



Left
Blue & Type-II

Color Coding (only for Titanium):

Expert Femur Nail, Left - Blue & Type-II

Expert Femur Nail, Right - Golden & Type-II


Cannulation:

All Expert Femur Nails are cannulated for reamed or unreamed techniques.

Ball tip reaming rod can be removed through the nail and insertion handle assembly to eliminate need for an exchange tube.

Advanced Nail Design:

- New anatomic bend for ease of nail insertion and extraction.
- Design accommodates a lateral entry site through the greater trochanter.
- Anatomical nail design based on a femur canal study.
- Easier surgical procedure due to streamlined instrumentation.



End Cap For Expert Femur Nail

Length:

0mm, 5mm, 10mm, 15mm and 20mm

Available in:

Stainless Steel and Titanium

Color coding *(only for Titanium):*

Type-II for End Cap

Features:

- End Cap prevents ingrowth of hard & soft tissue which facilitates nail extraction.
- 0 mm End Cap sits flush with nail.
- End Cap with different option of length can extend nail height if nail is over inserted.



Ø4.8mm Locking Bolt, Self-Tapping, For Expert Femur Nail

Length:

26mm - 84mm (With 2mm difference), 85mm & 90mm

Available in:

Stainless Steel and Titanium

Color Coding *(only for Titanium):*

Type-II for Ø4.8mm Locking Bolt

Features:

- Thread closer to screw head for better and improved stability
- Self Tapping
- Hex head
- Larger cross section for improved mechanical resistance.



Ø6.4mm Cannulated Anti-Rotation Screw, Self-Tapping, For Expert Femur Nail

Length:

60mm - 130mm (With 5mm difference)

Available in:

Stainless Steel and Titanium

Color Coding *(only for Titanium):*

Type-II For Ø6.4mm Cannulated Anti-Rotation Screw

Features:

- Cannulated
- Hex head



Entry Point:

The entry point is a determinant factor for the entire operation, especially for the optimal final position of the Expert Femur Nail in the medullary canal.



In AP view, the entry point is at the tip of the greater trochanter, approximately 5° lateral to the axis of the medullary canal.

In lateral view the entry point is in line with the axis of the intramedullary canal.

Expert Femur Nail

Stainless Steel

	(Left)	(Right)	Dia x Length
Ø9mm	1459-9-320L	1459-9-320R	Ø9mm x 320mm
	1459-9-340L	1459-9-340R	Ø9mm x 340mm
	1459-9-360L	1459-9-360R	Ø9mm x 360mm
	1459-9-380L	1459-9-380R	Ø9mm x 380mm
	1459-9-400L	1459-9-400R	Ø9mm x 400mm
	1459-9-420L	1459-9-420R	Ø9mm x 420mm
	1459-9-440L	1459-9-440R	Ø9mm x 440mm
Ø10mm	1459-10-320L	1459-10-320R	Ø10mm x 320mm
	1459-10-340L	1459-10-340R	Ø10mm x 340mm
	1459-10-360L	1459-10-360R	Ø10mm x 360mm
	1459-10-380L	1459-10-380R	Ø10mm x 380mm
	1459-10-400L	1459-10-400R	Ø10mm x 400mm
	1459-10-420L	1459-10-420R	Ø10mm x 420mm
	1459-10-440L	1459-10-440R	Ø10mm x 440mm
Ø11mm	1459-11-320L	1459-11-320R	Ø11mm x 320mm
	1459-11-340L	1459-11-340R	Ø11mm x 340mm
	1459-11-360L	1459-11-360R	Ø11mm x 360mm
	1459-11-380L	1459-11-380R	Ø11mm x 380mm
	1459-11-400L	1459-11-400R	Ø11mm x 400mm
	1459-11-420L	1459-11-420R	Ø11mm x 420mm
	1459-11-440L	1459-11-440R	Ø11mm x 440mm
Ø12mm	1459-12-320L	1459-12-320R	Ø12mm x 320mm
	1459-12-340L	1459-12-340R	Ø12mm x 340mm
	1459-12-360L	1459-12-360R	Ø12mm x 360mm
	1459-12-380L	1459-12-380R	Ø12mm x 380mm
	1459-12-400L	1459-12-400R	Ø12mm x 400mm
	1459-12-420L	1459-12-420R	Ø12mm x 420mm
	1459-12-440L	1459-12-440R	Ø12mm x 440mm
Ø13mm	1459-13-320L	1459-13-320R	Ø13mm x 320mm
	1459-13-340L	1459-13-340R	Ø13mm x 340mm
	1459-13-360L	1459-13-360R	Ø13mm x 360mm
	1459-13-380L	1459-13-380R	Ø13mm x 380mm
	1459-13-400L	1459-13-400R	Ø13mm x 400mm
	1459-13-420L	1459-13-420R	Ø13mm x 420mm
	1459-13-440L	1459-13-440R	Ø13mm x 440mm

Right

Left



Expert Femur Nail
STERILE
Stainless Steel

	(Left)	(Right)	Dia x Length
Ø9mm	1459-9-320L-S	1459-9-320R-S	Ø9mm x 320mm
	1459-9-340L-S	1459-9-340R-S	Ø9mm x 340mm
	1459-9-360L-S	1459-9-360R-S	Ø9mm x 360mm
	1459-9-380L-S	1459-9-380R-S	Ø9mm x 380mm
	1459-9-400L-S	1459-9-400R-S	Ø9mm x 400mm
	1459-9-420L-S	1459-9-420R-S	Ø9mm x 420mm
	1459-9-440L-S	1459-9-440R-S	Ø9mm x 440mm
Ø10mm	1459-10-320L-S	1459-10-320R-S	Ø10mm x 320mm
	1459-10-340L-S	1459-10-340R-S	Ø10mm x 340mm
	1459-10-360L-S	1459-10-360R-S	Ø10mm x 360mm
	1459-10-380L-S	1459-10-380R-S	Ø10mm x 380mm
	1459-10-400L-S	1459-10-400R-S	Ø10mm x 400mm
	1459-10-420L-S	1459-10-420R-S	Ø10mm x 420mm
	1459-10-440L-S	1459-10-440R-S	Ø10mm x 440mm
Ø11mm	1459-11-320L-S	1459-11-320R-S	Ø11mm x 320mm
	1459-11-340L-S	1459-11-340R-S	Ø11mm x 340mm
	1459-11-360L-S	1459-11-360R-S	Ø11mm x 360mm
	1459-11-380L-S	1459-11-380R-S	Ø11mm x 380mm
	1459-11-400L-S	1459-11-400R-S	Ø11mm x 400mm
	1459-11-420L-S	1459-11-420R-S	Ø11mm x 420mm
	1459-11-440L-S	1459-11-440R-S	Ø11mm x 440mm
Ø12mm	1459-12-320L-S	1459-12-320R-S	Ø12mm x 320mm
	1459-12-340L-S	1459-12-340R-S	Ø12mm x 340mm
	1459-12-360L-S	1459-12-360R-S	Ø12mm x 360mm
	1459-12-380L-S	1459-12-380R-S	Ø12mm x 380mm
	1459-12-400L-S	1459-12-400R-S	Ø12mm x 400mm
	1459-12-420L-S	1459-12-420R-S	Ø12mm x 420mm
	1459-12-440L-S	1459-12-440R-S	Ø12mm x 440mm
Ø13mm	1459-13-320L-S	1459-13-320R-S	Ø13mm x 320mm
	1459-13-340L-S	1459-13-340R-S	Ø13mm x 340mm
	1459-13-360L-S	1459-13-360R-S	Ø13mm x 360mm
	1459-13-380L-S	1459-13-380R-S	Ø13mm x 380mm
	1459-13-400L-S	1459-13-400R-S	Ø13mm x 400mm
	1459-13-420L-S	1459-13-420R-S	Ø13mm x 420mm
	1459-13-440L-S	1459-13-440R-S	Ø13mm x 440mm

Right

Left



Expert Femur Nail

Titanium

	(Left)	(Right)	Dia x Length
Ø9mm	TI-1459-9-320L	TI-1459-9-320R	Ø9mm x 320mm
	TI-1459-9-340L	TI-1459-9-340R	Ø9mm x 340mm
	TI-1459-9-360L	TI-1459-9-360R	Ø9mm x 360mm
	TI-1459-9-380L	TI-1459-9-380R	Ø9mm x 380mm
	TI-1459-9-400L	TI-1459-9-400R	Ø9mm x 400mm
	TI-1459-9-420L	TI-1459-9-420R	Ø9mm x 420mm
	TI-1459-9-440L	TI-1459-9-440R	Ø9mm x 440mm
Ø10mm	TI-1459-10-320L	TI-1459-10-320R	Ø10mm x 320mm
	TI-1459-10-340L	TI-1459-10-340R	Ø10mm x 340mm
	TI-1459-10-360L	TI-1459-10-360R	Ø10mm x 360mm
	TI-1459-10-380L	TI-1459-10-380R	Ø10mm x 380mm
	TI-1459-10-400L	TI-1459-10-400R	Ø10mm x 400mm
	TI-1459-10-420L	TI-1459-10-420R	Ø10mm x 420mm
	TI-1459-10-440L	TI-1459-10-440R	Ø10mm x 440mm
Ø11mm	TI-1459-11-320L	TI-1459-11-320R	Ø11mm x 320mm
	TI-1459-11-340L	TI-1459-11-340R	Ø11mm x 340mm
	TI-1459-11-360L	TI-1459-11-360R	Ø11mm x 360mm
	TI-1459-11-380L	TI-1459-11-380R	Ø11mm x 380mm
	TI-1459-11-400L	TI-1459-11-400R	Ø11mm x 400mm
	TI-1459-11-420L	TI-1459-11-420R	Ø11mm x 420mm
	TI-1459-11-440L	TI-1459-11-440R	Ø11mm x 440mm
Ø12mm	TI-1459-12-320L	TI-1459-12-320R	Ø12mm x 320mm
	TI-1459-12-340L	TI-1459-12-340R	Ø12mm x 340mm
	TI-1459-12-360L	TI-1459-12-360R	Ø12mm x 360mm
	TI-1459-12-380L	TI-1459-12-380R	Ø12mm x 380mm
	TI-1459-12-400L	TI-1459-12-400R	Ø12mm x 400mm
	TI-1459-12-420L	TI-1459-12-420R	Ø12mm x 420mm
	TI-1459-12-440L	TI-1459-12-440R	Ø12mm x 440mm
Ø13mm	TI-1459-13-320L	TI-1459-13-320R	Ø13mm x 320mm
	TI-1459-13-340L	TI-1459-13-340R	Ø13mm x 340mm
	TI-1459-13-360L	TI-1459-13-360R	Ø13mm x 360mm
	TI-1459-13-380L	TI-1459-13-380R	Ø13mm x 380mm
	TI-1459-13-400L	TI-1459-13-400R	Ø13mm x 400mm
	TI-1459-13-420L	TI-1459-13-420R	Ø13mm x 420mm
	TI-1459-13-440L	TI-1459-13-440R	Ø13mm x 440mm

Right

Left



Expert Femur Nail
STERILE

Titanium		
	(Left)	(Right)
	Dia x Length	
Ø9mm	TI-1459-9-320L-S	TI-1459-9-320R-S
	TI-1459-9-340L-S	TI-1459-9-340R-S
	TI-1459-9-360L-S	TI-1459-9-360R-S
	TI-1459-9-380L-S	TI-1459-9-380R-S
	TI-1459-9-400L-S	TI-1459-9-400R-S
	TI-1459-9-420L-S	TI-1459-9-420R-S
	TI-1459-9-440L-S	TI-1459-9-440R-S
Ø10mm	TI-1459-10-320L-S	TI-1459-10-320R-S
	TI-1459-10-340L-S	TI-1459-10-340R-S
	TI-1459-10-360L-S	TI-1459-10-360R-S
	TI-1459-10-380L-S	TI-1459-10-380R-S
	TI-1459-10-400L-S	TI-1459-10-400R-S
	TI-1459-10-420L-S	TI-1459-10-420R-S
	TI-1459-10-440L-S	TI-1459-10-440R-S
Ø11mm	TI-1459-11-320L-S	TI-1459-11-320R-S
	TI-1459-11-340L-S	TI-1459-11-340R-S
	TI-1459-11-360L-S	TI-1459-11-360R-S
	TI-1459-11-380L-S	TI-1459-11-380R-S
	TI-1459-11-400L-S	TI-1459-11-400R-S
	TI-1459-11-420L-S	TI-1459-11-420R-S
	TI-1459-11-440L-S	TI-1459-11-440R-S
Ø12mm	TI-1459-12-320L-S	TI-1459-12-320R-S
	TI-1459-12-340L-S	TI-1459-12-340R-S
	TI-1459-12-360L-S	TI-1459-12-360R-S
	TI-1459-12-380L-S	TI-1459-12-380R-S
	TI-1459-12-400L-S	TI-1459-12-400R-S
	TI-1459-12-420L-S	TI-1459-12-420R-S
	TI-1459-12-440L-S	TI-1459-12-440R-S
Ø13mm	TI-1459-13-320L-S	TI-1459-13-320R-S
	TI-1459-13-340L-S	TI-1459-13-340R-S
	TI-1459-13-360L-S	TI-1459-13-360R-S
	TI-1459-13-380L-S	TI-1459-13-380R-S
	TI-1459-13-400L-S	TI-1459-13-400R-S
	TI-1459-13-420L-S	TI-1459-13-420R-S
	TI-1459-13-440L-S	TI-1459-13-440R-S

Right

Left



End Caps For Expert Femur Nail



Stainless Steel	Titanium	Length
1459-01	TI-1459-01	0mm
1459-05	TI-1459-05	5mm
1459-10	TI-1459-10	10mm
1459-15	TI-1459-15	15mm
1459-20	TI-1459-20	20mm

STERILE

Stainless Steel	Titanium	Length
1459-01-S	TI-1459-01-S	0mm
1459-05-S	TI-1459-05-S	5mm
1459-10-S	TI-1459-10-S	10mm
1459-15-S	TI-1459-15-S	15mm
1459-20-S	TI-1459-20-S	20mm

Ø4.8mm Locking Bolt, Self-Tapping, For Expert Femur Nail


Stainless Steel	Titanium	Length (mm)
1458-4.8-026	TI-1458-4.8-026	26
1458-4.8-028	TI-1458-4.8-028	28
1458-4.8-030	TI-1458-4.8-030	30
1458-4.8-032	TI-1458-4.8-032	32
1458-4.8-034	TI-1458-4.8-034	34
1458-4.8-036	TI-1458-4.8-036	36
1458-4.8-038	TI-1458-4.8-038	38
1458-4.8-040	TI-1458-4.8-040	40
1458-4.8-042	TI-1458-4.8-042	42
1458-4.8-044	TI-1458-4.8-044	44
1458-4.8-046	TI-1458-4.8-046	46
1458-4.8-048	TI-1458-4.8-048	48
1458-4.8-050	TI-1458-4.8-050	50
1458-4.8-052	TI-1458-4.8-052	52
1458-4.8-054	TI-1458-4.8-054	54
1458-4.8-056	TI-1458-4.8-056	56
1458-4.8-058	TI-1458-4.8-058	58
1458-4.8-060	TI-1458-4.8-060	60
1458-4.8-062	TI-1458-4.8-062	62
1458-4.8-064	TI-1458-4.8-064	64
1458-4.8-066	TI-1458-4.8-066	66
1458-4.8-068	TI-1458-4.8-068	68
1458-4.8-070	TI-1458-4.8-070	70
1458-4.8-072	TI-1458-4.8-072	72
1458-4.8-074	TI-1458-4.8-074	74
1458-4.8-076	TI-1458-4.8-076	76
1458-4.8-078	TI-1458-4.8-078	78
1458-4.8-080	TI-1458-4.8-080	80
1458-4.8-082	TI-1458-4.8-082	82
1458-4.8-084	TI-1458-4.8-084	84
1458-4.8-085	TI-1458-4.8-085	85
1458-4.8-090	TI-1458-4.8-090	90

STERILE

Stainless Steel	Titanium	Length (mm)
1458-4.8-026-S	TI-1458-4.8-026-S	26
1458-4.8-028-S	TI-1458-4.8-028-S	28
1458-4.8-030-S	TI-1458-4.8-030-S	30
1458-4.8-032-S	TI-1458-4.8-032-S	32
1458-4.8-034-S	TI-1458-4.8-034-S	34
1458-4.8-036-S	TI-1458-4.8-036-S	36
1458-4.8-038-S	TI-1458-4.8-038-S	38
1458-4.8-040-S	TI-1458-4.8-040-S	40
1458-4.8-042-S	TI-1458-4.8-042-S	42
1458-4.8-044-S	TI-1458-4.8-044-S	44
1458-4.8-046-S	TI-1458-4.8-046-S	46
1458-4.8-048-S	TI-1458-4.8-048-S	48
1458-4.8-050-S	TI-1458-4.8-050-S	50
1458-4.8-052-S	TI-1458-4.8-052-S	52
1458-4.8-054-S	TI-1458-4.8-054-S	54
1458-4.8-056-S	TI-1458-4.8-056-S	56
1458-4.8-058-S	TI-1458-4.8-058-S	58
1458-4.8-060-S	TI-1458-4.8-060-S	60
1458-4.8-062-S	TI-1458-4.8-062-S	62
1458-4.8-064-S	TI-1458-4.8-064-S	64
1458-4.8-066-S	TI-1458-4.8-066-S	66
1458-4.8-068-S	TI-1458-4.8-068-S	68
1458-4.8-070-S	TI-1458-4.8-070-S	70
1458-4.8-072-S	TI-1458-4.8-072-S	72
1458-4.8-074-S	TI-1458-4.8-074-S	74
1458-4.8-076-S	TI-1458-4.8-076-S	76
1458-4.8-078-S	TI-1458-4.8-078-S	78
1458-4.8-080-S	TI-1458-4.8-080-S	80
1458-4.8-082-S	TI-1458-4.8-082-S	82
1458-4.8-084-S	TI-1458-4.8-084-S	84
1458-4.8-085-S	TI-1458-4.8-085-S	85
1458-4.8-090-S	TI-1458-4.8-090-S	90

Ø6.4mm Cannulated Anti -Rotation Screw, Self-Tapping, For Expert Femur Nail



Stainless Steel	Titanium	Length
1459-060	TI-1459-060	60mm
1459-065	TI-1459-065	65mm
1459-070	TI-1459-070	70mm
1459-075	TI-1459-075	75mm
1459-080	TI-1459-080	80mm
1459-085	TI-1459-085	85mm
1459-090	TI-1459-090	90mm
1459-095	TI-1459-095	95mm
1459-100	TI-1459-100	100mm
1459-105	TI-1459-105	105mm
1459-110	TI-1459-110	110mm
1459-115	TI-1459-115	115mm
1459-120	TI-1459-120	120mm
1459-125	TI-1459-125	125mm
1459-130	TI-1459-130	130mm



STERILE

Stainless Steel	Titanium	Length
1459-060-S	TI-1459-060-S	60mm
1459-065-S	TI-1459-065-S	65mm
1459-070-S	TI-1459-070-S	70mm
1459-075-S	TI-1459-075-S	75mm
1459-080-S	TI-1459-080-S	80mm
1459-085-S	TI-1459-085-S	85mm
1459-090-S	TI-1459-090-S	90mm
1459-095-S	TI-1459-095-S	95mm
1459-100-S	TI-1459-100-S	100mm
1459-105-S	TI-1459-105-S	105mm
1459-110-S	TI-1459-110-S	110mm
1459-115-S	TI-1459-115-S	115mm
1459-120-S	TI-1459-120-S	120mm
1459-125-S	TI-1459-125-S	125mm
1459-130-S	TI-1459-130-S	130mm

KONZEPT FEMUR NAILING SYSTEM

KONZEPT FEMUR NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 90+ countries worldwide.

Our Achievements



Orthopaedic Implants

INTRODUCTION

AUXEIN system provides the following methods of intramedullary fixation:

- Reconstruction,
- Compression, dynamic, static,
- Retrograde (condylar approach).

Each fixation method of **AUXEIN** system comes with:

- Adequate selection of implants (intramedullary nails, screws, locking screws),

RECONSTRUCTION, PERTROCHANTERIC METHOD

Reconstruction nails are used for intramedullary fixation of proximal femur neck or trochanteric fractures.


Angular position of reconstruction screws gives anatomical position of the head and trochanteric region against the femur shaft. The nail comes in two versions: right nail for right femur, left nail for left femur.



Examples of fractures treated with this method:

To fix the femur fracture fragments with pertrochanteric method use:


—right nail for fixation of the left femur fractures



Examples of fractures treated with this method:


COMPRESSION, DYNAMIC AND STATIC METHOD

Compressive locking are used in the intramedullary fixations of femur shaft fractures, providing that fractures are not closer than 3cm from locking screw. Nail design allows treatment with the compression, dynamic and static method.



Compression method

In static locking, when needed, the proximal screw can be used to provide better locking.




Examples of femoral shaft fractures treated with this method:




RETROGRADE (CONDYLAR APPROACH)

Intramedullary nails with condylar approach enable fixation in the distal part of femur in the case any other method (reconstruction, compression, dynamic, static) cannot be used. The reversed method can be used if prosthesis or other implant is located in the femur proximal or in case of condyle multifragmental fracture



Examples of femur shaft fractures treated with this method:



Universal Intramedullary Cannulated Femur Nail, Non Sterile


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	200	6081-9-200L	TI-6081-9-200L	6081-9-200R	TI-6081-9-200R
9mm	220	6081-9-220L	TI-6081-9-220L	6081-9-220R	TI-6081-9-220R
9mm	240	6081-9-240L	TI-6081-9-240L	6081-9-240R	TI-6081-9-240R
9mm	260	6081-9-260L	TI-6081-9-260L	6081-9-260R	TI-6081-9-260R
9mm	280	6081-9-280L	TI-6081-9-280L	6081-9-280R	TI-6081-9-280R
9mm	300	6081-9-300L	TI-6081-9-300L	6081-9-300R	TI-6081-9-300R
9mm	320	6081-9-320L	TI-6081-9-320L	6081-9-320R	TI-6081-9-320R
9mm	340	6081-9-340L	TI-6081-9-340L	6081-9-340R	TI-6081-9-340R
9mm	360	6081-9-360L	TI-6081-9-360L	6081-9-360R	TI-6081-9-360R
9mm	380	6081-9-380L	TI-6081-9-380L	6081-9-380R	TI-6081-9-380R
9mm	400	6081-9-400L	TI-6081-9-400L	6081-9-400R	TI-6081-9-400R
9mm	420	6081-9-420L	TI-6081-9-420L	6081-9-420R	TI-6081-9-420R
9mm	440	6081-9-440L	TI-6081-9-440L	6081-9-440R	TI-6081-9-440R
9mm	460	6081-9-460L	TI-6081-9-460L	6081-9-460R	TI-6081-9-460R
9mm	480	6081-9-480L	TI-6081-9-480L	6081-9-480R	TI-6081-9-480R
10mm	200	6081-10-200L	TI-6081-10-200L	6081-10-200R	TI-6081-10-200R
10mm	220	6081-10-220L	TI-6081-10-220L	6081-10-220R	TI-6081-10-220R
10mm	240	6081-10-240L	TI-6081-10-240L	6081-10-240R	TI-6081-10-240R
10mm	260	6081-10-260L	TI-6081-10-260L	6081-10-260R	TI-6081-10-260R
10mm	280	6081-10-280L	TI-6081-10-280L	6081-10-280R	TI-6081-10-280R
10mm	300	6081-10-300L	TI-6081-10-300L	6081-10-300R	TI-6081-10-300R
10mm	320	6081-10-320L	TI-6081-10-320L	6081-10-320R	TI-6081-10-320R
10mm	340	6081-10-340L	TI-6081-10-340L	6081-10-340R	TI-6081-10-340R
10mm	360	6081-10-360L	TI-6081-10-360L	6081-10-360R	TI-6081-10-360R
10mm	380	6081-10-380L	TI-6081-10-380L	6081-10-380R	TI-6081-10-380R
10mm	400	6081-10-400L	TI-6081-10-400L	6081-10-400R	TI-6081-10-400R
10mm	420	6081-10-420L	TI-6081-10-420L	6081-10-420R	TI-6081-10-420R
10mm	440	6081-10-440L	TI-6081-10-440L	6081-10-440R	TI-6081-10-440R
10mm	460	6081-10-460L	TI-6081-10-460L	6081-10-460R	TI-6081-10-460R
10mm	480	6081-10-480L	TI-6081-10-480L	6081-10-480R	TI-6081-10-480R
11mm	200	6081-11-200L	TI-6081-11-200L	6081-11-200R	TI-6081-11-200R
11mm	220	6081-11-220L	TI-6081-11-220L	6081-11-220R	TI-6081-11-220R
11mm	240	6081-11-240L	TI-6081-11-240L	6081-11-240R	TI-6081-11-240R
11mm	260	6081-11-260L	TI-6081-11-260L	6081-11-260R	TI-6081-11-260R
11mm	280	6081-11-280L	TI-6081-11-280L	6081-11-280R	TI-6081-11-280R



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
11mm	300	6081-11-300L	TI-6081-11-300L	6081-11-300R	TI-6081-11-300R
11mm	320	6081-11-320L	TI-6081-11-320L	6081-11-320R	TI-6081-11-320R
11mm	340	6081-11-340L	TI-6081-11-340L	6081-11-340R	TI-6081-11-340R
11mm	360	6081-11-360L	TI-6081-11-360L	6081-11-360R	TI-6081-11-360R
11mm	380	6081-11-380L	TI-6081-11-380L	6081-11-380R	TI-6081-11-380R
11mm	400	6081-11-400L	TI-6081-11-400L	6081-11-400R	TI-6081-11-400R
11mm	420	6081-11-420L	TI-6081-11-420L	6081-11-420R	TI-6081-11-420R
11mm	440	6081-11-440L	TI-6081-11-440L	6081-11-440R	TI-6081-11-440R
11mm	460	6081-11-460L	TI-6081-11-460L	6081-11-460R	TI-6081-11-460R
11mm	480	6081-11-480L	TI-6081-11-480L	6081-11-480R	TI-6081-11-480R
12mm	200	6081-12-200L	TI-6081-12-200L	6081-12-200R	TI-6081-12-200R
12mm	220	6081-12-220L	TI-6081-12-220L	6081-12-220R	TI-6081-12-220R
12mm	240	6081-12-240L	TI-6081-12-240L	6081-12-240R	TI-6081-12-240R
12mm	260	6081-12-260L	TI-6081-12-260L	6081-12-260R	TI-6081-12-260R
12mm	280	6081-12-280L	TI-6081-12-280L	6081-12-280R	TI-6081-12-280R
12mm	300	6081-12-300L	TI-6081-12-300L	6081-12-300R	TI-6081-12-300R
12mm	320	6081-12-320L	TI-6081-12-320L	6081-12-320R	TI-6081-12-320R
12mm	340	6081-12-340L	TI-6081-12-340L	6081-12-340R	TI-6081-12-340R
12mm	360	6081-12-360L	TI-6081-12-360L	6081-12-360R	TI-6081-12-360R
12mm	380	6081-12-380L	TI-6081-12-380L	6081-12-380R	TI-6081-12-380R
12mm	400	6081-12-400L	TI-6081-12-400L	6081-12-400R	TI-6081-12-400R
12mm	420	6081-12-420L	TI-6081-12-420L	6081-12-420R	TI-6081-12-420R
12mm	440	6081-12-440L	TI-6081-12-440L	6081-12-440R	TI-6081-12-440R
12mm	460	6081-12-460L	TI-6081-12-460L	6081-12-460R	TI-6081-12-460R
12mm	480	6081-12-480L	TI-6081-12-480L	6081-12-480R	TI-6081-12-480R
13mm	200	6081-13-200L	TI-6081-13-200L	6081-13-200R	TI-6081-13-200R
13mm	220	6081-13-220L	TI-6081-13-220L	6081-13-220R	TI-6081-13-220R
13mm	240	6081-13-240L	TI-6081-13-240L	6081-13-240R	TI-6081-13-240R
13mm	260	6081-13-260L	TI-6081-13-260L	6081-13-260R	TI-6081-13-260R
13mm	280	6081-13-280L	TI-6081-13-280L	6081-13-280R	TI-6081-13-280R
13mm	300	6081-13-300L	TI-6081-13-300L	6081-13-300R	TI-6081-13-300R
13mm	320	6081-13-320L	TI-6081-13-320L	6081-13-320R	TI-6081-13-320R
13mm	340	6081-13-340L	TI-6081-13-340L	6081-13-340R	TI-6081-13-340R
13mm	360	6081-13-360L	TI-6081-13-360L	6081-13-360R	TI-6081-13-360R
13mm	380	6081-13-380L	TI-6081-13-380L	6081-13-380R	TI-6081-13-380R

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
13mm	400	6081-13-400L	TI-6081-13-400L	6081-13-400R	TI-6081-13-400R
13mm	420	6081-13-420L	TI-6081-13-420L	6081-13-420R	TI-6081-13-420R
13mm	440	6081-13-440L	TI-6081-13-440L	6081-13-440R	TI-6081-13-440R
13mm	460	6081-13-460L	TI-6081-13-460L	6081-13-460R	TI-6081-13-460R
13mm	480	6081-13-480L	TI-6081-13-480L	6081-13-480R	TI-6081-13-480R
14mm	200	6081-14-200L	TI-6081-14-200L	6081-14-200R	TI-6081-14-200R
14mm	220	6081-14-220L	TI-6081-14-220L	6081-14-220R	TI-6081-14-220R
14mm	240	6081-14-240L	TI-6081-14-240L	6081-14-240R	TI-6081-14-240R
14mm	260	6081-14-260L	TI-6081-14-260L	6081-14-260R	TI-6081-14-260R
14mm	280	6081-14-280L	TI-6081-14-280L	6081-14-280R	TI-6081-14-280R
14mm	300	6081-14-300L	TI-6081-14-300L	6081-14-300R	TI-6081-14-300R
14mm	320	6081-14-320L	TI-6081-14-320L	6081-14-320R	TI-6081-14-320R
14mm	340	6081-14-340L	TI-6081-14-340L	6081-14-340R	TI-6081-14-340R
14mm	360	6081-14-360L	TI-6081-14-360L	6081-14-360R	TI-6081-14-360R
14mm	380	6081-14-380L	TI-6081-14-380L	6081-14-380R	TI-6081-14-380R
14mm	400	6081-14-400L	TI-6081-14-400L	6081-14-400R	TI-6081-14-400R
14mm	420	6081-14-420L	TI-6081-14-420L	6081-14-420R	TI-6081-14-420R
14mm	440	6081-14-440L	TI-6081-14-440L	6081-14-440R	TI-6081-14-440R
14mm	460	6081-14-460L	TI-6081-14-460L	6081-14-460R	TI-6081-14-460R
14mm	480	6081-14-480L	TI-6081-14-480L	6081-14-480R	TI-6081-14-480R

Universal Intramedullary Cannulated Femur Nail, Sterile

STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	200	6081-9-200L-S	TI-6081-9-200L-S	6081-9-200R-S	TI-6081-9-200R-S
9mm	220	6081-9-220L-S	TI-6081-9-220L-S	6081-9-220R-S	TI-6081-9-220R-S
9mm	240	6081-9-240L-S	TI-6081-9-240L-S	6081-9-240R-S	TI-6081-9-240R-S
9mm	260	6081-9-260L-S	TI-6081-9-260L-S	6081-9-260R-S	TI-6081-9-260R-S
9mm	280	6081-9-280L-S	TI-6081-9-280L-S	6081-9-280R-S	TI-6081-9-280R-S
9mm	300	6081-9-300L-S	TI-6081-9-300L-S	6081-9-300R-S	TI-6081-9-300R-S
9mm	320	6081-9-320L-S	TI-6081-9-320L-S	6081-9-320R-S	TI-6081-9-320R-S
9mm	340	6081-9-340L-S	TI-6081-9-340L-S	6081-9-340R-S	TI-6081-9-340R-S
9mm	360	6081-9-360L-S	TI-6081-9-360L-S	6081-9-360R-S	TI-6081-9-360R-S
9mm	380	6081-9-380L-S	TI-6081-9-380L-S	6081-9-380R-S	TI-6081-9-380R-S
9mm	400	6081-9-400L-S	TI-6081-9-400L-S	6081-9-400R-S	TI-6081-9-400R-S
9mm	420	6081-9-420L-S	TI-6081-9-420L-S	6081-9-420R-S	TI-6081-9-420R-S
9mm	440	6081-9-440L-S	TI-6081-9-440L-S	6081-9-440R-S	TI-6081-9-440R-S
9mm	460	6081-9-460L-S	TI-6081-9-460L-S	6081-9-460R-S	TI-6081-9-460R-S
9mm	480	6081-9-480L-S	TI-6081-9-480L-S	6081-9-480R-S	TI-6081-9-480R-S
10mm	200	6081-10-200L-S	TI-6081-10-200L-S	6081-10-200R-S	TI-6081-10-200R-S
10mm	220	6081-10-220L-S	TI-6081-10-220L-S	6081-10-220R-S	TI-6081-10-220R-S
10mm	240	6081-10-240L-S	TI-6081-10-240L-S	6081-10-240R-S	TI-6081-10-240R-S
10mm	260	6081-10-260L-S	TI-6081-10-260L-S	6081-10-260R-S	TI-6081-10-260R-S
10mm	280	6081-10-280L-S	TI-6081-10-280L-S	6081-10-280R-S	TI-6081-10-280R-S
10mm	300	6081-10-300L-S	TI-6081-10-300L-S	6081-10-300R-S	TI-6081-10-300R-S
10mm	320	6081-10-320L-S	TI-6081-10-320L-S	6081-10-320R-S	TI-6081-10-320R-S
10mm	340	6081-10-340L-S	TI-6081-10-340L-S	6081-10-340R-S	TI-6081-10-340R-S
10mm	360	6081-10-360L-S	TI-6081-10-360L-S	6081-10-360R-S	TI-6081-10-360R-S
10mm	380	6081-10-380L-S	TI-6081-10-380L-S	6081-10-380R-S	TI-6081-10-380R-S
10mm	400	6081-10-400L-S	TI-6081-10-400L-S	6081-10-400R-S	TI-6081-10-400R-S
10mm	420	6081-10-420L-S	TI-6081-10-420L-S	6081-10-420R-S	TI-6081-10-420R-S
10mm	440	6081-10-440L-S	TI-6081-10-440L-S	6081-10-440R-S	TI-6081-10-440R-S
10mm	460	6081-10-460L-S	TI-6081-10-460L-S	6081-10-460R-S	TI-6081-10-460R-S
10mm	480	6081-10-480L-S	TI-6081-10-480L-S	6081-10-480R-S	TI-6081-10-480R-S
11mm	200	6081-11-200L-S	TI-6081-11-200L-S	6081-11-200R-S	TI-6081-11-200R-S
11mm	220	6081-11-220L-S	TI-6081-11-220L-S	6081-11-220R-S	TI-6081-11-220R-S
11mm	240	6081-11-240L-S	TI-6081-11-240L-S	6081-11-240R-S	TI-6081-11-240R-S
11mm	260	6081-11-260L-S	TI-6081-11-260L-S	6081-11-260R-S	TI-6081-11-260R-S
11mm	280	6081-11-280L-S	TI-6081-11-280L-S	6081-11-280R-S	TI-6081-11-280R-S



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
11mm	300	6081-11-300L-S	TI-6081-11-300L-S	6081-11-300R-S	TI-6081-11-300R-S
11mm	320	6081-11-320L-S	TI-6081-11-320L-S	6081-11-320R-S	TI-6081-11-320R-S
11mm	340	6081-11-340L-S	TI-6081-11-340L-S	6081-11-340R-S	TI-6081-11-340R-S
11mm	360	6081-11-360L-S	TI-6081-11-360L-S	6081-11-360R-S	TI-6081-11-360R-S
11mm	380	6081-11-380L-S	TI-6081-11-380L-S	6081-11-380R-S	TI-6081-11-380R-S
11mm	400	6081-11-400L-S	TI-6081-11-400L-S	6081-11-400R-S	TI-6081-11-400R-S
11mm	420	6081-11-420L-S	TI-6081-11-420L-S	6081-11-420R-S	TI-6081-11-420R-S
11mm	440	6081-11-440L-S	TI-6081-11-440L-S	6081-11-440R-S	TI-6081-11-440R-S
11mm	460	6081-11-460L-S	TI-6081-11-460L-S	6081-11-460R-S	TI-6081-11-460R-S
11mm	480	6081-11-480L-S	TI-6081-11-480L-S	6081-11-480R-S	TI-6081-11-480R-S
12mm	200	6081-12-200L-S	TI-6081-12-200L-S	6081-12-200R-S	TI-6081-12-200R-S
12mm	220	6081-12-220L-S	TI-6081-12-220L-S	6081-12-220R-S	TI-6081-12-220R-S
12mm	240	6081-12-240L-S	TI-6081-12-240L-S	6081-12-240R-S	TI-6081-12-240R-S
12mm	260	6081-12-260L-S	TI-6081-12-260L-S	6081-12-260R-S	TI-6081-12-260R-S
12mm	280	6081-12-280L-S	TI-6081-12-280L-S	6081-12-280R-S	TI-6081-12-280R-S
12mm	300	6081-12-300L-S	TI-6081-12-300L-S	6081-12-300R-S	TI-6081-12-300R-S
12mm	320	6081-12-320L-S	TI-6081-12-320L-S	6081-12-320R-S	TI-6081-12-320R-S
12mm	340	6081-12-340L-S	TI-6081-12-340L-S	6081-12-340R-S	TI-6081-12-340R-S
12mm	360	6081-12-360L-S	TI-6081-12-360L-S	6081-12-360R-S	TI-6081-12-360R-S
12mm	380	6081-12-380L-S	TI-6081-12-380L-S	6081-12-380R-S	TI-6081-12-380R-S
12mm	400	6081-12-400L-S	TI-6081-12-400L-S	6081-12-400R-S	TI-6081-12-400R-S
12mm	420	6081-12-420L-S	TI-6081-12-420L-S	6081-12-420R-S	TI-6081-12-420R-S
12mm	440	6081-12-440L-S	TI-6081-12-440L-S	6081-12-440R-S	TI-6081-12-440R-S
12mm	460	6081-12-460L-S	TI-6081-12-460L-S	6081-12-460R-S	TI-6081-12-460R-S
12mm	480	6081-12-480L-S	TI-6081-12-480L-S	6081-12-480R-S	TI-6081-12-480R-S
13mm	200	6081-13-200L-S	TI-6081-13-200L-S	6081-13-200R-S	TI-6081-13-200R-S
13mm	220	6081-13-220L-S	TI-6081-13-220L-S	6081-13-220R-S	TI-6081-13-220R-S
13mm	240	6081-13-240L-S	TI-6081-13-240L-S	6081-13-240R-S	TI-6081-13-240R-S
13mm	260	6081-13-260L-S	TI-6081-13-260L-S	6081-13-260R-S	TI-6081-13-260R-S
13mm	280	6081-13-280L-S	TI-6081-13-280L-S	6081-13-280R-S	TI-6081-13-280R-S
13mm	300	6081-13-300L-S	TI-6081-13-300L-S	6081-13-300R-S	TI-6081-13-300R-S
13mm	320	6081-13-320L-S	TI-6081-13-320L-S	6081-13-320R-S	TI-6081-13-320R-S
13mm	340	6081-13-340L-S	TI-6081-13-340L-S	6081-13-340R-S	TI-6081-13-340R-S
13mm	360	6081-13-360L-S	TI-6081-13-360L-S	6081-13-360R-S	TI-6081-13-360R-S
13mm	380	6081-13-380L-S	TI-6081-13-380L-S	6081-13-380R-S	TI-6081-13-380R-S

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
13mm	400	6081-13-400L-S	TI-6081-13-400L-S	6081-13-400R-S	TI-6081-13-400R-S
13mm	420	6081-13-420L-S	TI-6081-13-420L-S	6081-13-420R-S	TI-6081-13-420R-S
13mm	440	6081-13-440L-S	TI-6081-13-440L-S	6081-13-440R-S	TI-6081-13-440R-S
13mm	460	6081-13-460L-S	TI-6081-13-460L-S	6081-13-460R-S	TI-6081-13-460R-S
13mm	480	6081-13-480L-S	TI-6081-13-480L-S	6081-13-480R-S	TI-6081-13-480R-S
14mm	200	6081-14-200L-S	TI-6081-14-200L-S	6081-14-200R-S	TI-6081-14-200R-S
14mm	220	6081-14-220L-S	TI-6081-14-220L-S	6081-14-220R-S	TI-6081-14-220R-S
14mm	240	6081-14-240L-S	TI-6081-14-240L-S	6081-14-240R-S	TI-6081-14-240R-S
14mm	260	6081-14-260L-S	TI-6081-14-260L-S	6081-14-260R-S	TI-6081-14-260R-S
14mm	280	6081-14-280L-S	TI-6081-14-280L-S	6081-14-280R-S	TI-6081-14-280R-S
14mm	300	6081-14-300L-S	TI-6081-14-300L-S	6081-14-300R-S	TI-6081-14-300R-S
14mm	320	6081-14-320L-S	TI-6081-14-320L-S	6081-14-320R-S	TI-6081-14-320R-S
14mm	340	6081-14-340L-S	TI-6081-14-340L-S	6081-14-340R-S	TI-6081-14-340R-S
14mm	360	6081-14-360L-S	TI-6081-14-360L-S	6081-14-360R-S	TI-6081-14-360R-S
14mm	380	6081-14-380L-S	TI-6081-14-380L-S	6081-14-380R-S	TI-6081-14-380R-S
14mm	400	6081-14-400L-S	TI-6081-14-400L-S	6081-14-400R-S	TI-6081-14-400R-S
14mm	420	6081-14-420L-S	TI-6081-14-420L-S	6081-14-420R-S	TI-6081-14-420R-S
14mm	440	6081-14-440L-S	TI-6081-14-440L-S	6081-14-440R-S	TI-6081-14-440R-S
14mm	460	6081-14-460L-S	TI-6081-14-460L-S	6081-14-460R-S	TI-6081-14-460R-S
14mm	480	6081-14-480L-S	TI-6081-14-480L-S	6081-14-480R-S	TI-6081-14-480R-S

End Cap For Universal Intramedullary Cannulated Femur Nail M10x1

STERILE


Length	Stainless Steel	Titanium TI-
0mm	2100-0-S	2100-0-S TI-
5mm	2100-5-S	2100-5-S TI-
10mm	2100-10-S	2100-10-S
15mm	2100-15-S	TI-2100-15-S

Length	Stainless Steel	Titanium
0mm	2100-0	TI-2100-0
5mm	2100-5	TI-2100-5
10mm	2100-10	TI-2100-10
15mm	2100-15	TI-2100-15



Compression Screw For Universal Intramedullary Cannulated Femur Nail

STERILE


Stainless Steel	Titanium
2102-00-S	TI-2102-00-S

Stainless Steel	Titanium
2102-00	TI-2102-00



6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail

STERILE


Length	Stainless Steel	Titanium
60mm	6090.060-S	TI-6090.060-S
65mm	6090.065-S	TI-6090.065-S
70mm	6090.070-S	TI-6090.070-S
75mm	6090.075-S	TI-6090.075-S
80mm	6090.080-S	TI-6090.080-S
85mm	6090.085-S	TI-6090.085-S
90mm	6090.090-S	TI-6090.090-S
95mm	6090.095-S	TI-6090.095-S
100mm	6090.100-S	TI-6090.100-S
105mm	6090.105-S	TI-6090.105-S
110mm	6090.110-S	TI-6090.110-S
115mm	6090.115-S	TI-6090.115-S
120mm	6090.120-S	TI-6090.120-S

Length	Stainless Steel	Titanium
60mm	110mm	6090.105
65mm	115mm	6090.110
70mm	120mm	6090.115
75mm	6090.060	6090.120
80mm	6090.065	TI-6090.060
85mm	6090.070	TI-6090.065
90mm	6090.075	TI-6090.070
95mm	6090.080	TI-6090.075
100mm	6090.085	TI-6090.080
m	6090.090	TI-6090.085
105mm	6090.095	TI-6090.090
m	6090.100	TI-6090.095



4.5mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail

STERILE



Length	Stainless Steel	Titanium
30mm	1-012-030SS-S	1-012-030TI-S
35mm	1-012-035SS-S	1-012-035TI-S
40mm	1-012-040SS-S	1-012-040TI-S
45mm	1-012-045SS-S	1-012-045TI-S
50mm	1-012-050SS-S	1-012-050TI-S
55mm	1-012-055SS-S	1-012-055TI-S
60mm	1-012-060SS-S	1-012-060TI-S
65mm	1-012-065SS-S	1-012-065TI-S
70mm	1-012-070SS-S	1-012-070TI-S
75mm	1-012-075SS-S	1-012-075TI-S
80mm	1-012-080SS-S	1-012-080TI-S
85mm	1-012-085SS-S	1-012-085TI-S
90mm	1-012-090SS-S	1-012-090TI-S

Length	Stainless Steel	Titanium
30mm	1-012-030SS	1-012-030TI
35mm	1-012-035SS	1-012-035TI
40mm	1-012-040SS	1-012-040TI
45mm	1-012-045SS	1-012-045TI
50mm	1-012-050SS	1-012-050TI
55mm	1-012-055SS	1-012-055TI
60mm	1-012-060SS	1-012-060TI
65mm	1-012-065SS	1-012-065TI
70mm	1-012-070SS	1-012-070TI
75mm	1-012-075SS	1-012-075TI
80mm	1-012-080SS	1-012-080TI
85mm	1-012-085SS	1-012-085TI
90mm	1-012-090SS	1-012-090TI



6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail, Full Thread

STERILE



Length	Stainless Steel	Titanium
40mm	6088.040-S	TI-6088.040-S
45mm	6088.045-S	TI-6088.045-S
50mm	6088.050-S	TI-6088.050-S
55mm	6088.055-S	TI-6088.055-S
60mm	6088.060-S	TI-6088.060-S
65mm	6088.065-S	TI-6088.065-S
70mm	6088.070-S	TI-6088.070-S
75mm	6088.075-S	TI-6088.075-S
80mm	6088.080-S	TI-6088.080-S
85mm	6088.085-S	TI-6088.085-S
90mm	6088.090-S	TI-6088.090-S
95mm	6088.095-S	TI-6088.095-S
100mm	6088.100-S	TI-6088.100-S
105mm	6088.105-S	TI-6088.105-S
110mm	6088.110-S	TI-6088.110-S

Length	Stainless Steel	Titanium
40mm	6088.040	TI-6088.040
45mm	6088.045	TI-6088.045
50mm	6088.050	TI-6088.050
55mm	6088.055	TI-6088.055
60mm	6088.060	TI-6088.060
65mm	6088.065	TI-6088.065
70mm	6088.070	TI-6088.070
75mm	6088.075	TI-6088.075
80mm	6088.080	TI-6088.080
85mm	6088.085	TI-6088.085
90mm	6088.090	TI-6088.090
95mm	6088.095	TI-6088.095
100mm	6088.100	TI-6088.100
105mm	6088.105	TI-6088.105
110mm	6088.110	TI-6088.110



6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail

STERILE


Length	Stainless Steel	Titanium
50mm	2107-50-S	TI-2107-50-S
60mm	2107-60-S	TI-2107-60-S
70mm	2107-70-S	TI-2107-70-S
80mm	2107-80-S	TI-2107-80-S
90mm	2107-90-S	TI-2107-90-S

Length	Stainless Steel	Titanium
50mm	2107-50	TI-2107-50
60mm	2107-60	TI-2107-60
70mm	2107-70	TI-2107-70
80mm	2107-80	TI-2107-80
90mm	2107-90	TI-2107-90



RETROGRADE FEMUR NAILING SYSTEM

RETROGRADE FEMUR NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 90+ countries worldwide.

Our Achievements



Orthopaedic Implants

Retrograde Femur Nail


Ø Dia	Length	Stainless Steel	Titanium
9.5mm	180mm	1458-9.5-180	TI-1458-9.5-180
9.5mm	200mm	1458-9.5-200	TI-1458-9.5-200
9.5mm	300mm	1458-9.5-300	TI-1458-9.5-300
9.5mm	320mm	1458-9.5-320	TI-1458-9.5-320
9.5mm	340mm	1458-9.5-340	TI-1458-9.5-340
9.5mm	360mm	1458-9.5-360	TI-1458-9.5-360
9.5mm	380mm	1458-9.5-380	TI-1458-9.5-380
9.5mm	400mm	1458-9.5-400	TI-1458-9.5-400
10mm	180mm	1458-10-180	TI-1458-10-180
10mm	200mm	1458-10-200	TI-1458-10-200
10mm	300mm	1458-10-300	TI-1458-10-300
10mm	320mm	1458-10-320	TI-1458-10-320
10mm	340mm	1458-10-340	TI-1458-10-340
10mm	360mm	1458-10-360	TI-1458-10-360
10mm	380mm	1458-10-380	TI-1458-10-380
10mm	400mm	1458-10-400	TI-1458-10-400
11mm	180mm	1458-11-180	TI-1458-11-180
11mm	200mm	1458-11-200	TI-1458-11-200
11mm	300mm	1458-11-300	TI-1458-11-300
11mm	320mm	1458-11-320	TI-1458-11-320
11mm	340mm	1458-11-340	TI-1458-11-340
11mm	360mm	1458-11-360	TI-1458-11-360
11mm	380mm	1458-11-380	TI-1458-11-380
11mm	400mm	1458-11-400	TI-1458-11-400
11mm	180mm	1458-12-180	TI-1458-12-180
11mm	200mm	1458-12-200	TI-1458-12-200
11mm	300mm	1458-12-300	TI-1458-12-300
11mm	320mm	1458-12-320	TI-1458-12-320
11mm	340mm	1458-12-340	TI-1458-12-340
11mm	360mm	1458-12-360	TI-1458-12-360
11mm	380mm	1458-12-380	TI-1458-12-380
11mm	400mm	1458-12-400	TI-1458-12-400



Retrograde Femur Nail
STERILE

Ø Dia	Length	Stainless Steel	Titanium
9.5mm	180mm	1458-9.5-180-S	TI-1458-9.5-180-S
9.5mm	200mm	1458-9.5-200-S	TI-1458-9.5-200-S
9.5mm	300mm	1458-9.5-300-S	TI-1458-9.5-300-S
9.5mm	320mm	1458-9.5-320-S	TI-1458-9.5-320-S
9.5mm	340mm	1458-9.5-340-S	TI-1458-9.5-340-S
9.5mm	360mm	1458-9.5-360-S	TI-1458-9.5-360-S
9.5mm	380mm	1458-9.5-380-S	TI-1458-9.5-380-S
9.5mm	400mm	1458-9.5-400-S	TI-1458-9.5-400-S
10mm	180mm	1458-10-180-S	TI-1458-10-180-S
10mm	200mm	1458-10-200-S	TI-1458-10-200-S
10mm	300mm	1458-10-300-S	TI-1458-10-300-S
10mm	320mm	1458-10-320-S	TI-1458-10-320-S
10mm	340mm	1458-10-340-S	TI-1458-10-340-S
10mm	360mm	1458-10-360-S	TI-1458-10-360-S
10mm	380mm	1458-10-380-S	TI-1458-10-380-S
10mm	400mm	1458-10-400-S	TI-1458-10-400-S
11mm	180mm	1458-11-180-S	TI-1458-11-180-S
11mm	200mm	1458-11-200-S	TI-1458-11-200-S
11mm	300mm	1458-11-300-S	TI-1458-11-300-S
11mm	320mm	1458-11-320-S	TI-1458-11-320-S
11mm	340mm	1458-11-340-S	TI-1458-11-340-S
11mm	360mm	1458-11-360-S	TI-1458-11-360-S
11mm	380mm	1458-11-380-S	TI-1458-11-380-S
11mm	400mm	1458-11-400-S	TI-1458-11-400-S
11mm	180mm	1458-12-180-S	TI-1458-12-180-S
11mm	200mm	1458-12-200-S	TI-1458-12-200-S
11mm	300mm	1458-12-300-S	TI-1458-12-300-S
11mm	320mm	1458-12-320-S	TI-1458-12-320-S
11mm	340mm	1458-12-340-S	TI-1458-12-340-S
11mm	360mm	1458-12-360-S	TI-1458-12-360-S
11mm	380mm	1458-12-380-S	TI-1458-12-380-S
11mm	400mm	1458-12-400-S	TI-1458-12-400-S



5.0mm Locking Screw For Retrograde Femur Nail



Length	Stainless Steel	Titanium
32mm	1458-032	TI-1458-032
34mm	1458-034	TI-1458-034
36mm	1458-036	TI-1458-036
38mm	1458-038	TI-1458-038
40mm	1458-040	TI-1458-040
42mm	1458-042	TI-1458-042
44mm	1458-044	TI-1458-044
46mm	1458-046	TI-1458-046
48mm	1458-048	TI-1458-048
50mm	1458-050	TI-1458-050
52mm	1458-052	TI-1458-052
54mm	1458-054	TI-1458-054
56mm	1458-056	TI-1458-056
58mm	1458-058	TI-1458-058
60mm	1458-060	TI-1458-060
62mm	1458-062	TI-1458-062
64mm	1458-064	TI-1458-064
66mm	1458-066	TI-1458-066
68mm	1458-068	TI-1458-068
70mm	1458-070	TI-1458-070
72mm	1458-072	TI-1458-072
74mm	1458-074	TI-1458-074
76mm	1458-076	TI-1458-076
78mm	1458-078	TI-1458-078
80mm	1458-080	TI-1458-080

STERILE

Length	Stainless Steel	Titanium
32mm	1458-032-S	TI-1458-032-S
34mm	1458-034-S	TI-1458-034-S
36mm	1458-036-S	TI-1458-036-S
38mm	1458-038-S	TI-1458-038-S
40mm	1458-040-S	TI-1458-040-S
42mm	1458-042-S	TI-1458-042-S
44mm	1458-044-S	TI-1458-044-S
46mm	1458-046-S	TI-1458-046-S
48mm	1458-048-S	TI-1458-048-S
50mm	1458-050-S	TI-1458-050-S
52mm	1458-052-S	TI-1458-052-S
54mm	1458-054-S	TI-1458-054-S
56mm	1458-056-S	TI-1458-056-S
58mm	1458-058-S	TI-1458-058-S
60mm	1458-060-S	TI-1458-060-S
62mm	1458-062-S	TI-1458-062-S
64mm	1458-064-S	TI-1458-064-S
66mm	1458-066-S	TI-1458-066-S
68mm	1458-068-S	TI-1458-068-S
70mm	1458-070-S	TI-1458-070-S
72mm	1458-072-S	TI-1458-072-S
74mm	1458-074-S	TI-1458-074-S
76mm	1458-076-S	TI-1458-076-S
78mm	1458-078-S	TI-1458-078-S
80mm	1458-080-S	TI-1458-080-S

End Cap For Retrograde Femur Nail



Stainless Steel	Titanium
1458-01	TI-1458-01

STERILE

Stainless Steel	Titanium
1458-01-S	TI-1458-01-S



JIN TYPE - FEMUR NAILING SYSTEM

JIN TYPE - FEMUR NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 90+ countries worldwide.

Our Achievements



Orthopaedic Implants

JIN Type - Femur Nail


Ø Dia	Length	Stainless Steel	Titanium
9mm	320mm	1293-9-320	TI-1293-9-320
9mm	340mm	1293-9-340	TI-1293-9-340
9mm	360mm	1293-9-360	TI-1293-9-360
9mm	380mm	1293-9-380	TI-1293-9-380
9mm	400mm	1293-9-400	TI-1293-9-400
9mm	420mm	1293-9-420	TI-1293-9-420
9mm	440mm	1293-9-440	TI-1293-9-440
10mm	320mm	1293-10-320	TI-1293-10-320
10mm	340mm	1293-10-340	TI-1293-10-340
10mm	360mm	1293-10-360	TI-1293-10-360
10mm	380mm	1293-10-380	TI-1293-10-380
10mm	400mm	1293-10-400	TI-1293-10-400
10mm	420mm	1293-10-420	TI-1293-10-420
10mm	440mm	1293-10-440	TI-1293-10-440
11mm	320mm	1293-11-320	TI-1293-11-320
11mm	340mm	1293-11-340	TI-1293-11-340
11mm	360mm	1293-11-360	TI-1293-11-360
11mm	380mm	1293-11-380	TI-1293-11-380
11mm	400mm	1293-11-400	TI-1293-11-400
11mm	420mm	1293-11-420	TI-1293-11-420
11mm	440mm	1293-11-440	TI-1293-11-440
12mm	320mm	1293-12-320	TI-1293-12-320
12mm	340mm	1293-12-340	TI-1293-12-340
12mm	360mm	1293-12-360	TI-1293-12-360
12mm	380mm	1293-12-380	TI-1293-12-380
12mm	400mm	1293-12-400	TI-1293-12-400
12mm	420mm	1293-12-420	TI-1293-12-420
12mm	440mm	1293-12-440	TI-1293-12-440
13mm	320mm	1293-13-320	TI-1293-13-320
13mm	340mm	1293-13-340	TI-1293-13-340
13mm	360mm	1293-13-360	TI-1293-13-360
13mm	380mm	1293-13-380	TI-1293-13-380
13mm	400mm	1293-13-400	TI-1293-13-400
13mm	420mm	1293-13-420	TI-1293-13-420
13mm	440mm	1293-13-440	TI-1293-13-440



JIN Type - Femur Nail
STERILE

Ø Dia	Length	Stainless Steel	Titanium
9mm	320mm	1293-9-320-S	TI-1293-9-320-S
9mm	340mm	1293-9-340-S	TI-1293-9-340-S
9mm	360mm	1293-9-360-S	TI-1293-9-360-S
9mm	380mm	1293-9-380-S	TI-1293-9-380-S
9mm	400mm	1293-9-400-S	TI-1293-9-400-S
9mm	420mm	1293-9-420-S	TI-1293-9-420-S
9mm	440mm	1293-9-440-S	TI-1293-9-440-S
10mm	320mm	1293-10-320-S	TI-1293-10-320-S
10mm	340mm	1293-10-340-S	TI-1293-10-340-S
10mm	360mm	1293-10-360-S	TI-1293-10-360-S
10mm	380mm	1293-10-380-S	TI-1293-10-380-S
10mm	400mm	1293-10-400-S	TI-1293-10-400-S
10mm	420mm	1293-10-420-S	TI-1293-10-420-S
10mm	440mm	1293-10-440-S	TI-1293-10-440-S
11mm	320mm	1293-11-320-S	TI-1293-11-320-S
11mm	340mm	1293-11-340-S	TI-1293-11-340-S
11mm	360mm	1293-11-360-S	TI-1293-11-360-S
11mm	380mm	1293-11-380-S	TI-1293-11-380-S
11mm	400mm	1293-11-400-S	TI-1293-11-400-S
11mm	420mm	1293-11-420-S	TI-1293-11-420-S
11mm	440mm	1293-11-440-S	TI-1293-11-440-S
12mm	320mm	1293-12-320-S	TI-1293-12-320-S
12mm	340mm	1293-12-340-S	TI-1293-12-340-S
12mm	360mm	1293-12-360-S	TI-1293-12-360-S
12mm	380mm	1293-12-380-S	TI-1293-12-380-S
12mm	400mm	1293-12-400-S	TI-1293-12-400-S
12mm	420mm	1293-12-420-S	TI-1293-12-420-S
12mm	440mm	1293-12-440-S	TI-1293-12-440-S
13mm	320mm	1293-13-320-S	TI-1293-13-320-S
13mm	340mm	1293-13-340-S	TI-1293-13-340-S
13mm	360mm	1293-13-360-S	TI-1293-13-360-S
13mm	380mm	1293-13-380-S	TI-1293-13-380-S
13mm	400mm	1293-13-400-S	TI-1293-13-400-S
13mm	420mm	1293-13-420-S	TI-1293-13-420-S
13mm	440mm	1293-13-440-S	TI-1293-13-440-S



End Cap for JIN Type - Femur Nail


STERILE

Stainless Steel	Titanium
1293-001	TI-1293-001

Stainless Steel	Titanium
1293-001-S	TI-1293-001-S

Ø4.5mm Locking Bolt, Self-Tapping, For JIN Type - Femur Nail


STERILE

Length	Stainless Steel	Titanium TI-
20mm	1293-4.5-20	1293-4.5-20
25mm	1293-4.5-25	TI-1293-4.5-25
30mm	1293-4.5-30	TI-1293-4.5-30
35mm	1293-4.5-35	TI-1293-4.5-35
40mm	1293-4.5-40	TI-1293-4.5-40
45mm	1293-4.5-45	TI-1293-4.5-45
50mm	1293-4.5-50	TI-1293-4.5-50
55mm	1293-4.5-55	TI-1293-4.5-55
60mm	1293-4.5-60	TI-1293-4.5-60
65mm	1293-4.5-65	TI-1293-4.5-65
70mm	1293-4.5-70	TI-1293-4.5-70
75mm	1293-4.5-75	TI-1293-4.5-75
80mm	1293-4.5-80	TI-1293-4.5-80

Length	Stainless Steel	Titanium TI-
20mm	1293-4.5-20-S	1293-4.5-20-S
25mm	1293-4.5-25-S	TI-1293-4.5-25-S
30mm	1293-4.5-30-S	TI-1293-4.5-30-S
35mm	1293-4.5-35-S	TI-1293-4.5-35-S
40mm	1293-4.5-40-S	TI-1293-4.5-40-S
45mm	1293-4.5-45-S	TI-1293-4.5-45-S
50mm	1293-4.5-50-S	TI-1293-4.5-50-S
55mm	1293-4.5-55-S	TI-1293-4.5-55-S
60mm	1293-4.5-60-S	TI-1293-4.5-60-S
65mm	1293-4.5-65-S	TI-1293-4.5-65-S
70mm	1293-4.5-70-S	TI-1293-4.5-70-S
75mm	1293-4.5-75-S	TI-1293-4.5-75-S
80mm	1293-4.5-80-S	TI-1293-4.5-80-S

TIBIA PLATE SYSTEM

TIBIA PLATE SYSTEM




edition
2024

about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 90+ countries worldwide.

Our Achievements




3.5mm AV-Wiselock Proximal Tibia Plate, Small Bend


Holes	Direction	Titanium	Stainless Steel
4	Left	11-026-04LTI	11-026-04LSS
4	Right	11-026-04RTI	11-026-04RSS
6	Left	11-026-06LTI	11-026-06LSS
6	Right	11-026-06RTI	11-026-06RSS
8	Left	11-026-08LTI	11-026-08LSS
8	Right	11-026-08RTI	11-026-08RSS
10	Left	11-026-10LTI	11-026-10LSS
10	Right	11-026-10RTI	11-026-10RSS
12	Left	11-026-12LTI	11-026-12LSS
12	Right	11-026-12RTI	11-026-12RSS
14	Left	11-026-14LTI	11-026-14LSS
14	Right	11-026-14RTI	11-026-14RSS

STERILE


Holes	Direction	Titanium	Stainless Steel
4	Left	11-026-04LTI-S	11-026-04LSS-S
4	Right	11-026-04RTI-S	11-026-04RSS-S
6	Left	11-026-06LTI-S	11-026-06LSS-S
6	Right	11-026-06RTI-S	11-026-06RSS-S
8	Left	11-026-08LTI-S	11-026-08LSS-S
8	Right	11-026-08RTI-S	11-026-08RSS-S
10	Left	11-026-10LTI-S	11-026-10LSS-S
10	Right	11-026-10RTI-S	11-026-10RSS-S
12	Left	11-026-12LTI-S	11-026-12LSS-S
12	Right	11-026-12RTI-S	11-026-12RSS-S
14	Left	11-026-14LTI-S	11-026-14LSS-S
14	Right	11-026-14RTI-S	11-026-14RSS-S

3.5mm AV-Wiselock Proximal Tibia Plate, Large Bend


Holes	Direction	Titanium	Stainless Steel
4	Left	11-027-04LTI	11-027-04LSS
4	Right	11-027-04RTI	11-027-04RSS
6	Left	11-027-06LTI	11-027-06LSS
6	Right	11-027-06RTI	11-027-06RSS
8	Left	11-027-08LTI	11-027-08LSS
8	Right	11-027-08RTI	11-027-08RSS
10	Left	11-027-10LTI	11-027-10LSS
10	Right	11-027-10RTI	11-027-10RSS
12	Left	11-027-12LTI	11-027-12LSS
12	Right	11-027-12RTI	11-027-12RSS
14	Left	11-027-14LTI	11-027-14LSS
14	Right	11-027-14RTI	11-027-14RSS

STERILE


Holes	Direction	Titanium	Stainless Steel
4	Left	11-027-04LTI-S	11-027-04LSS-S
4	Right	11-027-04RTI-S	11-027-04RSS-S
6	Left	11-027-06LTI-S	11-027-06LSS-S
6	Right	11-027-06RTI-S	11-027-06RSS-S
8	Left	11-027-08LTI-S	11-027-08LSS-S
8	Right	11-027-08RTI-S	11-027-08RSS-S
10	Left	11-027-10LTI-S	11-027-10LSS-S
10	Right	11-027-10RTI-S	11-027-10RSS-S
12	Left	11-027-12LTI-S	11-027-12LSS-S
12	Right	11-027-12RTI-S	11-027-12RSS-S
14	Left	11-027-14LTI-S	11-027-14LSS-S
14	Right	11-027-14RTI-S	11-027-14RSS-S

3.5mm AV-Wiselock Medial Proximal Tibia Plate


Hole	Direction	Titanium	Stainless Steel
4	Left	11-080-04TIL	11-080-04SSL
4	Right	11-080-04TIR	11-080-04SSR
6	Left	11-080-06TIL	11-080-06SSL
6	Right	11-080-06TIR	11-080-06SSR
8	Left	11-080-08TIL	11-080-08SSL
8	Right	11-080-08TIR	11-080-08SSR
10	Left	11-080-10TIL	11-080-10SSL
10	Right	11-080-10TIR	11-080-10SSR
12	Left	11-080-12TIL	11-080-12SSL
12	Right	11-080-12TIR	11-080-12SSR
14	Left	11-080-14TIL	11-080-14SSL
14	Right	11-080-14TIR	11-080-14SSR
16	Left	11-080-16TIL	11-080-16SSL
16	Right	11-080-16TIR	11-080-16SSR
18	Left	11-080-18TIL	11-080-18SSL
18	Right	11-080-18TIR	11-080-18SSR
20	Left	11-080-20TIL	11-080-20SSL
20	Right	11-080-20TIR	11-080-20SSR

STERILE


Hole	Direction	Titanium	Stainless Steel
4	Left	11-080-04TIL-S	11-080-04SSL-S
4	Right	11-080-04TIR-S	11-080-04SSR-S
6	Left	11-080-06TIL-S	11-080-06SSL-S
6	Right	11-080-06TIR-S	11-080-06SSR-S
8	Left	11-080-08TIL-S	11-080-08SSL-S
8	Right	11-080-08TIR-S	11-080-08SSR-S
10	Left	11-080-10TIL-S	11-080-10SSL-S
10	Right	11-080-10TIR-S	11-080-10SSR-S
12	Left	11-080-12TIL-S	11-080-12SSL-S
12	Right	11-080-12TIR-S	11-080-12SSR-S
14	Left	11-080-14TIL-S	11-080-14SSL-S
14	Right	11-080-14TIR-S	11-080-14SSR-S
16	Left	11-080-16TIL-S	11-080-16SSL-S
16	Right	11-080-16TIR-S	11-080-16SSR-S
18	Left	11-080-18TIL-S	11-080-18SSL-S
18	Right	11-080-18TIR-S	11-080-18SSR-S
20	Left	11-080-20TIL-S	11-080-20SSL-S
20	Right	11-080-20TIR-S	11-080-20SSR-S

4.5/5.0mm AV-Wiselock Proximal Lateral Tibia Plate



Hole	Direction	Titanium	Stainless Steel
5	Left	11-083-05TIL	11-083-05SSL
5	Right	11-083-05TIR	11-083-05SSR
7	Left	11-083-07TIL	11-083-07SSL
7	Right	11-083-07TIR	11-083-07SSR
9	Left	11-083-09TIL	11-083-09SSL
9	Right	11-083-09TIR	11-083-09SSR
11	Left	11-083-11TIL	11-083-11SSL
11	Right	11-083-11TIR	11-083-11SSR
13	Left	11-083-13TIL	11-083-13SSL
13	Right	11-083-13TIR	11-083-13SSR

STERILE


Hole	Direction	Titanium	Stainless Steel
5	Left	11-083-05TIL-S	11-083-05SSL-S
5	Right	11-083-05TIR-S	11-083-05SSR-S
7	Left	11-083-07TIL-S	11-083-07SSL-S
7	Right	11-083-07TIR-S	11-083-07SSR-S
9	Left	11-083-09TIL-S	11-083-09SSL-S
9	Right	11-083-09TIR-S	11-083-09SSR-S
11	Left	11-083-11TIL-S	11-083-11SSL-S
11	Right	11-083-11TIR-S	11-083-11SSR-S
13	Left	11-083-13TIL-S	11-083-13SSL-S
13	Right	11-083-13TIR-S	11-083-13SSR-S

3.5mm Wise-Lock Medial Distal Tibia Plate


Round
Locking Hole




Compression and
Locking Hole



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4	746.104L	TI-746.104L	746.104R	TI-746.104R
6	746.106L	TI-746.106L	746.106R	TI-746.106R
8	746.108L	TI-746.108L	746.108R	TI-746.108R
10	746.110L	TI-746.110L	746.110R	TI-746.110R
12	746.112L	TI-746.112L	746.112R	TI-746.112R
14	746.114L	TI-746.114L	746.114R	TI-746.114R

3.5mm Wise-Lock Proximal Tibia Plate


Round
Locking Hole



Compression and
Locking Hole



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4	747.104L	TI-747.104L	747.104R	TI-747.104R
6	747.106L	TI-747.106L	747.106R	TI-747.106R
8	747.108L	TI-747.108L	747.108R	TI-747.108R
10	747.110L	TI-747.110L	747.110R	TI-747.110R
12	747.112L	TI-747.112L	747.112R	TI-747.112R
14	747.114L	TI-747.114L	747.114R	TI-747.114R
16	747.116L	TI-747.116L	747.116R	TI-747.116R

3.5mm Wise-Lock Medial Proximal Tibia Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4	530.004L	TI-530.004L	530.004R	TI-530.004R
6	530.006L	TI-530.006L	530.006R	TI-530.006R
8	530.008L	TI-530.008L	530.008R	TI-530.008R
10	530.010L	TI-530.010L	530.010R	TI-530.010R
12	530.012L	TI-530.012L	530.012R	TI-530.012R
14	530.014L	TI-530.014L	530.014R	TI-530.014R
16	530.016L	TI-530.016L	530.016R	TI-530.016R
18	530.018L	TI-530.018L	530.018R	TI-530.018R
20	530.020L	TI-530.020L	530.020R	TI-530.020R

3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate


Locking Hole



Compression and
Locking Hole




Holes	Stainless Steel	Titanium
1	531.001	TI-531.001
2	531.002	TI-531.002
4	531.004	TI-531.004
6	531.006	TI-531.006
8	531.008	TI-531.008
10	531.010	TI-531.010

3.5mm Wise-Lock Anterolateral Distal Tibia Plate



Round
Locking Hole




Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	WS1.05	TI-WS1.05	WS2.05	TI-WS2.05
7	WS1.07	TI-WS1.07	WS2.07	TI-WS2.07
9	WS1.09	TI-WS1.09	WS2.09	TI-WS2.09
11	WS1.11	TI-WS1.11	WS2.11	TI-WS2.11
13	WS1.13	TI-WS1.13	WS2.13	TI-WS2.13
15	WS1.15	TI-WS1.15	WS2.15	TI-WS2.15
17	WS1.17	TI-WS1.17	WS2.17	TI-WS2.17
19	WS1.19	TI-WS1.19	WS2.19	TI-WS2.19
21	WS1.21	TI-WS1.21	WS2.21	TI-WS2.21

3.5mm Wise-Lock Medial Distal Tibia Plate, Without Tab


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	WS3.04	TI-WS3.04	WS4.04	TI-WS4.04
6	WS3.06	TI-WS3.06	WS4.06	TI-WS4.06
8	WS3.08	TI-WS3.08	WS4.08	TI-WS4.08
10	WS3.10	TI-WS3.10	WS4.10	TI-WS4.10
12	WS3.12	TI-WS3.12	WS4.12	TI-WS4.12
14	WS3.14	TI-WS3.14	WS4.14	TI-WS4.14


3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate, Without Tab


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	10-002-04LSS	10-002-04LTI	10-002-04RSS	10-002-04RTI
6	10-002-06LSS	10-002-06LTI	10-002-06RSS	10-002-06RTI
8	10-002-08LSS	10-002-08LTI	10-002-08RSS	10-002-08RTI
10	10-002-10LSS	10-002-10LTI	10-002-10RSS	10-002-10RTI
12	10-002-12LSS	10-002-12LTI	10-002-12RSS	10-002-12RTI
14	10-002-14LSS	10-002-14LTI	10-002-14RSS	10-002-14RTI

3.5mm Wise-Lock Metaphyseal Plate for Medial Distal Tibia


	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4 + 4	741.104L	TI-741.104L	741.104R	TI-741.104R
4 + 5	741.105L	TI-741.105L	741.105R	TI-741.105R
4 + 6	741.106L	TI-741.106L	741.106R	TI-741.106R
4 + 7	741.107L	TI-741.107L	741.107R	TI-741.107R
4 + 8	741.108L	TI-741.108L	741.108R	TI-741.108R
4 + 9	741.109L	TI-741.109L	741.109R	TI-741.109R
4 + 10	741.110L	TI-741.110L	741.110R	TI-741.110R
4 + 12	741.112L	TI-741.112L	741.112R	TI-741.112R
4 + 14	741.114L	TI-741.114L	741.114R	TI-741.114R
4 + 16	741.116L	TI-741.116L	741.116R	TI-741.116R
4 + 18	741.118L	TI-741.118L	741.118R	TI-741.118R
4 + 20	741.120L	TI-741.120L	741.120R	TI-741.120R

3.5mm Wise-Lock Pilon Plate



Holes	Stainless Steel	Titanium
7	799.207	TI-799.207
9	799.209	TI-799.209


3.5mm Wise-Lock Pilon Plate, Cruciform




Holes	Stainless Steel	Titanium
7	799.007	TI-799.007
9	799.009	TI-799.009

3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts


Compression and
Locking Hole




Holes	Stainless Steel	Titanium
5	721.205	TI-721.205
6	721.206	TI-721.206
7	721.207	TI-721.207
8	721.208	TI-721.208
9	721.209	TI-721.209
10	721.210	TI-721.210
11	721.211	TI-721.211
12	721.212	TI-721.212

3.5mm Wise-Lock Hook Plate



Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
3	729.203	TI-729.203
4	729.204	TI-729.204
5	729.205	TI-729.205

3.5mm Wise-Lock Cloverleaf Plate


Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
3	715.203	TI-715.203
4	715.204	TI-715.204
5	715.205	TI-715.205
6	715.206	TI-715.206

4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate


Round
Locking Hole



Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	733.205L	TI-733.205L	733.205R	TI-733.205R
7	733.207L	TI-733.207L	733.207R	TI-733.207R
9	733.209L	TI-733.209L	733.209R	TI-733.209R
11	733.211L	TI-733.211L	733.211R	TI-733.211R
13	733.213L	TI-733.213L	733.213R	TI-733.213R

4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate


Round
Locking Hole



Compression and
Locking Hole




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	747.204L	TI-747.204L	747.204R	TI-747.204R
6	747.206L	TI-747.206L	747.206R	TI-747.206R
8	747.208L	TI-747.208L	747.208R	TI-747.208R
10	747.210L	TI-747.210L	747.210R	TI-747.210R
12	747.212L	TI-747.212L	747.212R	TI-747.212R
14	747.214L	TI-747.214L	747.214R	TI-747.214R
16	747.216L	TI-747.216L	747.216R	TI-747.216R

4.5/5.0mm Wise-Lock Proximal Tibia Plate


Round
Locking Hole



Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	749.104L	TI-749.104L	749.104R	TI-749.104R
6	749.106L	TI-749.106L	749.106R	TI-749.106R
8	749.108L	TI-749.108L	749.108R	TI-749.108R
10	749.110L	TI-749.110L	749.110R	TI-749.110R
12	749.112L	TI-749.112L	749.112R	TI-749.112R
14	749.114L	TI-749.114L	749.114R	TI-749.114R

4.5/5.0mm Wise-Lock "L" Buttress Plate


Round
Locking Hole



Compression and
Locking Hole



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	706.203L	TI-706.203L	706.203R	TI-706.203R
4	706.204L	TI-706.204L	706.204R	TI-706.204R
5	706.205L	TI-706.205L	706.205R	TI-706.205R
6	706.206L	TI-706.206L	706.206R	TI-706.206R
7	706.207L	TI-706.207L	706.207R	TI-706.207R
8	706.208L	TI-706.208L	706.208R	TI-706.208R
9	706.209L	TI-706.209L	706.209R	TI-706.209R
10	706.210L	TI-706.210L	706.210R	TI-706.210R
12	706.212L	TI-706.212L	706.212R	TI-706.212R

4.5/5.0mm Wise-Lock "T" Buttress Plate


Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
4	714.204	TI-714.204
5	714.205	TI-714.205
6	714.206	TI-714.206
7	714.207	TI-714.207
8	714.208	TI-714.208
9	714.209	TI-714.209
10	714.210	TI-714.210
12	714.212	TI-714.212

4.5/5.0mm Wise-Lock "T" Plate


Compression and
Locking Hole



Holes	Stainless Steel	Titanium
3	709.203	TI-709.203
4	709.204	TI-709.204
5	709.205	TI-709.205
6	709.206	TI-709.206
7	709.207	TI-709.207
8	709.208	TI-709.208
9	709.209	TI-709.209
10	709.210	TI-709.210
12	709.212	TI-709.212

4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate



Holes	Stainless Steel	Titanium
5	575.005	TI-575.005

4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate




	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	576.003L	TI-576.003L	576.003R	TI-576.003R

5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS)



Compression and
Locking Hole



Right



Left



Holes	Left Direction	Right Direction
5	10-017-05LTI	10-017-05RTI
7	10-017-07LTI	10-017-07RTI
9	10-017-09LTI	10-017-09RTI
11	10-017-11LTI	10-017-11RTI
13	10-017-13LTI	10-017-13RTI

3.5mm Small Dynamic Compression Plate



Holes	Stainless Steel	Titanium
2	720.102	TI-720.102
3	720.103	TI-720.103
4	720.104	TI-720.104
5	720.105	TI-720.105
6	720.106	TI-720.106
7	720.107	TI-720.107
8	720.108	TI-720.108
9	720.109	TI-720.109
10	720.110	TI-720.110
11	720.111	TI-720.111
12	720.112	TI-720.112
13	720.113	TI-720.113
14	720.114	TI-720.114

3.5mm Small Limited Contact Dynamic Compression Plate



Holes	Stainless Steel	Titanium
3	721.103	TI-721.103
4	721.104	TI-721.104
5	721.105	TI-721.105
6	721.106	TI-721.106
7	721.107	TI-721.107
8	721.108	TI-721.108
9	721.109	TI-721.109
10	721.110	TI-721.110
11	721.111	TI-721.111
12	721.112	TI-721.112
13	721.113	TI-721.113
14	721.114	TI-721.114

3.5mm Cloverleaf Plate



Holes	Stainless Steel	Titanium
3	715.103	TI-715.103
4	715.104	TI-715.104
5	715.105	TI-715.105
6	715.106	TI-715.106
7	715.107	TI-715.107
8	715.108	TI-715.108
9	715.109	TI-715.109
10	715.110	TI-715.110
11	715.111	TI-715.111
12	715.112	TI-715.112
13	715.113	TI-715.113
14	715.114	TI-715.114

3.5mm Hook Plate



Holes	Stainless Steel	Titanium
4	729.104	TI-729.104
5	729.105	TI-729.105
6	729.106	TI-729.106
7	729.107	TI-729.107
8	729.108	TI-729.108
10	729.110	TI-729.110

4.5mm Lateral Tibial Head Buttress Plate, Right

Fixation with 4.5 & 6.5mm Screws



Holes	Stainless Steel	Titanium
5	733.105R	TI-733.105R
7	733.107R	TI-733.107R
9	733.109R	TI-733.109R
11	733.111R	TI-733.111R
13	733.113R	TI-733.113R

4.5mm Lateral Tibial Head Buttress Plate, Left

Fixation with 4.5 & 6.5mm Screws



Holes	Stainless Steel	Titanium
5	733.105L	TI-733.105L
7	733.107L	TI-733.107L
9	733.109L	TI-733.109L
11	733.111L	TI-733.111L
13	733.113L	TI-733.113L

4.5mm Proximal Tibia Medial Plate

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	763.103L	TI-763.103L	763.103R	TI-763.103R
5	763.105L	TI-763.105L	763.105R	TI-763.105R
7	763.107L	TI-763.107L	763.107R	TI-763.107R
9	763.109L	TI-763.109L	763.109R	TI-763.109R
11	763.111L	TI-763.111L	763.111R	TI-763.111R
13	763.113L	TI-763.113L	763.113R	TI-763.113R



4.5mm Proximal Tibia Plate with Round Holes

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	MP03.04R	TI-MP03.04R	MP03.04L	TI-MP03.04L
5	MP03.05R	TI-MP03.05R	MP03.05L	TI-MP03.05L
6	MP03.06R	TI-MP03.06R	MP03.06L	TI-MP03.06L
7	MP03.07R	TI-MP03.07R	MP03.07L	TI-MP03.07L
8	MP03.08R	TI-MP03.08R	MP03.08L	TI-MP03.08L
9	MP03.09R	TI-MP03.09R	MP03.09L	TI-MP03.09L
10	MP03.10R	TI-MP03.10R	MP03.10L	TI-MP03.10L



4.5mm Proximal Lateral Tibia Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	736.103L	TI-736.103L	736.103R	TI-736.103R
5	736.105L	TI-736.105L	736.105R	TI-736.105R
7	736.107L	TI-736.107L	736.107R	TI-736.107R
9	736.109L	TI-736.109L	736.109R	TI-736.109R
11	736.111L	TI-736.111L	736.111R	TI-736.111R
13	736.113L	TI-736.113L	736.113R	TI-736.113R

4.5mm Distal Tibia Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.103L	TI-737.103L	737.103R	TI-737.103R
5	737.105L	TI-737.105L	737.105R	TI-737.105R
7	737.107L	TI-737.107L	737.107R	TI-737.107R
9	737.109L	TI-737.109L	737.109R	TI-737.109R
11	737.111L	TI-737.111L	737.111R	TI-737.111R
13	737.113L	TI-737.113L	737.113R	TI-737.113R

4.5mm Distal Lateral Tibia Plate with Round Holes



Holes	Type	Stainless Steel	Titanium
5	Left	CP01.05L	TI-CP01.05L
5	Right	CP01.05R	TI-CP01.05R
7	Left	CP01.07L	TI-CP01.07L
7	Right	CP01.07R	TI-CP01.07R
9	Left	CP01.09L	TI-CP01.09L
9	Right	CP01.09R	TI-CP01.09R
11	Left	CP01.11L	TI-CP01.11L
11	Right	CP01.11R	TI-CP01.11R
13	Left	CP01.13L	TI-CP01.13L
13	Right	CP01.13R	TI-CP01.13R

4.5mm Distal Tibia Lateral Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.203L	TI-737.203L	737.203R	TI-737.203R
5	737.205L	TI-737.205L	737.205R	TI-737.205R
7	737.207L	TI-737.207L	737.207R	TI-737.207R
9	737.209L	TI-737.209L	737.209R	TI-737.209R
11	737.211L	TI-737.211L	737.211R	TI-737.211R
13	737.213L	TI-737.213L	737.213R	TI-737.213R

4.5mm Fibular Distal Tibia Plate



Holes	Type	Stainless Steel	Titanium
7	Right	CP12.07R	TI-CP12.07R
9	Right	CP12.09R	TI-CP12.09R
11	Right	CP12.11R	TI-CP12.11R
13	Right	CP12.13R	TI-CP12.13R
7	Left	CP12.07L	TI-CP12.07L
9	Left	CP12.09L	TI-CP12.09L
11	Left	CP12.11L	TI-CP12.11L
13	Left	CP12.13L	TI-CP12.13L

4.5mm "T" Plate



Holes	Stainless Steel	Titanium
3	713.103	TI-713.103
4	713.104	TI-713.104
5	713.105	TI-713.105
6	713.106	TI-713.106
7	713.107	TI-713.107
8	713.108	TI-713.108
9	713.109	TI-713.109
10	713.110	TI-713.110
11	713.111	TI-713.111
12	713.112	TI-713.112
13	713.113	TI-713.113
14	713.114	TI-713.114

4.5mm "T" Buttress Plate



Holes	Stainless Steel	Titanium
4	714.104	TI-714.104
5	714.105	TI-714.105
6	714.106	TI-714.106
7	714.107	TI-714.107
8	714.108	TI-714.108
9	714.109	TI-714.109
10	714.110	TI-714.110
11	714.111	TI-714.111
12	714.112	TI-714.112
13	714.113	TI-714.113
14	714.114	TI-714.114

4.5mm "L" Buttress Plate, Right



Holes	Stainless Steel	Titanium
3	706.103R	TI-706.103R
4	706.104R	TI-706.104R
5	706.105R	TI-706.105R
6	706.106R	TI-706.106R
7	706.107R	TI-706.107R
8	706.108R	TI-706.108R
9	706.109R	TI-706.109R
10	706.110R	TI-706.110R
11	706.111R	TI-706.111R
12	706.112R	TI-706.112R
13	706.113R	TI-706.113R
14	706.114R	TI-706.114R

4.5mm "L" Buttress Plate, Left



Holes	Stainless Steel	Titanium
3	706.103L	TI-706.103L
4	706.104L	TI-706.104L
5	706.105L	TI-706.105L
6	706.106L	TI-706.106L
7	706.107L	TI-706.107L
8	706.108L	TI-706.108L
9	706.109L	TI-706.109L
10	706.110L	TI-706.110L
11	706.111L	TI-706.111L
12	706.112L	TI-706.112L
13	706.113L	TI-706.113L
14	706.114L	TI-706.114L

4.5mm Hook Plate, 6 Holes

Fixation with 4.5 & 6.5mm Screws

Shaft with DCP dynamic compression holes and slot for tension device. Used after a blade of an angled hip plate breaks off at the proximal femur.



Holes	Stainless Steel	Titanium
6	730.106	TI-730.106

2.7mm Wise-Lock Screw, Self-Tapping (Hex Head)


Length (mm)	Stainless Steel	Titanium
10	118.010	TI-118.010
12	118.012	TI-118.012
14	118.014	TI-118.014
16	118.016	TI-118.016
18	118.018	TI-118.018
20	118.020	TI-118.020
22	118.022	TI-118.022
24	118.024	TI-118.024
26	118.026	TI-118.026
28	118.028	TI-118.028
30	118.030	TI-118.030
32	118.032	TI-118.032
34	118.034	TI-118.034
36	118.036	TI-118.036
38	118.038	TI-118.038
40	118.040	TI-118.040
42	118.042	TI-118.042
44	118.044	TI-118.044
46	118.046	TI-118.046
48	118.048	TI-118.048
50	118.050	TI-118.050
52	118.052	TI-118.052
54	118.054	TI-118.054
56	118.056	TI-118.056
58	118.058	TI-118.058
60	118.060	TI-118.060

3.5mm AV-Wiselock Screw, Self-Tapping, (Star Head)


Dia	Length	Titanium	Stainless Steel
Ø3.5	10mm	11-024-010TI	11-024-010SS
Ø3.5	12mm	11-024-012TI	11-024-012SS
Ø3.5	14mm	11-024-014TI	11-024-014SS
Ø3.5	16mm	11-024-016TI	11-024-016SS
Ø3.5	18mm	11-024-018TI	11-024-018SS
Ø3.5	20mm	11-024-020TI	11-024-020SS
Ø3.5	22mm	11-024-022TI	11-024-022SS
Ø3.5	24mm	11-024-024TI	11-024-024SS
Ø3.5	26mm	11-024-026TI	11-024-026SS
Ø3.5	28mm	11-024-028TI	11-024-028SS
Ø3.5	30mm	11-024-030TI	11-024-030SS
Ø3.5	32mm	11-024-032TI	11-024-032SS
Ø3.5	34mm	11-024-034TI	11-024-034SS
Ø3.5	36mm	11-024-036TI	11-024-036SS
Ø3.5	38mm	11-024-038TI	11-024-038SS
Ø3.5	40mm	11-024-040TI	11-024-040SS
Ø3.5	42mm	11-024-042TI	11-024-042SS
Ø3.5	44mm	11-024-044TI	11-024-044SS
Ø3.5	46mm	11-024-046TI	11-024-046SS
Ø3.5	48mm	11-024-048TI	11-024-048SS
Ø3.5	50mm	11-024-050TI	11-024-050SS
Ø3.5	52mm	11-024-052TI	11-024-052SS
Ø3.5	54mm	11-024-054TI	11-024-054SS
Ø3.5	56mm	11-024-056TI	11-024-056SS
Ø3.5	58mm	11-024-058TI	11-024-058SS
Ø3.5	60mm	11-024-060TI	11-024-060SS
Ø3.5	65mm	11-024-065TI	11-024-065SS
Ø3.5	70mm	11-024-070TI	11-024-070SS
Ø3.5	75mm	11-024-075TI	11-024-075SS
Ø3.5	80mm	11-024-080TI	11-024-080SS
Ø3.5	85mm	11-024-085TI	11-024-085SS
Ø3.5	90mm	11-024-090TI	11-024-090SS
Ø3.5	95mm	11-024-095TI	11-024-095SS

STERILE

Dia	Length	Titanium	Stainless Steel
Ø3.5	10mm	11-024-010TI-S	11-024-010SS-S
Ø3.5	12mm	11-024-012TI-S	11-024-012SS-S
Ø3.5	14mm	11-024-014TI-S	11-024-014SS-S
Ø3.5	16mm	11-024-016TI-S	11-024-016SS-S
Ø3.5	18mm	11-024-018TI-S	11-024-018SS-S
Ø3.5	20mm	11-024-020TI-S	11-024-020SS-S
Ø3.5	22mm	11-024-022TI-S	11-024-022SS-S
Ø3.5	24mm	11-024-024TI-S	11-024-024SS-S
Ø3.5	26mm	11-024-026TI-S	11-024-026SS-S
Ø3.5	28mm	11-024-028TI-S	11-024-028SS-S
Ø3.5	30mm	11-024-030TI-S	11-024-030SS-S
Ø3.5	32mm	11-024-032TI-S	11-024-032SS-S
Ø3.5	34mm	11-024-034TI-S	11-024-034SS-S
Ø3.5	36mm	11-024-036TI-S	11-024-036SS-S
Ø3.5	38mm	11-024-038TI-S	11-024-038SS-S
Ø3.5	40mm	11-024-040TI-S	11-024-040SS-S
Ø3.5	42mm	11-024-042TI-S	11-024-042SS-S
Ø3.5	44mm	11-024-044TI-S	11-024-044SS-S
Ø3.5	46mm	11-024-046TI-S	11-024-046SS-S
Ø3.5	48mm	11-024-048TI-S	11-024-048SS-S
Ø3.5	50mm	11-024-050TI-S	11-024-050SS-S
Ø3.5	52mm	11-024-052TI-S	11-024-052SS-S
Ø3.5	54mm	11-024-054TI-S	11-024-054SS-S
Ø3.5	56mm	11-024-056TI-S	11-024-056SS-S
Ø3.5	58mm	11-024-058TI-S	11-024-058SS-S
Ø3.5	60mm	11-024-060TI-S	11-024-060SS-S
Ø3.5	65mm	11-024-065TI-S	11-024-065SS-S
Ø3.5	70mm	11-024-070TI-S	11-024-070SS-S
Ø3.5	75mm	11-024-075TI-S	11-024-075SS-S
Ø3.5	80mm	11-024-080TI-S	11-024-080SS-S
Ø3.5	85mm	11-024-085TI-S	11-024-085SS-S
Ø3.5	90mm	11-024-090TI-S	11-024-090SS-S
Ø3.5	95mm	11-024-095TI-S	11-024-095SS-S





3.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 2.5mm

Length (mm)	Stainless Steel	Titanium
10	104.210	TI-104.210
12	104.212	TI-104.212
14	104.214	TI-104.214
16	104.216	TI-104.216
18	104.218	TI-104.218
20	104.220	TI-104.220
22	104.222	TI-104.222
24	104.224	TI-104.224
26	104.226	TI-104.226
28	104.228	TI-104.228
30	104.230	TI-104.230
32	104.232	TI-104.232
34	104.234	TI-104.234
36	104.236	TI-104.236
38	104.238	TI-104.238
40	104.240	TI-104.240
42	104.242	TI-104.242
44	104.244	TI-104.244
46	104.246	TI-104.246
48	104.248	TI-104.248
50	104.250	TI-104.250
55	104.255	TI-104.255
60	104.260	TI-104.260
65	104.265	TI-104.265
70	104.270	TI-104.270
75	104.275	TI-104.275
80	104.280	TI-104.280
85	104.285	TI-104.285
90	104.290	TI-104.290

3.5mm Wise-Lock Screw, Self-Tapping (Hex Head)

Length (mm)	Stainless Steel	Titanium
10	117.010	TI-117.010
12	117.012	TI-117.012
14	117.014	TI-117.014
16	117.016	TI-117.016
18	117.018	TI-117.018
20	117.020	TI-117.020
22	117.022	TI-117.022
24	117.024	TI-117.024
26	117.026	TI-117.026
28	117.028	TI-117.028
30	117.030	TI-117.030
* 32	117.032	TI-117.032
* 34	117.034	TI-117.034
35	117.035	TI-117.035
* 36	117.036	TI-117.036
* 38	117.038	TI-117.038
40	117.040	TI-117.040
* 42	117.042	TI-117.042
* 44	117.044	TI-117.044
45	117.045	TI-117.045
* 46	117.046	TI-117.046
* 48	117.048	TI-117.048
50	117.050	TI-117.050
* 52	117.052	TI-117.052
* 54	117.054	TI-117.054
55	117.055	TI-117.055
* 56	117.056	TI-117.056
* 58	117.058	TI-117.058
60	117.060	TI-117.060
65	117.065	TI-117.065
70	117.070	TI-117.070
75	117.075	TI-117.075
80	117.080	TI-117.080

* Sizes not available in Screw Caddy



3.5mm Wise-Lock Screw, Self-Drilling (Hex Head)


Length (mm)	Stainless Steel	Titanium
10	117.210	TI-117.210
12	117.212	TI-117.212
14	117.214	TI-117.214
16	117.216	TI-117.216
18	117.218	TI-117.218
20	117.220	TI-117.220
22	117.222	TI-117.222
24	117.224	TI-117.224
26	117.226	TI-117.226
28	117.228	TI-117.228
30	117.230	TI-117.230
* 32	117.232	TI-117.232
* 34	117.234	TI-117.234
* 36	117.236	TI-117.236
* 38	117.238	TI-117.238
40	117.240	TI-117.240
* 42	117.242	TI-117.242
* 44	117.244	TI-117.244
* 46	117.246	TI-117.246
* 48	117.248	TI-117.248
50	117.250	TI-117.250
* 52	117.252	TI-117.252
* 54	117.254	TI-117.254
* 56	117.256	TI-117.256
* 58	117.258	TI-117.258
60	117.260	TI-117.260

* Sizes not available in Screw Caddy



3.5mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
10mm	188.210	TI-188.210
12mm	188.212	TI-188.212
14mm	188.214	TI-188.214
16mm	188.216	TI-188.216
18mm	188.218	TI-188.218
20mm	188.220	TI-188.220
22mm	188.222	TI-188.222
24mm	188.224	TI-188.224
26mm	188.226	TI-188.226
28mm	188.228	TI-188.228
30mm	188.230	TI-188.230
32mm	188.232	TI-188.232
34mm	188.234	TI-188.234
36mm	188.236	TI-188.236
38mm	188.238	TI-188.238
40mm	188.240	TI-188.240
42mm	188.242	TI-188.242
44mm	188.244	TI-188.244
46mm	188.246	TI-188.246
48mm	188.248	TI-188.248
50mm	188.250	TI-188.250
55mm	188.255	TI-188.255
60mm	188.260	TI-188.260



3.5mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
10mm	1257.10	TI-1257.10
12mm	1257.12	TI-1257.12
14mm	1257.14	TI-1257.14
16mm	1257.16	TI-1257.16
18mm	1257.18	TI-1257.18
20mm	1257.20	TI-1257.20
22mm	1257.22	TI-1257.22
24mm	1257.24	TI-1257.24
26mm	1257.26	TI-1257.26
28mm	1257.28	TI-1257.28
30mm	1257.30	TI-1257.30
32mm	1257.32	TI-1257.32
34mm	1257.34	TI-1257.34
36mm	1257.36	TI-1257.36
38mm	1257.38	TI-1257.38
40mm	1257.40	TI-1257.40
42mm	1257.42	TI-1257.42
44mm	1257.44	TI-1257.44
46mm	1257.46	TI-1257.46
48mm	1257.48	TI-1257.48
50mm	1257.50	TI-1257.50
55mm	1257.55	TI-1257.55
60mm	1257.60	TI-1257.60



3.5mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
10	104.210	TI-104.210
12	104.212	TI-104.212
14	104.214	TI-104.214
16	104.216	TI-104.216
18	104.218	TI-104.218
20	104.220	TI-104.220
22	104.222	TI-104.222
24	104.224	TI-104.224
26	104.226	TI-104.226
28	104.228	TI-104.228
30	104.230	TI-104.230
32	104.232	TI-104.232
34	104.234	TI-104.234
36	104.236	TI-104.236
38	104.238	TI-104.238
40	104.240	TI-104.240
42	104.242	TI-104.242
44	104.244	TI-104.244
46	104.246	TI-104.246
48	104.248	TI-104.248
50	104.250	TI-104.250
* 55	104.255	TI-104.255
* 60	104.260	TI-104.260
* 65	104.265	TI-104.265
* 70	104.270	TI-104.270
* 75	104.275	TI-104.275
* 80	104.280	TI-104.280
* 85	104.285	TI-104.285
* 90	104.290	TI-104.290



* Sizes not available in Screw Caddy



3.5mm Cortical Screw (Hex Head)

Drill Bit : 2.5mm

Length (mm)	Stainless Steel	Titanium
10	104.010	TI-104.010
12	104.012	TI-104.012
14	104.014	TI-104.014
16	104.016	TI-104.016
18	104.018	TI-104.018
20	104.020	TI-104.020
22	104.022	TI-104.022
24	104.024	TI-104.024
26	104.026	TI-104.026
28	104.028	TI-104.028
30	104.030	TI-104.030
32	104.032	TI-104.032
34	104.034	TI-104.034
36	104.036	TI-104.036
38	104.038	TI-104.038
40	104.040	TI-104.040
42	104.042	TI-104.042
44	104.044	TI-104.044
46	104.046	TI-104.046
48	104.048	TI-104.048
50	104.050	TI-104.050
55	104.055	TI-104.055
60	104.060	TI-104.060
65	104.065	TI-104.065
70	104.070	TI-104.070
75	104.075	TI-104.075
80	104.080	TI-104.080
85	104.085	TI-104.085
90	104.090	TI-104.090



3.5mm Cancellous Screw, Short Thread

Drill Bit : 2.5mm

Length (mm)	Stainless Steel	Titanium
10	108.010S	TI-108.010S
12	108.012S	TI-108.012S
14	108.014S	TI-108.014S
16	108.016S	TI-108.016S
18	108.018S	TI-108.018S
20	108.020S	TI-108.020S
22	108.022S	TI-108.022S
24	108.024S	TI-108.024S
26	108.026S	TI-108.026S
28	108.028S	TI-108.028S
30	108.030S	TI-108.030S
32	108.032S	TI-108.032S
34	108.034S	TI-108.034S
36	108.036S	TI-108.036S
38	108.038S	TI-108.038S
40	108.040S	TI-108.040S
42	108.042S	TI-108.042S
44	108.044S	TI-108.044S
46	108.046S	TI-108.046S
48	108.048S	TI-108.048S
50	108.050S	TI-108.050S
52	108.052S	TI-108.052S
54	108.054S	TI-108.054S
56	108.056S	TI-108.056S
58	108.058S	TI-108.058S
60	108.060S	TI-108.060S



3.5mm Cancellous Screw, Full Thread

Drill Bit : 2.5mm

Length (mm)	Stainless Steel	Titanium
10	108.010	TI-108.010
12	108.012	TI-108.012
14	108.014	TI-108.014
16	108.016	TI-108.016
18	108.018	TI-108.018
20	108.020	TI-108.020
22	108.022	TI-108.022
24	108.024	TI-108.024
26	108.026	TI-108.026
28	108.028	TI-108.028
30	108.030	TI-108.030
32	108.032	TI-108.032
34	108.034	TI-108.034
36	108.036	TI-108.036
38	108.038	TI-108.038
40	108.040	TI-108.040
42	108.042	TI-108.042
44	108.044	TI-108.044
46	108.046	TI-108.046
48	108.048	TI-108.048
50	108.050	TI-108.050
52	108.052	TI-108.052
54	108.054	TI-108.054
56	108.056	TI-108.056
58	108.058	TI-108.058
60	108.060	TI-108.060



4.0mm Cancellous Screw, Short Thread

Drill Bit : 2.5mm

Length (mm)	Stainless Steel	Titanium
12	109.012	TI-109.012
14	109.014	TI-109.014
16	109.016	TI-109.016
18	109.018	TI-109.018
20	109.020	TI-109.020
22	109.022	TI-109.022
24	109.024	TI-109.024
26	109.026	TI-109.026
28	109.028	TI-109.028
30	109.030	TI-109.030
32	109.032	TI-109.032
34	109.034	TI-109.034
36	109.036	TI-109.036
38	109.038	TI-109.038
40	109.040	TI-109.040
45	109.045	TI-109.045
50	109.050	TI-109.050
55	109.055	TI-109.055
60	109.060	TI-109.060



4.0mm Cancellous Screw, Full Thread

Drill Bit : 2.5mm

Length (mm)	Stainless Steel	Titanium
12	110.012	TI-110.012
14	110.014	TI-110.014
16	110.016	TI-110.016
18	110.018	TI-110.018
20	110.020	TI-110.020
22	110.022	TI-110.022
24	110.024	TI-110.024
26	110.026	TI-110.026
28	110.028	TI-110.028
30	110.030	TI-110.030
32	110.032	TI-110.032
34	110.034	TI-110.034
36	110.036	TI-110.036
38	110.038	TI-110.038
40	110.040	TI-110.040
45	110.045	TI-110.045
50	110.050	TI-110.050
55	110.055	TI-110.055
60	110.060	TI-110.060

4.5mm Cortical Screw, (Hex Head)

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
12	105.012	TI-105.012
14	105.014	TI-105.014
16	105.016	TI-105.016
18	105.018	TI-105.018
20	105.020	TI-105.020
22	105.022	TI-105.022
24	105.024	TI-105.024
26	105.026	TI-105.026
28	105.028	TI-105.028
30	105.030	TI-105.030
32	105.032	TI-105.032
34	105.034	TI-105.034
36	105.036	TI-105.036
38	105.038	TI-105.038
40	105.040	TI-105.040
42	105.042	TI-105.042
44	105.044	TI-105.044
46	105.046	TI-105.046
48	105.048	TI-105.048
50	105.050	TI-105.050
52	105.052	TI-105.052
54	105.054	TI-105.054
56	105.056	TI-105.056
58	105.058	TI-105.058
60	105.060	TI-105.060
62	105.062	TI-105.062
64	105.064	TI-105.064
66	105.066	TI-105.066
68	105.068	TI-105.068
70	105.070	TI-105.070
72	105.072	TI-105.072
74	105.074	TI-105.074
76	105.076	TI-105.076
78	105.078	TI-105.078
80	105.080	TI-105.080

4.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
12	105.212	TI-105.212
14	105.214	TI-105.214
16	105.216	TI-105.216
18	105.218	TI-105.218
20	105.220	TI-105.220
22	105.222	TI-105.222
24	105.224	TI-105.224
26	105.226	TI-105.226
28	105.228	TI-105.228
30	105.230	TI-105.230
32	105.232	TI-105.232
34	105.234	TI-105.234
36	105.236	TI-105.236
38	105.238	TI-105.238
40	105.240	TI-105.240
42	105.242	TI-105.242
44	105.244	TI-105.244
46	105.246	TI-105.246
48	105.248	TI-105.248
50	105.250	TI-105.250
52	105.252	TI-105.252
54	105.254	TI-105.254
56	105.256	TI-105.256
58	105.258	TI-105.258
60	105.260	TI-105.260
62	105.262	TI-105.262
64	105.264	TI-105.264
66	105.266	TI-105.266
68	105.268	TI-105.268
70	105.270	TI-105.270
72	105.272	TI-105.272
74	105.274	TI-105.274
76	105.276	TI-105.276
78	105.278	TI-105.278
80	105.280	TI-105.280
85	105.285	TI-105.285
90	105.290	TI-105.290

5.0mm AV-Wiselock Screw, Self-Tapping, (Star Head)


Dia	Length	Titanium	Stainless Steel
Ø5.0	20mm	11-089-020TI	11-089-020SS
Ø5.0	22mm	11-089-022TI	11-089-022SS
Ø5.0	24mm	11-089-024TI	11-089-024SS
Ø5.0	26mm	11-089-026TI	11-089-026SS
Ø5.0	28mm	11-089-028TI	11-089-028SS
Ø5.0	30mm	11-089-030TI	11-089-030SS
Ø5.0	32mm	11-089-032TI	11-089-032SS
Ø5.0	34mm	11-089-034TI	11-089-034SS
Ø5.0	36mm	11-089-036TI	11-089-036SS
Ø5.0	38mm	11-089-038TI	11-089-038SS
Ø5.0	40mm	11-089-040TI	11-089-040SS
Ø5.0	42mm	11-089-042TI	11-089-042SS
Ø5.0	44mm	11-089-044TI	11-089-044SS
Ø5.0	46mm	11-089-046TI	11-089-046SS
Ø5.0	48mm	11-089-048TI	11-089-048SS
Ø5.0	50mm	11-089-050TI	11-089-050SS
Ø5.0	55mm	11-089-055TI	11-089-055SS
Ø5.0	60mm	11-089-060TI	11-089-060SS
Ø5.0	65mm	11-089-065TI	11-089-065SS
Ø5.0	70mm	11-089-070TI	11-089-070SS
Ø5.0	75mm	11-089-075TI	11-089-075SS
Ø5.0	80mm	11-089-080TI	11-089-080SS
Ø5.0	85mm	11-089-085TI	11-089-085SS
Ø5.0	90mm	11-089-090TI	11-089-090SS

[STERILE]

Dia	Length	Titanium	Stainless Steel
Ø5.0	20mm	11-089-020TI-S	11-089-020SS-S
Ø5.0	22mm	11-089-022TI-S	11-089-022SS-S
Ø5.0	24mm	11-089-024TI-S	11-089-024SS-S
Ø5.0	26mm	11-089-026TI-S	11-089-026SS-S
Ø5.0	28mm	11-089-028TI-S	11-089-028SS-S
Ø5.0	30mm	11-089-030TI-S	11-089-030SS-S
Ø5.0	32mm	11-089-032TI-S	11-089-032SS-S
Ø5.0	34mm	11-089-034TI-S	11-089-034SS-S
Ø5.0	36mm	11-089-036TI-S	11-089-036SS-S
Ø5.0	38mm	11-089-038TI-S	11-089-038SS-S
Ø5.0	40mm	11-089-040TI-S	11-089-040SS-S
Ø5.0	42mm	11-089-042TI-S	11-089-042SS-S
Ø5.0	44mm	11-089-044TI-S	11-089-044SS-S
Ø5.0	46mm	11-089-046TI-S	11-089-046SS-S
Ø5.0	48mm	11-089-048TI-S	11-089-048SS-S
Ø5.0	50mm	11-089-050TI-S	11-089-050SS-S
Ø5.0	55mm	11-089-055TI-S	11-089-055SS-S
Ø5.0	60mm	11-089-060TI-S	11-089-060SS-S
Ø5.0	65mm	11-089-065TI-S	11-089-065SS-S
Ø5.0	70mm	11-089-070TI-S	11-089-070SS-S
Ø5.0	75mm	11-089-075TI-S	11-089-075SS-S
Ø5.0	80mm	11-089-080TI-S	11-089-080SS-S
Ø5.0	85mm	11-089-085TI-S	11-089-085SS-S
Ø5.0	90mm	11-089-090TI-S	11-089-090SS-S



5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
52	119.052	TI-119.052
54	119.054	TI-119.054
56	119.056	TI-119.056
58	119.058	TI-119.058
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090



5.0mm Wise-Lock Screw, Self-Tapping & Self-Drilling, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.212	TI-119.212
14	119.214	TI-119.214
16	119.216	TI-119.216
18	119.218	TI-119.218
20	119.220	TI-119.220
22	119.222	TI-119.222
24	119.224	TI-119.224
26	119.226	TI-119.226
28	119.228	TI-119.228
30	119.230	TI-119.230
32	119.232	TI-119.232
34	119.234	TI-119.234
36	119.236	TI-119.236
38	119.238	TI-119.238
40	119.240	TI-119.240
42	119.242	TI-119.242
44	119.244	TI-119.244
46	119.246	TI-119.246
48	119.248	TI-119.248
50	119.250	TI-119.250
55	119.255	TI-119.255
60	119.260	TI-119.260
65	119.265	TI-119.265
70	119.270	TI-119.270
75	119.275	TI-119.275
80	119.280	TI-119.280
85	119.285	TI-119.285
90	119.290	TI-119.290



5.0mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	1360-20	TI-1360-20
22	1360-22	TI-1360-22
24	1360-24	TI-1360-24
26	1360-26	TI-1360-26
28	1360-28	TI-1360-28
30	1360-30	TI-1360-30
32	1360-32	TI-1360-32
34	1360-34	TI-1360-34
36	1360-36	TI-1360-36
38	1360-38	TI-1360-38
40	1360-40	TI-1360-40
42	1360-42	TI-1360-42
44	1360-44	TI-1360-44
46	1360-46	TI-1360-46
48	1360-48	TI-1360-48
50	1360-50	TI-1360-50
55	1360-55	TI-1360-55
60	1360-60	TI-1360-60
65	1360-65	TI-1360-65
70	1360-70	TI-1360-70
75	1360-75	TI-1360-75
80	1360-80	TI-1360-80
85	1360-85	TI-1360-85
90	1360-90	TI-1360-90
95	1360-95	TI-1360-95
100	1360-100	TI-1360-100
105	1360-105	TI-1360-105
110	1360-110	TI-1360-110



5.0mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	1256-20	TI-1256-20
22	1256-22	TI-1256-22
24	1256-24	TI-1256-24
26	1256-26	TI-1256-26
28	1256-28	TI-1256-28
30	1256-30	TI-1256-30
32	1256-32	TI-1256-32
34	1256-34	TI-1256-34
36	1256-36	TI-1256-36
38	1256-38	TI-1256-38
40	1256-40	TI-1256-40
42	1256-42	TI-1256-42
44	1256-44	TI-1256-44
46	1256-46	TI-1256-46
48	1256-48	TI-1256-48
50	1256-50	TI-1256-50
55	1256-55	TI-1256-55
60	1256-60	TI-1256-60
65	1256-65	TI-1256-65
70	1256-70	TI-1256-70
75	1256-75	TI-1256-75
80	1256-80	TI-1256-80
85	1256-85	TI-1256-85
90	1256-90	TI-1256-90
95	1256-95	TI-1256-95
100	1256-100	TI-1256-100
105	1256-105	TI-1256-105
110	1256-110	TI-1256-110



5.0mm Wise-Lock Cannulated Screw, Full Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
20	156.020	TI-156.020
25	156.025	TI-156.025
30	156.030	TI-156.030
35	156.035	TI-156.035
40	156.040	TI-156.040
45	156.045	TI-156.045
50	156.050	TI-156.050
55	156.055	TI-156.055
60	156.060	TI-156.060
65	156.065	TI-156.065
70	156.070	TI-156.070
75	156.075	TI-156.075
80	156.080	TI-156.080
85	156.085	TI-156.085
90	156.090	TI-156.090
95	156.095	TI-156.095
100	156.100	TI-156.100
105	156.105	TI-156.105
110	156.110	TI-156.110
115	156.115	TI-156.115
120	156.120	TI-156.120



5.0mm Wise-Lock Cannulated Screw, Partial Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
30	1269.30	TI-1269.30
35	1269.35	TI-1269.35
40	1269.40	TI-1269.40
45	1269.45	TI-1269.45
50	1269.50	TI-1269.50
55	1269.55	TI-1269.55
60	1269.60	TI-1269.60
65	1269.65	TI-1269.65
70	1269.70	TI-1269.70
75	1269.75	TI-1269.75
80	1269.80	TI-1269.80
85	1269.85	TI-1269.85
90	1269.90	TI-1269.90
95	1269.95	TI-1269.95
100	1269.100	TI-1269.100



6.5mm Cancellous Screw, 16mm Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	111.025	TI-111.025
30	111.030	TI-111.030
35	111.035	TI-111.035
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100
105	111.105	TI-111.105
110	111.110	TI-111.110
115	111.115	TI-111.115
120	111.120	TI-111.120

6.5mm Cancellous Screw, 32mm Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
35	112.035	TI-112.035
40	112.040	TI-112.040
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100
105	112.105	TI-112.105
110	112.110	TI-112.110
115	112.115	TI-112.115
120	112.120	TI-112.120

6.5mm Cancellous Screw, Full Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	113.025	TI-113.025
30	113.030	TI-113.030
35	113.035	TI-113.035
40	113.040	TI-113.040
45	113.045	TI-113.045
50	113.050	TI-113.050
55	113.055	TI-113.055
60	113.060	TI-113.060
65	113.065	TI-113.065
70	113.070	TI-113.070
75	113.075	TI-113.075
80	113.080	TI-113.080
85	113.085	TI-113.085
90	113.090	TI-113.090
95	113.095	TI-113.095
100	113.100	TI-113.100
105	113.105	TI-113.105
110	113.110	TI-113.110
115	113.115	TI-113.115
120	113.120	TI-113.120

Washer for Small Fragment Screws



	Stainless Steel	Titanium
Code	100.110	TI-100.110



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonipat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com