


HEADLESS CANNULATED

HEADLESS CANNULATED

SCREW SYSTEM

2.5 | 3.5 | 4.0 | 4.7 | 5.5 | 7.5mm



about us

Auxin Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants

2.5-3.5-4.0

**Headless Screw
System**

Micro, 2.5mm Headless Cannulated Screw

STERILE

Length (mm)	Titanium
8	13-021-08TI
9	13-021-09TI
10	13-021-10TI
11	13-021-11TI
12	13-021-12TI
13	13-021-13TI
14	13-021-14TI
16	13-021-16TI
18	13-021-18TI
20	13-021-20TI
22	13-021-22TI
24	13-021-24TI
26	13-021-26TI
28	13-021-28TI
30	13-021-30TI

Length (mm)	Titanium
8	13-021-08TI-S
9	13-021-09TI-S
10	13-021-10TI-S
11	13-021-11TI-S
12	13-021-12TI-S
13	13-021-13TI-S
14	13-021-14TI-S
16	13-021-16TI-S
18	13-021-18TI-S
20	13-021-20TI-S
22	13-021-22TI-S
24	13-021-24TI-S
26	13-021-26TI-S
28	13-021-28TI-S
30	13-021-30TI-S


Mini, 3.5mm Headless Cannulated Screw

STERILE

Length (mm)	Titanium
16	13-022-16TI
18	13-022-18TI
20	13-022-20TI
22	13-022-22TI
24	13-022-24TI
26	13-022-26TI
28	13-022-28TI
30	13-022-30TI

Length (mm)	Titanium
16	13-022-16TI-S
18	13-022-18TI-S
20	13-022-20TI-S
22	13-022-22TI-S
24	13-022-24TI-S
26	13-022-26TI-S
28	13-022-28TI-S
30	13-022-30TI-S


Standard, 4.0mm Headless Cannulated Screw


STERILE

Length (mm)	Titanium
16	13-023-16TI
18	13-023-18TI
20	13-023-20TI
22	13-023-22TI
24	13-023-24TI
26	13-023-26TI
28	13-023-28TI
30	13-023-30TI
32	13-023-32TI
34	13-023-34TI

Length (mm)	Titanium
16	13-023-16TI-S
18	13-023-18TI-S
20	13-023-20TI-S
22	13-023-22TI-S
24	13-023-24TI-S
26	13-023-26TI-S
28	13-023-28TI-S
30	13-023-30TI-S
32	13-023-32TI-S
34	13-023-34TI-S



Micro, 2.5mm Headless Screw implant case




Length (mm)	Titanium	Unit
8	13-021-08TI	2
9	13-021-09TI	2
10	13-021-10TI	2
11	13-021-11TI	2
12	13-021-12TI	2
13	13-021-13TI	2
14	13-021-14TI	2
16	13-021-16TI	2
18	13-021-18TI	2
20	13-021-20TI	2
22	13-021-22TI	2
24	13-021-24TI	2
26	13-021-26TI	2
28	13-021-28TI	2
30	13-021-30TI	2

Mini, 3.5mm Headless Screw implant case



Length (mm)	Titanium	Unit
16	13-022-16TI	2
18	13-022-18TI	2
20	13-022-20TI	2
22	13-022-22TI	2
24	13-022-24TI	2
26	13-022-26TI	2
28	13-022-28TI	2
30	13-022-30TI	2

Standard, 4.0mm Headless Screw implant case



Length (mm)	Titanium	Unit
16	13-023-16TI	2
18	13-023-18TI	2
20	13-023-20TI	2
22	13-023-22TI	2
24	13-023-24TI	2
26	13-023-26TI	2
28	13-023-28TI	2
30	13-023-30TI	2
32	13-023-32TI	2
34	13-023-34TI	2

7-096-01 Guide Wire, Ø0.8mm x Length 147mm



7-096-02 Wire Guide, Ø0.8mm x Length 108mm



7-096-03 Reamer Ø2.5mm



7-096-04 Cannulated Drill Bit, Ø2.0mm x Length 89mm



7-096-05 Cannulated Screwdriver, Hex 1.5mm



7-096-06 Screwdriver, Hex 1.5mm



7-096-07 Guide Wire, Ø1.1mm x Length 153mm



7-096-08 Wire Guide, Ø1.1mm x Length 108mm



7-096-09 Reamer Ø3.5mm



7-096-10 Cannulated Drill Bit, Ø2.5mm x Length 114mm



7-096-11 Cannulated Screwdriver, Hex 2.0mm for Headless Screw



7-096-12 Screwdriver, Hex 2.0mm for Headless Screw



7-096-13

Guide Wire, Ø1.4mm x Length 180mm

**7-096-14**

Wire Guide, Ø1.4mm x Length 108mm

**7-096-15**

Reamer Ø4.0mm

**7-096-16**

Cannulated Drill Bit, Ø3.0mm x Length 114mm

**7-096-17**

Cannulated Screwdriver, Hex 2.5mm for Headless Screw

**7-096-18**

Screwdriver, Hex 2.5mm



7-096-19 Cannulated Ratchet Handle with Quick Coupling for Headless Screw



7-096-20 Plunger for Headless Screw



7-096-21 Forcep for Headless Screw



7-096-22 Out Sleeve for Headless Screw



7-096-23 Reduction Forcep with Point for Headless Screw




7-096-24 Depth Gauge for Headless Screw (2.5|3.5|4.0)




7-096-25 Inner Sleeve for Headless Screw



7-096-26 2.5mm Headless Cannulated Screw Caddy



7-096-27 3.5mm Headless Cannulated Screw Caddy




7-096-28 4.0mm Headless Cannulated Screw Caddy



7-096-29 Instrument Trays for 2.5, 3.5 & 4.0mm Headless Cannulated Screw Instrument Set



7-096-30 Container for 2.5, 3.5 & 4.0mm Headless Cannulated Screw Instrument Set



7-096 2.5, 3.5 & 4.0mm Headless Cannulated Screw Instrument Set

7-096 2.5, 3.5 & 4.0mm Headless Cannulated Screw Instrument Set

Code	Set Consisting of	Units
7-096-01	Guide Wire, Ø0.8mm x Length 147mm	2
7-096-02	Wire Guide, Ø0.8mm x Length 108mm	1
7-096-03	Reamer Ø2.5mm	1
7-096-04	Cannulated Drill Bit, Ø2.0mm x Length 89mm	1
7-096-05	Cannulated Screwdriver, Hex 1.5mm	1
7-096-06	Screwdriver, Hex 1.5mm	1
7-096-07	Guide Wire, Ø1.1mm x Length 153mm	2
7-096-08	Wire Guide, Ø1.1mm x Length 108mm	1
7-096-09	Reamer Ø3.5mm	1
7-096-10	Cannulated Drill Bit, Ø2.5mm x Length 114mm	1
7-096-11	Cannulated Screwdriver, Hex 2.0mm for Headless Screw	1
7-096-12	Screwdriver, Hex 2.0mm for Headless Screw	1
7-096-13	Guide Wire, Ø1.4mm x Length 180mm	2
7-096-14	Wire Guide, Ø1.4mm x Length 108mm	1
7-096-15	Reamer Ø4.0mm	1
7-096-16	Cannulated Drill Bit, Ø3.0mm x Length 114mm	1
7-096-17	Cannulated Screwdriver, Hex 2.5mm for Headless Screw	1
7-096-18	Screwdriver, Hex 2.5mm	1
7-096-19	Cannulated Ratchet Handle with Quick Coupling for Headless Screw	1
7-096-20	Plunger for Headless Screw	1
7-096-21	Forcep for Headless Screw	1
7-096-22	Out Sleeve for Headless Screw	1
7-096-23	Reduction Forcep with Point for Headless Screw	1
7-096-24	Depth Gauge for Headless Screw (2.5 3.5 4.0)	1
7-096-25	Inner Sleeve for Headless Screw	1
7-096-26	2.5mm Headless Cannulated Screw Caddy	1
7-096-27	3.5mm Headless Cannulated Screw Caddy	1
7-096-28	4.0mm Headless Cannulated Screw Caddy	1
7-096-29	Instrument Trays for 2.5, 3.5 & 4.0mm Headless Cannulated Screw Instrument Set	2
7-096-30	Container for 2.5, 3.5 & 4.0mm Headless Cannulated Screw Instrument Set	1

4.7mm-5.5mm-7.5mm
**Headless Screw
System**

4.7mm Headless Cannulated Screw



Length (mm)	Titanium
20	13-024-20TI
22	13-024-22TI
24	13-024-24TI
26	13-024-26TI
28	13-024-28TI
30	13-024-30TI
35	13-024-35TI
40	13-024-40TI
45	13-024-45TI
50	13-024-50TI

STERILE

Length (mm)	Titanium
20	13-024-20TI-S
22	13-024-22TI-S
24	13-024-24TI-S
26	13-024-26TI-S
28	13-024-28TI-S
30	13-024-30TI-S
35	13-024-35TI-S
40	13-024-40TI-S
45	13-024-45TI-S
50	13-024-50TI-S



5.5mm Headless Cannulated Screw



Length (mm)	Titanium
25	13-025-25TI
30	13-025-30TI
35	13-025-35TI
40	13-025-40TI
45	13-025-45TI
50	13-025-50TI
55	13-025-55TI
60	13-025-60TI

STERILE

Length (mm)	Titanium
25	13-025-25TI-S
30	13-025-30TI-S
35	13-025-35TI-S
40	13-025-40TI-S
45	13-025-45TI-S
50	13-025-50TI-S
55	13-025-55TI-S
60	13-025-60TI-S



7.5mm Headless Cannulated Screw




Length (mm)	Titanium
40	13-026-40TI
45	13-026-45TI
50	13-026-50TI
55	13-026-55TI
60	13-026-60TI
65	13-026-65TI
70	13-026-70TI
75	13-026-75TI
80	13-026-80TI
85	13-026-85TI
90	13-026-90TI
95	13-026-95TI
100	13-026-100TI
105	13-026-105TI
110	13-026-110TI
115	13-026-115TI
120	13-026-120TI

STERILE

Length (mm)	Titanium
40	13-026-40TI-S
45	13-026-45TI-S
50	13-026-50TI-S
55	13-026-55TI-S
60	13-026-60TI-S
65	13-026-65TI-S
70	13-026-70TI-S
75	13-026-75TI-S
80	13-026-80TI-S
85	13-026-85TI-S
90	13-026-90TI-S
95	13-026-95TI-S
100	13-026-100TI-S
105	13-026-105TI-S
110	13-026-110TI-S
115	13-026-115TI-S
120	13-026-120TI-S




4.7mm Headless Screw Implant Case




Length (mm)	Titanium	Unit
20	13-024-20TI	2
22	13-024-22TI	2
24	13-024-24TI	2
26	13-024-26TI	2
28	13-024-28TI	2
30	13-024-30TI	2
35	13-024-35TI	2
40	13-024-40TI	2
45	13-024-45TI	2
50	13-024-50TI	2

5.5mm Headless Screw Implant Case



Length (mm)	Titanium	Unit
25	13-025-25TI	2
30	13-025-30TI	2
35	13-025-35TI	2
40	13-025-40TI	2
45	13-025-45TI	2
50	13-025-50TI	2
55	13-025-55TI	2
60	13-025-60TI	2

7.5mm Headless Screw Implant Case



Length (mm)	Titanium	Unit
40	13-026-40TI	2
45	13-026-45TI	2
50	13-026-50TI	2
55	13-026-55TI	2
60	13-026-60TI	2
65	13-026-65TI	2
70	13-026-70TI	2
75	13-026-75TI	2
80	13-026-80TI	2
85	13-026-85TI	2
90	13-026-90TI	2
95	13-026-95TI	2
100	13-026-100TI	2
105	13-026-105TI	2
110	13-026-110TI	2
115	13-026-115TI	2
120	13-026-120TI	2

7-097-01 Cannulated Drill Bit, Ø4.5mm x Length 160mm



7-097-02 Cannulated Drill Bit, Long, Ø4.5mm x Length 200mm



7-097-03 Guide Wire, Ø1.6mm x Length 240mm



7-097-04 Guide for Kirschner Wire Ø1.6mm



7-097-05 Cannulated Screwdriver, Hex 3.0mm



7-097-06 Screwdriver, Hex 3.0mm



7-097-07 Cannulated Drill Bit, Ø5.2mm x Length 165mm



7-097-08 Cannulated Drill Bit, Long, Ø5.2mm x Length 200mm



7-097-09 Cannulated Screwdriver, Hex 4.0mm



7-097-10 Screwdriver, Hex 4.0mm



7-097-11 Guide for Kirschner Wire Ø2.4mm



7-097-12 Cannulated Drill Bit, Ø6.5mm, 40-65mm



7-097-13 Cannulated Drill Bit, Ø6.5mm, 70-95mm



7-097-14 Cannulated Drill Bit Ø6.5mm, 100-120mm



7-097-15 Threaded Guide Pin Ø2.4mm x Thread Length 8mm x Length 240mm



7-097-16 Guide Wire, Ø2.4mm x Length 240mm



7-097-17 Depth Gauge for Headless Screw (4.7|5.5|7.5)



7-097-18 Hook for Headless Screw



7-097-19 Reduction Forcep with Point



7-097-20 Easy Out 3.0mm



7-097-21 Easy Out 4.0mm



7-097-22 4.7mm Sleeve



7-097-23 5.5mm Sleeve



7-097-31 6.5mm Sleeve




7-097-24 Cannulated Ratchet Handle with Quick Coupling




7-097-25 T-Handle with Quick Coupling for Headless Screw




7-097-26 4.7mm Headless Cannulated Screw Caddy




7-097-27 5.5mm Headless Cannulated Screw Caddy




7-097-28 7.5mm Headless Cannulated Screw Caddy



7-097-29 Instrument Trays for 4.7, 5.5 & 7.5mm Headless Cannulated Screw Instrument Set



7-097-30 Container for 4.7, 5.5 & 7.5mm Headless Cannulated Screw Instrument Set



7-097 4.7, 5.5 & 7.5mm Headless Cannulated Screw Instrument Set

7-097 4.7, 5.5 & 7.5mm Headless Cannulated Screw Instrument Set

Code	Set Consisting of	Units
7-097-01	Cannulated Drill Bit, Ø4.5mm x Length 160mm	2
7-097-02	Cannulated Drill Bit, Long, Ø4.5mm x Length 200mm	2
7-097-03	Guide Wire, Ø1.6mm x Length 240mm	4
7-097-04	Guide for Kirschner Wire Ø1.6mm	1
7-097-05	Cannulated Screwdriver, Hex 3.0mm	2
7-097-06	Screwdriver, Hex 3.0mm	2
7-097-07	Cannulated Drill Bit, Ø5.2mm x Length 165mm	2
7-097-08	Cannulated Drill Bit, Long, Ø5.2mm x Length 200mm	2
7-097-09	Cannulated Screwdriver, Hex 4.0mm	1
7-097-10	Screwdriver, Hex 4.0mm	1
7-097-11	Guide for Kirschner Wire Ø2.4mm	1
7-097-12	Cannulated Drill Bit, Ø6.5mm, 40-65mm	2
7-097-13	Cannulated Drill Bit, Ø6.5mm, 70-95mm	2
7-097-14	Cannulated Drill Bit Ø6.5mm, 100-120mm	2
7-097-15	Threaded Guide Pin Ø2.4mm x Thread Length 8mm x Length 240mm	4
7-097-16	Guide Wire, Ø2.4mm x Length 240mm	4
7-097-17	Depth Gauge for Headless Screw (4.7 5.5 7.5)	1
7-097-18	Hook for Headless Screw	1
7-097-19	Reduction Forcep with Point	1
7-097-20	Easy Out 3.0mm	1
7-097-21	Easy Out 4.0mm	1
7-097-22	4.7mm Sleeve	1
7-097-23	5.5mm Sleeve	1
7-097-31	6.5mm Sleeve	1
7-097-24	Cannulated Ratchet Handle with Quick Coupling	1
7-097-25	T-Handle with Quick Coupling for Headless Screw	1
7-097-26	4.7mm Headless Cannulated Screw Caddy	1
7-097-27	5.5mm Headless Cannulated Screw Caddy	1
7-097-28	7.5mm Headless Cannulated Screw Caddy	1
7-097-29	Instrument Trays for 4.7, 5.5 & 7.5mm Headless Cannulated Screw Instrument Set	3
7-097-30	Container for 4.7, 5.5 & 7.5mm Headless Cannulated Screw Instrument Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com