


TARSUS NAILING

TARSUS NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements




Tarsus Nail
STERILE

Ø Dia	Length (mm)	Titanium (Left)	Titanium (Right)
10mm	150mm	1-005-150LTI-S	1-005-150RTI-S
10mm	180mm	1-005-180LTI-S	1-005-180RTI-S
10mm	240mm	1-005-240LTI-S	1-005-240RTI-S
11mm	150mm	1-075-150LTI-S	1-075-150RTI-S
11mm	180mm	1-075-180LTI-S	1-075-180RTI-S
11mm	240mm	1-075-240LTI-S	1-075-240RTI-S
12mm	150mm	1-006-150LTI-S	1-006-150RTI-S
12mm	180mm	1-006-180LTI-S	1-006-180RTI-S
12mm	240mm	1-006-240LTI-S	1-006-240RTI-S
13mm	150mm	1-007-150LTI-S	1-007-150RTI-S
13mm	180mm	1-007-180LTI-S	1-007-180RTI-S
13mm	240mm	1-007-240LTI-S	1-007-240RTI-S



Ø Dia	Length (mm)	Titanium (Left)	Titanium (Right)
10mm	150mm	1-005-150LTI	1-005-150RTI
10mm	180mm	1-005-180LTI	1-005-180RTI
10mm	240mm	1-005-240LTI	1-005-240RTI
11mm	150mm	1-075-150LTI	1-075-150RTI
11mm	180mm	1-075-180LTI	1-075-180RTI
11mm	240mm	1-075-240LTI	1-075-240RTI
12mm	150mm	1-006-150LTI	1-006-150RTI
12mm	180mm	1-006-180LTI	1-006-180RTI
12mm	240mm	1-006-240LTI	1-006-240RTI
13mm	150mm	1-007-150LTI	1-007-150RTI
13mm	180mm	1-007-180LTI	1-007-180RTI
13mm	240mm	1-007-240LTI	1-007-240RTI




Left



Right

5.0mm Locking Bolt, (Star Head), Titanium

Ø Dia	Length (mm)	STERILE 	
		Sterile	Non-Sterile
5.0mm	26	1-008-026TI-S	1-008-026TI
5.0mm	28	1-008-028TI-S	1-008-028TI
5.0mm	30	1-008-030TI-S	1-008-030TI
5.0mm	32	1-008-032TI-S	1-008-032TI
5.0mm	34	1-008-034TI-S	1-008-034TI
5.0mm	36	1-008-036TI-S	1-008-036TI
5.0mm	38	1-008-038TI-S	1-008-038TI
5.0mm	40	1-008-040TI-S	1-008-040TI
5.0mm	42	1-008-042TI-S	1-008-042TI
5.0mm	44	1-008-044TI-S	1-008-044TI
5.0mm	46	1-008-046TI-S	1-008-046TI
5.0mm	48	1-008-048TI-S	1-008-048TI
5.0mm	50	1-008-050TI-S	1-008-050TI
5.0mm	52	1-008-052TI-S	1-008-052TI
5.0mm	54	1-008-054TI-S	1-008-054TI
5.0mm	56	1-008-056TI-S	1-008-056TI
5.0mm	58	1-008-058TI-S	1-008-058TI
5.0mm	60	1-008-060TI-S	1-008-060TI
5.0mm	62	1-008-062TI-S	1-008-062TI
5.0mm	64	1-008-064TI-S	1-008-064TI
5.0mm	66	1-008-066TI-S	1-008-066TI
5.0mm	68	1-008-068TI-S	1-008-068TI
5.0mm	70	1-008-070TI-S	1-008-070TI
5.0mm	72	1-008-072TI-S	1-008-072TI
5.0mm	74	1-008-074TI-S	1-008-074TI
5.0mm	76	1-008-076TI-S	1-008-076TI
5.0mm	78	1-008-078TI-S	1-008-078TI
5.0mm	80	1-008-080TI-S	1-008-080TI
5.0mm	85	1-008-085TI-S	1-008-085TI
5.0mm	90	1-008-090TI-S	1-008-090TI
5.0mm	95	1-008-095TI-S	1-008-095TI
5.0mm	100	1-008-100TI-S	1-008-100TI



6.0mm Locking Bolt, (Star Head), Titanium

Ø Dia	Length (mm)	STERILE 	
		Sterile	Non-Sterile
6.0mm	26	1-009-026TI-S	1-009-026TI
6.0mm	28	1-009-028TI-S	1-009-028TI
6.0mm	30	1-009-030TI-S	1-009-030TI
6.0mm	32	1-009-032TI-S	1-009-032TI
6.0mm	34	1-009-034TI-S	1-009-034TI
6.0mm	36	1-009-036TI-S	1-009-036TI
6.0mm	38	1-009-038TI-S	1-009-038TI
6.0mm	40	1-009-040TI-S	1-009-040TI
6.0mm	42	1-009-042TI-S	1-009-042TI
6.0mm	44	1-009-044TI-S	1-009-044TI
6.0mm	46	1-009-046TI-S	1-009-046TI
6.0mm	48	1-009-048TI-S	1-009-048TI
6.0mm	50	1-009-050TI-S	1-009-050TI
6.0mm	52	1-009-052TI-S	1-009-052TI
6.0mm	54	1-009-054TI-S	1-009-054TI
6.0mm	56	1-009-056TI-S	1-009-056TI
6.0mm	58	1-009-058TI-S	1-009-058TI
6.0mm	60	1-009-060TI-S	1-009-060TI
6.0mm	64	1-009-064TI-S	1-009-064TI
6.0mm	68	1-009-068TI-S	1-009-068TI
6.0mm	72	1-009-072TI-S	1-009-072TI
6.0mm	76	1-009-076TI-S	1-009-076TI
6.0mm	80	1-009-080TI-S	1-009-080TI
6.0mm	85	1-009-085TI-S	1-009-085TI
6.0mm	90	1-009-090TI-S	1-009-090TI
6.0mm	95	1-009-095TI-S	1-009-095TI
6.0mm	100	1-009-100TI-S	1-009-100TI
6.0mm	105	1-009-105TI-S	1-009-105TI
6.0mm	110	1-009-110TI-S	1-009-110TI
6.0mm	115	1-009-115TI-S	1-009-115TI
6.0mm	120	1-009-120TI-S	1-009-120TI
6.0mm	125	1-009-125TI-S	1-009-125TI



Spiral Blade, Titanium

STERILE



Length (mm)	Sterile	Non- Sterile
45	1-010-045TI-S	1-010-045TI
50	1-010-050TI-S	1-010-050TI
55	1-010-055TI-S	1-010-055TI
60	1-010-060TI-S	1-010-060TI
65	1-010-065TI-S	1-010-065TI
70	1-010-070TI-S	1-010-070TI
75	1-010-075TI-S	1-010-075TI
80	1-010-080TI-S	1-010-080TI
85	1-010-085TI-S	1-010-085TI
90	1-010-090TI-S	1-010-090TI
95	1-010-095TI-S	1-010-095TI
100	1-010-100TI-S	1-010-100TI



Tarsus Nail End Cap, for Securing Spiral Blade, Titanium

STERILE



Sterile	Non-Sterile
1-011-01TI-S	1-011-01TI



Tarsus Nail End Cap, for Securing the most distal Locking Bolt, Titanium


STERILE


Sterile	Non-Sterile
1-011-02TI-S	1-011-02TI



1-022 : Implant Box for Tarsus Nail




1-022-01 : Implant Tray 1 for Tarsus Nail, Length 150mm & Spiral Blades



Dia	Length	Qty
Ø10mm to Ø13mm	150mm	1pcs

Spiral Blade

Length	Qty
45mm to 100mm	1pcs

1-022-02 : Implant Tray 2 for Tarsus Nail, Length 180mm


Dia	Length	Qty
Ø10mm to Ø13mm	180mm	1pcs

1-022-03 : Implant Tray 3 for Tarsus Nail, Length 240mm


Dia	Length	Qty
Ø10mm to Ø13mm	240mm	1pcs

1-022-04 : Screw Caddy for Tarsus Nailing System

Ø5.0mm Locking Bolt, (Star Head)

Dia	Length	Qty
Ø5mm	26mm to 100mm	3pcs

Ø6.0mm Locking Bolt, (Star Head)

Dia	Length	Qty
Ø6mm	26mm to 125mm	2pcs

**Tarsus Nail End Cap,
for Securing Spiral Blade**

Code	Qty
1-011-01TI	2pcs

**Tarsus Nail End Cap, for
Securing the most distal Locking Bolt**

Code	Qty
1-011-02TI	2pcs



1-022-05	Container for Tarsus Nail Implant Set
----------	---------------------------------------

1-022-06	Lid for Tarsus Nail Implant Set
----------	---------------------------------

Tarsus

Nail Instrument Set

7-066-01 Radiographic Ruler for Tarsus Nail



7-066-02 18/8.0mm Protection Sleeve for Tarsus Nail



7-066-03 Threaded Alignment Pin for Tarsus Nail



7-066-04 Driving Cap for Tarsus Nail



7-066-05 Insertion Handle for Tarsus Nail



7-066-06 Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail



7-066-07

Aiming Arm for Tarsus Nail


7-066-08

Aiming Arm Adapter with Bolt for Tarsus Nail


7-066-09

Spiral Blade Inserter for Tarsus Nail


7-066-10

Holding Device for Guide Wire for Tarsus Nail


7-066-11

Sliding Hammer for Tarsus Nail


7-066-12

Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail



7-066-13

12/8.0mm Protection Sleeve for Tarsus Nail


7-066-14

8.0/3.2mm Drill Sleeve for Tarsus Nail


7-066-15

8.0/4.2mm Drill Sleeve for Tarsus Nail


7-066-16

8.0/5.0mm Drill Sleeve for Tarsus Nail


7-066-17

3.2mm Trocar for Tarsus Nail


7-066-18

4.2mm Trocar for Tarsus Nail



7-066-19

5.0mm Trocar for Tarsus Nail


7-066-20

Depth Gauge measuring upto 100mm for Tarsus Nail


7-066-21

15.0/13.0mm Protection Sleeve for Tarsus Nail


7-066-22

13.0/3.2mm Guide Wire Sleeve for Tarsus Nail


7-066-23

Measuring Device for Spiral Blade for Tarsus Nail


7-066-24

Universal Screwdriver, Hex 8mm for Tarsus Nail



7-066-25

Guide Wire Push Rod for Tarsus Nail


7-066-26

Self Retaining Screwdriver, Star Head T25 for Tarsus Nail


7-066-27

Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail


7-066-28


Screw Holding Sleeve with Locking Device for Tarsus Nail


7-066-29

Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail


7-066-30

Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail



7-066-31

4.5mm Pin Wrench for Tarsus Nail


7-066-32

Ratchet Wrench, Hex 11mm for Tarsus Nail


7-066-33

13.0mm Cannulated Entry Reamer for Tarsus Nail


7-066-34

13.0mm Protection Sleeve for Tarsus Nail


7-066-35

13.0/3.2mm Trocar for Tarsus Nail


7-066-36

Hammer Guide for Tarsus Nail



7-066-37

Connecting Screw for Spiral Blade Insert for Tarsus Nail


7-066-38

Extraction Screw for Tarsus Nail


7-066-39


Cannulated Shaft, Hex 8mm for Tarsus Nail


7-066-40

Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail


520-011

T- Handle for Entry Reamer



1312-22

Quick Coupling Handle



7-066-55

Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Tarsus Nail


7-066-43


Flexible Reamer Shaft for Tarsus Nail


Reamer Head


Code	Dia
7-066-44	Ø9mm
7-066-45	Ø9.5mm
7-066-46	Ø10mm
7-066-47	Ø10.5mm
7-066-48	Ø11mm
7-066-49	Ø11.5mm
7-066-50	Ø12mm
7-066-51	Ø12.5mm
7-066-52	Ø13mm
7-066-53	Ø13.5mm
7-066-54	Ø14mm




7-066-41-A Instrument Tray A for Tarsus Nailing Instrument Set




7-066-41-B Instrument Tray B for Tarsus Nailing Instrument Set



7-066-41-C Instrument Tray C for Tarsus Nailing Instrument Set



7-066-42 Container with Lid Tarsus Nailing Instrument Set



7-066 Tarsus Nailing Instrument Set

Code	Set Consisting of	Qty.
7-066-01	Radiographic Ruler for Tarsus Nail	1
7-066-02	18/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-03	Threaded Alignment Pin for Tarsus Nail	2
7-066-04	Driving Cap for Tarsus Nail	1
7-066-05	Insertion Handle for Tarsus Nail	1
7-066-06	Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail	2
7-066-07	Aiming Arm for Tarsus Nail	1
7-066-08	Aiming Arm Adapter with Bolt for Tarsus Nail	1
7-066-09	Spiral Blade Inserter for Tarsus Nail	1
7-066-10	Holding Device for Guide Wire for Tarsus Nail	1
7-066-11	Sliding Hammer for Tarsus Nail	1
7-066-12	Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail	2
7-066-13	12/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-14	8.0/3.2mm Drill Sleeve for Tarsus Nail	1
7-066-15	8.0/4.2mm Drill Sleeve for Tarsus Nail	1
7-066-16	8.0/5.0mm Drill Sleeve for Tarsus Nail	1
7-066-17	3.2mm Trocar for Tarsus Nail	1
7-066-18	4.2mm Trocar for Tarsus Nail	1
7-066-19	5.0mm Trocar for Tarsus Nail	1
7-066-20	Depth Gauge measuring upto 100mm for Tarsus Nail	1
7-066-21	15.0/13.0mm Protection Sleeve for Tarsus Nail	1
7-066-22	13.0/3.2mm Guide Wire Sleeve for Tarsus Nail	1
7-066-23	Measuring Device for Spiral Blade for Tarsus Nail	1
7-066-24	Universal Screwdriver, Hex 8mm for Tarsus Nail	1
7-066-25	Guide Wire Push Rod for Tarsus Nail	1
7-066-26	Self Retaining Screwdriver, Star Head T25 for Tarsus Nail	1
7-066-27	Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail	1
7-066-28	Screw Holding Sleeve with Locking Device for Tarsus Nail	1
7-066-29	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail	5
7-066-30	Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail	2
7-066-31	4.5mm Pin Wrench for Tarsus Nail	1
7-066-32	Ratchet Wrench, Hex 11mm for Tarsus Nail	1
7-066-33	13.0mm Cannulated Entry Reamer for Tarsus Nail	1
7-066-34	13.0mm Protection Sleeve for Tarsus Nail	1
7-066-35	13.0/3.2mm Trocar for Tarsus Nail	1
7-066-36	Hammer Guide for Tarsus Nail	1
7-066-37	Connecting Screw for Spiral Blade Inserter for Tarsus Nail	1
7-066-38	Extraction Screw for Tarsus Nail	1
7-066-39	Cannulated Shaft, Hex 8mm for Tarsus Nail	1
7-066-40	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail	5
520-011	T- Handle for Entry Reamer	1
1312-22	Quick Coupling Handle	1
7-066-55	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Tarsus Nail	1

Code	Set Consisting of	Qty.
7-066-43	Flexible Reamer Shaft for Tarsus Nail	2
7-066-44	Reamer Head, Ø9.0mm for Tarsus Nail	1
7-066-45	Reamer Head, Ø9.5mm for Tarsus Nail	1
7-066-46	Reamer Head, Ø10mm for Tarsus Nail	1
7-066-47	Reamer Head, Ø10.5mm for Tarsus Nail	1
7-066-48	Reamer Head, Ø11mm for Tarsus Nail	1
7-066-49	Reamer Head, Ø11.5mm for Tarsus Nail	1
7-066-50	Reamer Head, Ø12mm for Tarsus Nail	1
7-066-51	Reamer Head, Ø12.5mm for Tarsus Nail	1
7-066-52	Reamer Head, Ø13mm for Tarsus Nail	1
7-066-53	Reamer Head, Ø13.5mm for Tarsus Nail	1
7-066-54	Reamer Head, Ø14mm for Tarsus Nail	1
7-066-41-A	Instrument Tray A for Tarsus Nailing Instrument Set	1
7-066-41-B	Instrument Tray B for Tarsus Nailing Instrument Set	1
7-066-41-C	Instrument Tray C for Tarsus Nailing Instrument Set	1
7-066-42	Container with Lid Tarsus Nailing Instrument Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com